

Supplementary Appendix

Web Table 1: Number of smokers in India (sample and population): 1998 and 2010.

| State and Region | Number of smokers studied | Number of smokers (000) | | Absolute change per decade(%) |
|--------------------------------|---------------------------|-------------------------|---------------|-------------------------------|
| | 1998/2010 | 1998 | 2015 | |
| Men 15-69 Years | | | | |
| Himachal Pradesh | 10,998/360 | 674 | 839 | 14 |
| Punjab | 4095/160 | 560 | 1700 | 120 |
| Chandigarh | 2175/204 | 64 | 84 | 19 |
| Haryana | 24,254/364 | 2291 | 3231 | 24 |
| Delhi | 4815/328 | 612 | 2851 | 215 |
| Rajasthan | 34,952/370 | 5286 | 8035 | 31 |
| Uttar Pradesh & Uttaranchal | 54,445/821 | 14,523 | 18,014 | 14 |
| Bihar & Jharkhand | 38,646/381 | 7413 | 7855 | 4 |
| Assam | 28,840/713 | 3044 | 2340 | -14 |
| West Bengal | 67,614/652 | 11,058 | 13,582 | 13 |
| Odisha | 15,667/230 | 1878 | 3488 | 50 |
| Madhya Pradesh & Chhattisgarh | 31,865/479 | 6168 | 9165 | 29 |
| Gujarat | 20,659/258 | 3443 | 4242 | 14 |
| Maharashtra | 12,906/326 | 3441 | 5707 | 39 |
| Andhra Pradesh | 30,599/416 | 7323 | 9605 | 18 |
| Karnataka | 27,452/217 | 3863 | 5333 | 22 |
| Goa | 3924/84 | 76 | 33 | -33 |
| Kerala | 21,462/230 | 2270 | 3534 | 33 |
| Tamil Nadu | 20,636/268 | 3575 | 5315 | 29 |
| Northeast | 44,693/2379 | 1386 | 2796 | 60 |
| Rural Men | 41,2042/6449 | 60,957 | 76,718 | 15 |
| Urban Men | 96,965/3321 | 18,746 | 31407 | 40 |
| INDIA TOTAL | 509,007/9770 | 79,428 | 108,125 | 21 |
| Total 70+ | 21,864/478 | 4128 | 5896 | 25 |
| Total 15+ | 530,871/10248 | 83,437 | 114,021 | 22 |
| Women 15-69 Years INDIA | 31,949/1214 | | 11,183 | -* |

Note: * Reliable estimates for annual absolute change (%) for women could not be estimated since we believe that smoking among women has been declining based on our estimation by birth cohorts.

Web Table 2a: The 1998 and 2010 age standardized smoking prevalence for ages 15-69 years and 15-29 years, by state and location of residence and the 2004 non-standardized rates of smoking for 15-29 years* .

| States/ Regions | 15-69 years | | | | | | 15-29 years | | | | | | | | |
|------------------------------|-------------|------|-------|------|-------|------|-------------|------|------|-------|------|------|-------|------|------|
| | Total | | Rural | | Urban | | Total | | | Rural | | | Urban | | |
| | 1998 | 2010 | 1998 | 2010 | 1998 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 |
| Men | | | | | | | | | | | | | | | |
| Himachal Pradesh | 38.2 | 33.1 | 38.2 | 33.1 | 38 | 33.1 | 12.1 | 8.0 | 13.7 | 12.2 | 7.8 | 12.7 | 11.0 | 8.6 | 19.6 |
| Punjab | 7.5 | 12.7 | 7.5 | 12.8 | 7.5 | 12.7 | 3.0 | 5.4 | 8.3 | 2.6 | 4.8 | 5.4 | 3.7 | 7.0 | 12.6 |
| Chandigarh | 19.4 | 18.0 | 18.9 | 16.5 | 19.4 | 18.1 | 11.4 | 11.2 | 9.6 | 21.9 | 17.8 | 19.3 | 9.9 | 7.5 | 8.3 |
| Haryana | 38.2 | 32.3 | 37.9 | 32.0 | 38.8 | 32.9 | 16.0 | 17.2 | 12.7 | 19.2 | 20.6 | 14.3 | 7.4 | 10.8 | 9.3 |
| Delhi | 13.9 | 31.4 | 13.5 | 31.0 | 13.9 | 31.4 | 4.8 | 10.3 | 20.8 | 6.5 | 10.5 | 9.8 | 4.7 | 10.3 | 21.1 |
| Rajasthan | 34.7 | 31.9 | 34.6 | 31.7 | 35.1 | 32.4 | 14.3 | 21.4 | 12.8 | 16.0 | 24.7 | 13.2 | 9.0 | 5.8 | 11.5 |
| Uttar Pradesh/ Uttaranchal | 30.8 | 25.1 | 30.8 | 25.1 | 30.6 | 24.9 | 10.0 | 13.8 | 9.9 | 10.6 | 15.2 | 11.0 | 7.9 | 8.3 | 6.0 |
| Bihar/ Jharkhand | 25.8 | 19.6 | 25.8 | 19.6 | 25.6 | 19.5 | 7.9 | 12.0 | 16.0 | 8.3 | 14.1 | 16.8 | 5.7 | 6.8 | 11.2 |
| Assam | 39.8 | 25.7 | 39.4 | 25.5 | 42.0 | 26.6 | 15.0 | 18.9 | 15.4 | 15.7 | 23.0 | 14.2 | 10.7 | 16.0 | 21.1 |
| West Bengal | 44.7 | 39.2 | 44.0 | 38.8 | 46.2 | 40.1 | 20.7 | 19.8 | 23.9 | 21.7 | 21.5 | 23.8 | 18.0 | 15.3 | 24.1 |
| Odisha | 17.5 | 20.4 | 17.5 | 20.3 | 17.4 | 20.6 | 6.0 | 11.7 | 10.1 | 6.5 | 12.7 | 10.1 | 3.8 | 8.2 | 11.0 |
| Madhya Pradesh/ Chhattisgarh | 27.4 | 25.7 | 27.3 | 25.7 | 27.5 | 25.8 | 8.8 | 12.8 | 16.2 | 10.2 | 16.7 | 15.4 | 5.1 | 5.3 | 19.6 |
| Gujarat | 22.8 | 18.8 | 22.9 | 19.0 | 22.6 | 18.7 | 7.5 | 9.5 | 3.7 | 6.9 | 10.9 | 3.5 | 8.3 | 5.4 | 4.0 |
| Maharashtra | 11.6 | 12.2 | 11.6 | 12.2 | 11.6 | 12.1 | 2.6 | 2.8 | 4.8 | 2.7 | 2.0 | 3.5 | 2.5 | 4.2 | 6.1 |
| Andhra Pradesh | 31.8 | 29.7 | 31.8 | 29.8 | 31.7 | 29.3 | 11.0 | 8.4 | 12.0 | 12.3 | 8.8 | 11.6 | 7.7 | 7.0 | 12.9 |
| Karnataka | 24.4 | 22.3 | 24.4 | 22.3 | 24.3 | 22.3 | 6.8 | 7.1 | 9.6 | 6.7 | 6.9 | 8.7 | 6.8 | 7.9 | 10.8 |
| Goa | 17.8 | 9.0 | 18.1 | 9.0 | 17.7 | 8.9 | 2.3 | 2.3 | 4.0 | 2.3 | 2.4 | 4.4 | 2.2 | 2.2 | 3.7 |
| Kerala | 24.6 | 27.8 | 24.5 | 27.8 | 24.7 | 27.9 | 6.9 | 9.0 | 16.6 | 7.7 | 9.7 | 14.6 | 4.7 | 5.8 | 22.6 |
| Tamil Nadu | 18.0 | 18.6 | 17.7 | 18.3 | 18.4 | 18.8 | 5.2 | 5.3 | 7.2 | 4.7 | 5.2 | 6.0 | 5.9 | 5.5 | 8.4 |
| North East | 39.4 | 48.6 | 39.0 | 48.4 | 40.2 | 49.1 | 17.6 | 21.7 | 34.9 | 18.2 | 22.0 | 34.5 | 16.0 | 20.3 | 35.9 |
| INDIA TOTAL | 26.7 | 24.3 | 29.3 | 26.0 | 21.0 | 20.4 | 9.4 | 11.8 | 12.3 | 10.4 | 13.0 | 12.8 | 7.0 | 8.8 | 11.1 |
| Women | | | | | | | | | | | | | | | |
| INDIA TOTAL | 1.4 | 2.7 | 1.6 | 3.3 | 0.9 | 0.4 | 0.6 | 1.3 | 0.5 | 0.7 | 1.5 | 0.7 | 0.5 | 0.8 | 0.2 |

Note: The 2004 estimates are age-specific prevalence estimates from SRSBL. SRSBL provided appropriate age specific patterns that are close to 2011 census population which is used as the standard population for age standardized rates using SFMS and GATS.

Web Table 2b: The 1998 and 2010 age standardized smoking prevalence for ages 30-44 years and 45-59 years, by state and location of residence and the 2004 non-standardized rates of smoking at these ages* .

| States/ Regions | 30-44 years | | | | | | | | | 45-59 years | | | | | | | | |
|------------------------------|-------------|------|------|-------|------|------|-------|------|------|-------------|------|------|-------|------|------|-------|------|------|
| | Total | | | Rural | | | Urban | | | Total | | | Rural | | | Urban | | |
| | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 | 1998 | 2004 | 2010 |
| Men | | | | | | | | | | | | | | | | | | |
| Himachal Pradesh | 51.1 | 38.1 | 40.2 | 52.0 | 41.9 | 40.9 | 45.5 | 30.9 | 34.6 | 62.6 | 47.7 | 57.3 | 64.6 | 54.9 | 60.2 | 49.4 | 34.3 | 37.5 |
| Punjab | 10.5 | 15.1 | 17.0 | 9.7 | 13.3 | 16.9 | 11.7 | 19.0 | 17.3 | 11.6 | 15.7 | 12.3 | 11.3 | 13.7 | 11.6 | 12.1 | 20.5 | 12.7 |
| Chandigarh | 28.6 | 28.0 | 20.5 | 45.6 | 31.0 | 27.1 | 26.5 | 26.8 | 19.6 | 23.5 | 26.0 | 28.2 | 35.0 | 28.0 | 47.2 | 22.7 | 25.5 | 26.4 |
| Haryana | 53.7 | 47.5 | 42.2 | 62.9 | 56.9 | 44.2 | 35.1 | 32.3 | 38.7 | 60.0 | 51.4 | 55.5 | 70.7 | 63.0 | 58.3 | 40.6 | 34.1 | 49.4 |
| Delhi | 20.3 | 29.6 | 35.4 | 26.6 | 33.6 | 63.1 | 20.0 | 29.1 | 34.7 | 23.0 | 34.5 | 37.9 | 31.4 | 46.4 | 71.6 | 22.6 | 33.0 | 36.8 |
| Rajasthan | 48.6 | 47.7 | 46.1 | 54.5 | 53.2 | 51.7 | 31.9 | 23.0 | 30.5 | 56.3 | 53.6 | 54.3 | 62.1 | 59.0 | 61.5 | 40.7 | 29.2 | 35.7 |
| Uttar Pradesh/ Uttaranchal | 44.2 | 40.2 | 33.7 | 46.7 | 43.5 | 36.8 | 36.5 | 27.4 | 24.1 | 54.3 | 45.1 | 42.9 | 57.4 | 48.6 | 45.3 | 44.8 | 32.2 | 36.6 |
| Bihar/ Jharkhand | 36.0 | 29.9 | 21.5 | 36.3 | 32.4 | 21.8 | 34.0 | 23.6 | 20.1 | 44.2 | 33.1 | 23.8 | 44.7 | 35.6 | 25.5 | 42.4 | 27.2 | 14.8 |
| Assam | 53.9 | 44.5 | 29.7 | 55.4 | 48.7 | 28.3 | 46.3 | 42.0 | 36.5 | 66.1 | 48.9 | 38.2 | 67.7 | 54.3 | 40.6 | 58.0 | 45.8 | 28.8 |
| West Bengal | 61.3 | 52.1 | 48.8 | 64.7 | 54.7 | 49.1 | 53.8 | 46.3 | 47.1 | 63.8 | 57.1 | 52.6 | 68.3 | 61.3 | 54.6 | 56.5 | 49.6 | 48.3 |
| Odisha | 24.3 | 31.3 | 29.5 | 25.2 | 32.5 | 31.8 | 19.9 | 26.9 | 22.3 | 27.5 | 57.5 | 26.5 | 27.6 | 38.3 | 27.5 | 26.9 | 32.2 | 24.3 |
| Madhya Pradesh/ Chhattisgarh | 38.7 | 33.4 | 28.5 | 42.7 | 39.3 | 29.7 | 28.3 | 22.4 | 23.4 | 46.6 | 39.2 | 39.1 | 50.3 | 44.6 | 43.4 | 37.7 | 29.4 | 21.4 |
| Gujarat | 29.1 | 31.2 | 23.0 | 32.0 | 35.5 | 27.9 | 24.8 | 18.3 | 16.6 | 40.0 | 42.0 | 40.5 | 44.7 | 47.4 | 47.5 | 32.5 | 23.3 | 29.2 |
| Maharashtra | 16.2 | 12.4 | 13.8 | 19.2 | 11.7 | 11.1 | 13.0 | 13.6 | 16.6 | 21.1 | 45.1 | 22.3 | 24.9 | 18.7 | 21.5 | 16.6 | 16.7 | 23.1 |
| Andhra Pradesh | 43.5 | 33.4 | 34.3 | 47.0 | 35.1 | 35.0 | 35.0 | 27.1 | 32.3 | 51.6 | 41.8 | 48.5 | 55.0 | 44.3 | 51.0 | 41.9 | 32.0 | 41.3 |
| Karnataka | 34.0 | 28.8 | 28.6 | 35.8 | 29.7 | 32.6 | 30.9 | 25.1 | 22.4 | 42.7 | 37.7 | 39.0 | 45.3 | 39.7 | 46.2 | 38.3 | 27.9 | 26.4 |
| Goa | 20.3 | 12.0 | 9.2 | 23.7 | 11.4 | 9.0 | 17.5 | 13.4 | 9.2 | 34.3 | 21.1 | 15.8 | 43.4 | 21.8 | 17.9 | 27.0 | 19.6 | 15.5 |
| Kerala | 32.0 | 39.5 | 32.4 | 33.8 | 42.4 | 35.0 | 27.2 | 27.3 | 25.4 | 38.2 | 47.9 | 37.1 | 41.0 | 51.1 | 38.9 | 31.0 | 34.6 | 34.2 |
| Tamil Nadu | 25.8 | 21.9 | 22.1 | 25.2 | 22.5 | 22.3 | 26.4 | 20.9 | 22.0 | 28.3 | 26.4 | 30.0 | 28.6 | 27.7 | 29.3 | 28.0 | 23.4 | 29.1 |
| North East | 54.1 | 52.7 | 57.2 | 55.7 | 53.3 | 60.7 | 49.2 | 50.3 | 47.2 | 63.6 | 57.5 | 62.2 | 65.8 | 58.1 | 67.0 | 57.6 | 55.3 | 48.6 |
| INDIA TOTAL | 37.3 | 34.6 | 29.8 | 41.1 | 37.2 | 32.1 | 29.2 | 28.3 | 24.9 | 43.7 | 40.5 | 38.2 | 47.9 | 43.8 | 41.6 | 35.1 | 32.5 | 30.8 |
| Women | | | | | | | | | | | | | | | | | | |
| INDIA TOTAL | 1.4 | 2.2 | 2.7 | 1.7 | 1.6 | 3.4 | 0.9 | 0.9 | 0.3 | 2.4 | 3.7 | 5.0 | 2.8 | 2.8 | 6.2 | 1.4 | 1.4 | 0.8 |

Note: The 2004 estimates are age-specific prevalence estimates from SRSBL. SRSBL provided appropriate age specific patterns that are close to 2011 census population which is used as the standard population for age standardized rates using SFMS and GATS.

Web Table 2c: The 1998 and 2010 age standardized smoking prevalence for ages 60-69 years and 70+ years, by state and location of residence.

| States/ Regions | 60-69 years | | | | | | 70+ years | | | | | |
|------------------------------|-------------|------|-------|------|-------|------|-----------|------|-------|------|-------|------|
| | Total | | Rural | | Urban | | Total | | Rural | | Urban | |
| | 1998 | 2010 | 1998 | 2010 | 1998 | 2010 | 1998 | 2010 | 1998 | 2010 | 1998 | 2010 |
| Men | | | | | | | | | | | | |
| Himachal Pradesh | 60.5 | 41.6 | 62.4 | 47.4 | 39.3 | 8.6 | 54.7 | 47.2 | 56.5 | 49.4 | 30.3 | 0.0 |
| Punjab | 10.3 | 21.6 | 10.6 | 25.6 | 9.6 | 13.6 | 8.6 | 12.2 | 9.3 | 16.5 | 6.6 | 7.1 |
| Chandigarh | 18.6 | 29.4 | 24.2 | 66.7 | 18.1 | 26.9 | 14.6 | 28.4 | 26.6 | 100 | 13.6 | 3.9 |
| Haryana | 62.6 | 52.2 | 72.7 | 60.6 | 34.3 | 46.0 | 54.8 | 56.1 | 64.5 | 66.8 | 27.7 | 16.9 |
| Delhi | 17.5 | 57.8 | 35.2 | 35.4 | 16.7 | 57.4 | 11.8 | 0.0 | 32.1 | 0.0 | 10.9 | 0.0 |
| Rajasthan | 55.0 | 30.2 | 59.3 | 35.8 | 40.9 | 18.8 | 44.6 | 30.2 | 50.2 | 33.3 | 30.0 | 42.4 |
| Uttar Pradesh/ Uttaranchal | 50.5 | 45.7 | 52.9 | 49.7 | 40.6 | 30.3 | 40.6 | 32.2 | 43.1 | 30.0 | 31.3 | 45.1 |
| Bihar/ Jharkhand | 42.1 | 24.4 | 42.4 | 25.5 | 40.6 | 17.5 | 33.3 | 24.8 | 33.9 | 24.8 | 29.2 | 25.6 |
| Assam | 62.9 | 33.8 | 65.9 | 34.9 | 46.5 | 35.7 | 55.3 | 33.3 | 58.0 | 36.4 | 41.5 | 0.0 |
| West Bengal | 53.2 | 42.8 | 59.5 | 38.7 | 41.9 | 48.9 | 33.4 | 28.0 | 39.7 | 35.3 | 24.8 | 16.9 |
| Odisha | 23.0 | 14.7 | 23.1 | 14.4 | 22.1 | 21.3 | 17.8 | 15.6 | 18.6 | 20.4 | 13.1 | 0.0 |
| Madhya Pradesh/ Chhattisgarh | 42.9 | 37.0 | 45.3 | 34.7 | 34.4 | 49.4 | 31.2 | 31.9 | 35.4 | 36.3 | 19.3 | 7.4 |
| Gujarat | 40.5 | 35.4 | 44.2 | 46.3 | 32.5 | 22.5 | 33.1 | 47.1 | 37.6 | 58.4 | 23.8 | 30.1 |
| Maharashtra | 19.0 | 20.2 | 23.2 | 24.5 | 12.7 | 15.3 | 13.3 | 16.9 | 17.0 | 21.1 | 8.4 | 7.9 |
| Andhra Pradesh | 44.8 | 51.8 | 48.2 | 57.7 | 32.2 | 36.0 | 34.3 | 39.8 | 37.5 | 40.7 | 22.5 | 37.4 |
| Karnataka | 36.0 | 26.0 | 38.5 | 31.1 | 31.6 | 18.4 | 27.0 | 45.6 | 30.1 | 56.6 | 22.0 | 16.5 |
| Goa | 34.5 | 10.9 | 41.5 | 14.7 | 27.9 | 5.0 | 26.5 | 3.6 | 29.8 | 5.3 | 23.2 | 0.0 |
| Kerala | 29.5 | 31.2 | 31.2 | 37.8 | 24.8 | 12.2 | 18.4 | 29.3 | 19.0 | 31.2 | 16.4 | 22.6 |
| Tamil Nadu | 19.9 | 24.5 | 20.9 | 30.5 | 18.4 | 19.0 | 11.4 | 29.2 | 12.1 | 41.6 | 10.5 | 16.2 |
| North East | 60.2 | 56.8 | 62.3 | 61.3 | 53.1 | 41.1 | 52.7 | 55.0 | 54.6 | 60.9 | 46.7 | 17.7 |
| INDIA TOTAL | 39.1 | 33.4 | 43.0 | 36.8 | 28.7 | 24.8 | 30.0 | 30.0 | 34.1 | 33.8 | 19.9 | 18.7 |
| Women | | | | | | | | | | | | |
| INDIA TOTAL | 3.0 | 8.7 | 3.5 | 10.8 | 1.8 | 1.1 | 2.8 | 10.6 | 3.3 | 12.8 | 1.6 | 1.5 |

Web Table 3: The 1998 and 2010 age standardized rates and age standardized rates ratios of smoking among men aged 15-69 years, by education level and type of product.

| Smoke Type | Illiterate or no formal education | | Less than 10 th grade | | 10 th grade and above | |
|--------------------|-----------------------------------|---------------|----------------------------------|---------------|----------------------------------|---------------|
| | 1998/2010 | ASRR | 1998/2010 | ASRR | 1998/2010 | ASRR |
| Any Smoking | | | | | | |
| 15-29 years | 13.9/22.1 | 1.6 (1.1-2.0) | 9.4/14.5 | 1.5 (1.4-1.7) | 4.9/7.5 | 1.5 (1.3-1.7) |
| 30-44years | 46.5/39.9 | 0.9 (0.8-0.9) | 36.0/32.2 | 0.9 (0.8-1.0) | 25.5/20.1 | 0.8 (0.7-0.9) |
| 45-59years | 51.4/47.9 | 0.9 (0.9-1.0) | 41.7/41.2 | 1.0 (0.9-1.1) | 30.1/23.1 | 0.8 (0.7-0.9) |
| 60-69years | 45.1/40.9 | 0.9 (0.8-1.0) | 34.6/32.1 | 0.9 (0.8-1.1) | 22.9/20.2 | 0.9 (0.6-1.1) |
| 15-69years | 33.9/35.4 | 1.0 (1.0-1.1) | 25.1/26.1 | 1.0 (1.0-1.1) | 17.8/15.2 | 0.9 (0.8-0.9) |
| 70+years | 35.2/35.5 | 1.0 (0.9-1.2) | 24.2/28.9 | 1.2 (1.0-1.4) | 15.5/11.2 | 0.7 (0.3-1.0) |
| Cigarettes | | | | | | |
| 15-29 years | 1.6/10.8 | 6.8 (2.9-9.8) | 2.0/8.1 | 4.1 (3.6-4.5) | 2.0/6.2 | 3.1 (2.6-3.4) |
| 30-44years | 4.3/10.7 | 2.5 (2.1-2.8) | 7.8/14.1 | 1.8 (1.6-2.0) | 12.5/14 | 1.1 (1.0-1.2) |
| 45-59years | 3.7/11.8 | 3.2 (2.4-3.8) | 8.2/15.0 | 1.8 (1.6-2.0) | 15.3/14.7 | 1.0 (0.8-1.1) |
| 60-69years | 2.2/9.3 | 4.2 (3.0-5.1) | 5.3/9.3 | 1.8 (1.2-2.2) | 9.2/11.8 | 1.3 (0.9-1.6) |
| 15-69years | 2.9/10.4 | 3.6 (3.0-4.0) | 5.1/11.2 | 2.2 (2.1-2.3) | 8.5/10.6 | 1.3 (1.2-1.3) |
| 70+years | 1.6/6.8 | 4.4 (2.7-5.6) | 3.2/8.4 | 2.7 (1.6-3.5) | 5.9/3.8 | 0.6 (0.1-1.0) |
| Bidis | | | | | | |
| 15-29 years | 10.9/14 | 1.3 (0.9-1.6) | 6.6/8.1 | 1.2 (1.0-1.5) | 2.4/1.9 | 0.8 (0.5-1.0) |
| 30-44years | 37.2/33.1 | 0.9 (0.8-1.0) | 25.4/22.7 | 0.9 (0.8-1.0) | 11.0/7.8 | 0.7 (0.6-0.8) |
| 45-59years | 40.2/38.7 | 1.0 (0.9-1.1) | 29.4/30.2 | 1.0 (0.9-1.1) | 12.2/11.1 | 0.9 (0.7-1.1) |
| 60-69years | 32.9/33.4 | 1.0 (0.8-1.2) | 24.4/25.8 | 1.1 (0.9-1.2) | 10.4/11 | 1.0 (0.5-1.5) |
| 15-69years | 26.6/27.9 | 1.0 (1.0-1.1) | 17.7/18.0 | 1.0 (1.0-1.1) | 7.8/6.1 | 0.8 (0.7-0.9) |
| 70+years | 22.4/26.8 | 1.2 (1.0-1.4) | 15.9/21.1 | 1.3 (1.0-1.6) | 6.9/7.4 | 1.1(0.2-1.6) |