



Figure A4.1 – Postpartum care attendance in health facilities in Kaya district, Burkina Faso



*Trends in PPC: proportions of women who delivered attending PPC at 6-10 days, 6-8 weeks, and 9-12 months. Numbers of women attending PPC at 6-10 days ranged from 4 in October 2012 to 380 in October 2014.*

The timeline for the intervention can be summarised as: July 2013: preparatory meeting female community health workers (CHW) and district health care team; Sep 2013: 72 CHW trained on PPC and start of implementation of community MOMI intervention; Nov 2013: Information meetings with 262 community leaders and 98 male CHWs; Jan–Feb 2014: development, distribution and explanation of use of health education material (pictures) and checklist for CHWs; Mar–Apr 2014: Implementation of non-financial incentives system for CHWs through MOMI: distribution of 70 bags and overcoats; May 2014: distribution of 70 bicycles among CHWs; Jul 2014: development, distribution and explanation of use of ideogram (pictures) for CHWs to collect data regarding their activities; Aug 2014: Refresher training: 65 CHWs participated; Dec 2014: CHW data collection through ideogram; Jun 2015: TBAs activities data collection through ideogram (pictures), card and MOMI register. Supervision visits were done in Oct 2013, Jan-Feb, Mar-Apr, July, Oct 2014, Apr and July 2015. A pay-for-performance results-based finance scheme started in March 2014.

Figure A4.2 – Postpartum family planning for all facilities in Kaya, Burkina Faso by month



Trends in PPF: proportions of women delivering for whom PPF was proposed, and used. Numbers of women using PPF ranged from 3 in September 2012 to 272 in May 2015.

Figure A4.3 – Facility checklist use and referral for mothers by month, Chiúta district, Mozambique

