

Annexure

Table A1. States in India, stratified by level of development and region

	<i>Level of development</i>					
<i>Region</i>	I (Most developed)	II	III	IV	V	VI (least developed)
North	Delhi	Himachal Pradesh, Punjab	Haryana, Uttarakhand		Jammu and Kashmir	
Central					Chhattisgarh	Madhya Pradesh, Uttar Pradesh, Rajasthan
East			West Bengal		Odisha, Jharkhand	Bihar
Northeast	Sikkim	Mizoram, Tripura		Manipur, Nagaland, Meghalaya	Arunachal Pradesh	Assam
West	Maharashtra, Goa			Gujarat		
South	Kerala	Tamil Nadu	Karnataka	Andhra Pradesh		

Note: States in bold were selected for the study

Table A2. Basic Information for facilities, April 2013–March 2014

	Bihar	Gujarat	Kerala	Meghalaya	Punjab	Uttar Pradesh	West Bengal
Sub-centre							
Sampled facilities	9	20	12	9	20	10	19
Target population	9644 (6050–14000)	5987 (3044–15000)	5743 (3165–9336)	4048 (2628–6661)	6755 (4413–11438)	6811 (4249–9986)	6246 (3899–12800)
Target children (0–1 year)	279 (182–420)	123 (42–217)	76 (31–171)	129 (72–190)	121 (64–233)	199 (115–300)	104 (40–299)
Doses administered	2357 (1644–3650)	1364 (417–2537)	262 (71–663)	1334 (913–1979)	1416 (903–3438)	1988 (1366–2859)	1379 (458–4134)
Sessions conducted (RI)	120 (90–171)	48 (24–86)	18 (12–28)	81 (52–132)	62 (45–120)	80 (63–100)	40 (23–60)
Children vaccinated with DPT3/pentavalent3	173 (104–291)	122 (33–221)	28 (7–81)	100 (65–150)	101 (66–233)	158 (85–234)	97 (35–285)
Fully immunized children	171 (104–240)	116 (39–197)	35 (8–89)	85 (41–135)	105 (66–237)	170 (86–260)	97 (36–269)
DPT3/pentavalent3 coverage rate (%)	62 (44–75)	100 (57–140)	38 (23–55)	84 (49–125)	88 (38–133)	79 (60–98)	94 (57–138)
Full immunization coverage rate (%)	62 (41–82)	97 (61–140)	44 (21–66)	73 (22–119)	90 (42–128)	87 (45–125)	95 (68–141)
DPT1 to DPT3/pentavalent1 to pentavalent3 drop-out (%)	12 (-14–33)	3 (-15–24)	-63 (-163–11)	10 (-5–22)	4 (-20–31)	-1 (-18–11)	-1 (-27–19)
Doses per fully immunized child	14 (11–16)	12 (8–13)	9 (6–17)	16 (11–27)	14 (11–18)	12 (7–20)	14 (11–16)
Doses per full-time equivalent	22 (12–28)	25 (5–50)	5 (2–12)	14 (8–25)	16 (10–31)	36 (26–58)	18 (10–39)
Primary Health Centre							
Sampled facilities	7	18	12	13	16	6	17
Target population	11907 (5000–21000)	5824 (2710–11591)	5223 (2988–8922)	8475 (3261–24624)	8195 (5265–30045)	7863 (5300–10788)	8276 (3983–30000)
Target children (0–1 year)	345 (150–630)	129 (37–290)	74 (31–162)	273 (51–548)	135 (74–487)	229 (143–276)	136 (54–315)
Doses administered	3119 (1652–5320)	1418 (300–3111)	1572 (334–4928)	2509 (682–4660)	1780 (1025–6091)	2467 (1837–2934)	1818 (695–4203)
Sessions conducted (RI)	127 (90–250)	64 (24–107)	54 (41–65)	128 (32–237)	60 (48–100)	81 (68–97)	37 (22–53)
Children vaccinated with DPT3/pentavalent3	229 (133–431)	123 (34–256)	185 (40–568)	192 (43–373)	127 (51–434)	178 (117–227)	131 (45–314)
Fully immunized children	233 (123–406)	119 (27–261)	165 (37–473)	167 (38–288)	121 (66–366)	198 (147–330)	121 (46–291)
DPT3/pentavalent3 coverage rate (%)	68 (49–91)	98 (61–124)	219 (129–376)	75 (45–104)	96 (63–138)	74 (71–82)	96 (60–117)
Full immunization coverage rate (%)	70 (46–99)	94 (73–136)	202 (119–368)	67 (39–88)	95 (75–142)	92 (68–120)	89 (67–117)
DPT1 to DPT3/pentavalent1 to pentavalent3 drop-out (%)	17 (-5–37)	-1 (-60–21)	-61 (-274–1)	8 (-12–23)	4 (-34–41)	6 (-9–17)	0 (-23–17)
Doses per fully immunized child	14 (11–16)	12 (9–14)	9 (8–11)	15 (11–19)	14 (12–18)	13 (9–16)	15 (12–18)
Doses per full-time equivalent	28 (19–47)	8 (3–18)	7 (2–16)	12 (4–29)	16 (6–29)	28 (22–41)	16 (5–32)

	Bihar	Gujarat	Kerala	Meghalaya	Punjab	Uttar Pradesh	West Bengal
Community Health Centre							
Sampled facilities	5	6	6	5	8	6	8
Target population	NA	NA	6379 (4585–8557)	7609 (5457–11423)	11638 (5566–22000)	16362 (15157–17566)	7463 (5354–9973)
Target children (0–1 year)	NA	NA	74 (43–101)	192 (94–322)	196 (103–330)	410 (380–439)	115 (82–144)
Doses administered	11126 (408–29907)	1602 (283–3667)	2112 (535–5794)	2615 (1328–4659)	3459 (957–7931)	6493 (4195–10315)	1894 (1232–2411)
Sessions conducted (RI)	171 (89–285)	50 (45–60)	55 (50–62)	134 (60–252)	74 (44–116)	187 (88–312)	44 (36–60)
Children vaccinated with DPT3/pentavalent3	568 (30–1588)	123 (3–309)	245 (65–643)	185 (90–362)	203 (58–412)	405 (221–655)	130 (91–191)
Fully immunized children	490 (21–1543)	131 (3–307)	214 (54–496)	179 (93–341)	200 (49–448)	443 (236–750)	137 (91–186)
DPT3/pentavalent3 coverage rate (%)	—	—	301 (96–670)	95 (70–117)	99 (52–163)	92 (77–107)	111 (87–133)
Full immunization coverage rate (%)	—	—	272 (79–517)	93 (73–111)	96 (44–177)	121 (111–131)	118 (87–171)
DPT1 to DPT3/pentavalent1 to pentavalent3 drop-out (%)	13 (-25–53)	13 (-17–35)	-50 (-81–4)	11 (-6–29)	8 (-18–32)	13 (-6–25)	3 (-6–20)
Doses per fully immunized child	23 (13–42)	27 (10–94)	9 (7–12)	15 (14–17)	18 (14–27)	16 (9–22)	14 (12–16)
Doses per full-time equivalent	23 (2–44)	29 (3–54)	7 (2–16)	12 (8–20)	18 (7–33)	26 (19–38)	10 (6–14)
District Hospital Post-partum Unit							
Sampled facilities	3	4	3	3	4	2	4
Doses administered	48202 (36840–67858)	13122 (3073–23538)	17128 (6991–23224)	13502 (4472–26792)	19054 (16039–22711)	48934 (21703–76164)	37212 (15879–55618)
Sessions conducted (RI)	285	144 (96–240)	101 (96–104)	188 (50–285)	175 (48–285)	136 (104–168)	158 (92–285)
Children vaccinated with DPT3/pentavalent3	2082 (1451–3296)	448 (188–751)	807 (368–1407)	533 (223–734)	1026 (290–1655)	2259 (1177–3341)	962 (138–2768)
Fully immunized children	1880 (1304–2930)	395 (141–672)	695 (294–1254)	443 (222–605)	932 (263–1372)	2380 (1055–3704)	1020 (145–3104)
DPT1 to DPT3/pentavalent1 to pentavalent3 drop-out (%)	29 (22–42)	20 (12–39)	33 (0–61)	19 (11–34)	14 (-2–32)	24 (18–30)	25 (8–43)
Doses per fully immunized child	27(23–28)	31 (22–35)	28 (17–43)	30 (15–53)	29 (16–66)	21	96 (15–212)
Doses per full-time equivalent	115 (57–208)	51 (17–71)	34 (22–49)	63 (39–90)	91 (50–139)	132 (103–161)	99 (70–123)

Notes: Average and figures in parentheses indicate range. NA indicates not available. Blanks indicate unable to calculate.