

**Effectiveness of a patient-held health-record for asylum seekers in reception centres to improve continuity of care: a cluster-randomised stepped wedge trial in a German federal state**

Cornelia Straßner, Stefan Nöst, Stella Preussler, Rosa Jahn, Sandra Ziegler, Katharina Wahedi,

Kayvan Bozorgmehr

Supplementary File 2

Figure 2a: Randomization and data collection in the clusters as planned

Cluster																Data collection days
	1*	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
2	xx	xx	xx	x	x	x	x	x	x	x	x	x	x	x	x	18
3	xx	xx	xx	xx	xx	xx	x	x	x	x	x	x	x	x	x	21
4	xx	xx	xx	xx	xx	xx	xx	xx	xx	x	x	x	x	x	x	27
5	xx	xx	xx	xx	xx	xx	xx	xx	xx	xx	xx	x	x	x	x	27
<b>Time (in weeks)</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	
	<b>Patient-physician-contacts</b>															<b>Patient-physician-contacts (total)</b>
<b>n (control)</b>	180	180	180	100	100	100	70	70	70	24	24	24	0	0	0	<b>1122</b>
<b>n (intervention)</b>	50	50	50	92	92	92	106	106	106	130	130	130	140	140	140	<b>1554</b>
<b>N (total)</b>	<b>230</b>	<b>230</b>	<b>230</b>	<b>192</b>	<b>192</b>	<b>192</b>	<b>176</b>	<b>176</b>	<b>176</b>	<b>154</b>	<b>154</b>	<b>154</b>	<b>140</b>	<b>140</b>	<b>140</b>	<b>2676</b>