Supplementary material BMJ Global Health

<u>Supplementary Table 1:</u> Outcome measures assessed for step wedge cluster randomised trial of effectiveness of training in Emergency Obstetric Care

that of effectiveness of training in Effergency Obstetric care	
Outcome	Definition
Primary outcomes	
Stillbirths	Number of still births per 1000 births
Stillbirth rate (SBR)	
Early Neonatal Death Rate	Number of facility based early neonatal deaths per 1000 live births
(ENNDr)	
Institutional maternal mortality ratio (iMMR)	Number of maternal deaths (direct and indirect) per 100,000 live births
Direct Obstetric Case Fatality	Number of maternal deaths due to direct obstetric complications per
Rate (CFR)	100 cases of direct obstetric complications
Secondary outcomes	
CFR – all complications	Number of maternal deaths due to obstetric complications per 100
	cases with an obstetric complication
Indirect Obstetric CFR	Number of maternal deaths due to indirect obstetric complications, per
	100 cases of indirect obstetric complications,
CFR by type of complication	Number of deaths per 100 cases due to
All Haemorrhage CFR	Abruptio, Placenta previa, PPH or Retained placenta
Postpartum Haemorrhage (PPH) CFR	PPH only (sub set of above)
(Pre-)Eclampsia CFR	(Pre-)Eclampsia
Postpartum Sepsis CFR	Sepsis in the postpartum period
Obstructed labour CFR	Obstructed labour
Ruptured uterus	Ruptured uterus
Complication rates	Number of complications per 100 births due to
Any cause	All direct and indirect complications
All Haemorrhage rate	Abruptio, Placenta previa, PPH or Retained placenta
PPH rate	PPH only (sub set of above)
(Pre-)Eclampsia rate	(Pre-)Eclampsia complications
Postpartum Sepsis rate	Postpartum sepsis
Obstructed labour rate	Obstructed labour
Ruptured uterus	Ruptured uterus