

Supplementary File 1: Search terms (MEDLINE, Global health, Cochrane Database) and list of articles included in evidence review

	Organisation
1	Community Networks/ or Patient participation/ or Patient involvement/ or Consumer Participation/ or Community role/ or Patient Centred Care/ or ((user or consumer or community) adj2 participation).ti,ab. or ((user or consumer or community) adj2 involvement).ti,ab. or ((user or consumer or community) adj2 input).ti,ab.
2	Delivery of Health Care/ or Health Services/ or health care system\$.ti,ab. or service delivery.ti,ab. or healthcare delivery.ti,ab. or Community Health Services/
3	Models, Organisational/ or Organisational Model/ or model\$.ti,ab. or Public-Private Sector Partnership/ or partnership\$.ti,ab. or Organisation and Administration/
4	Continuity of Patient Care/ or Patient Care Team/ or Health Care Reform/ or empanelment.ti,ab.
5	Health Services Accessibility/ or Health Care Quality, Access, and Evaluation/ or integrat\$.ti,ab.
6	Primary Health Care/ or "primary health care".ti,ab. or "primary care".ti,ab.
7	1 and 6
8	2 and 3 and 6
9	4 and 6
10	5 and 6
	Health Information Systems
11	Decision Support Systems/ or Decision Support Techniques/ or Clinical Decision-Making/ or Decision Making/ or decision support.ti,ab.
12	Reminder Systems/ or Registries/ or register.ti,ab. or Health Information Management/
13	(Communication/ or Patient Handoff/ or Continuity of Patient Care/) and (Health Personnel/ or Medical Staff/ or Nurses/ or Physicians, Primary Care/)
14	11 and 6
15	12 and 6
16	13 and 6
	Human Resources
17	Leadership/ or Personnel Management/
18	Interprofessional Relations/ or Patient Care Team/ or Group Processes/ or Interpersonal Relations/ or Inservice Training/ or Education, Medical/ or Education, Nursing/ or Nursing Education Research/ or Clinical Competence/ or Competency-Based Education/ or Health Occupations/ed
19	Community Health Workers/ or village health worker\$.ti,ab. or community health aid\$.ti,ab. or community health worker.ti,ab. or lay worker.ti,ab. or peer educator.ti,ab. or Health Personnel/ or Health Manpower/ or Public Health/ma
20	Remuneration/ or Salaries and Fringe Benefits/ or Reimbursement Mechanisms/
21	Staff Development/ or Capacity Building/
22	Personal Satisfaction/ or Attitude of Health Personnel/ or staff attitude.ti,ab. or Professional-Patient Relations/ or Health Knowledge, Attitudes, Practice/
23	17 and 6
24	18 and 6
25	19 and 6

26	19 and 20 and 6
27	19 and 21 and 6
28	22 and 6
Essential Medicines, Vaccines and Technologies	
29	Produce Line Management/mt or Models, Organisational/ or Resource Allocation/og or Diagnostic Tests, Routine/ or Medication Systems/ or Medication Systems, Hospital/ or Health Resources/sd or Equipment and Supplies/sd
30	Biomedical Technology/ or Telemedicine/ or Medical Informatics/ or mobile health technology.ti,ab. or mHealth.ti,ab. or eHealth.ti,ab.
31	Drug Storage/ or Immunisation Programs/ or Refrigeration/ or Vaccines/ or Vaccination/
32	Medication Therapy Management/ or (medica\$ adj2 use).ti,ab. or (medica\$ adj2 prescrib*).ti,ab. or (medica\$ adj2 prescription).ti,ab. or (quality adj5 medicines).ti,ab. or quality use of medicines.ti,ab.
33	29 and 6
34	30 and 6
35	31 and 6
35	32 and 6
Quality Improvement Processes	
36	Quality Assurance, Health Care/ or Quality Indicators, Health Care/ or Guidelines a Topic/ or Practice Guidelines as Topic/
37	Feedback/ or Medical Audit/ or health data.ti,ab. or data analytics.ti,ab.
38	36 and 6
39	37 and 6
Health Promotion	
40	Mass Screening/ or Preventive Medicine/ or Chronic Disease/pc or Risk Factors/ or (health adj3 screening).ti,ab. or screening.ti,ab. or prevention.ti,ab. or case finding.ti,ab.
41	Health Promotion/ or Health Education/
42	Family Planning Services/ or family planning.ti,ab.
43	Risk Management/ or Secondary Prevention/ or Disease Management/
44	40 and 6
45	41 and 6
46	42 and 6
47	43 and 6
Condition Specific Programs	
48	Noncommunicable Diseases/ or Chronic Disease/ or noncommunicable disease\$.ti,ab. or non-infectious disease\$.ti,ab. or chronic disease\$.ti,ab. or cardiovascular disease.ti,ab. or respiratory disease\$.ti,ab. or cancer\$.ti,ab. or diabetes.ti,ab. or injur\$.ti,ab. or Mental Health/ or Mental Health Services/
49	Communicable Diseases/ or Communicable Diseases, Emerging/ or communicable disease\$.ti,ab. or infectious disease\$.ti,ab. or tuberculosis.ti,ab. or TB.ti,ab. or malaria.ti,ab. or HIV/ or HIV Infections/ or HIV/AIDS.ti,ab.
50	Reproductive Health/ or Reproductive Health Services/ or Sexual Health/ or (sexual adj4 health).ti,ab.
51	Infant/ or Infant, Newborn/ or Child/ or Child Welfare/ or Child, Preschool/ or Young Adult/

52	Accidents, Traffic/ or Wounds and Injuries/ or Walking/in or Accidental Falls/
53	48 and 6
54	49 and 6
55	50 and 6
56	51 and 6
57	52 and 6
Interaction with Other Sectors	
58	Private Sector/ or private sector.ti,ab. or Educational Status/ or education sector.ti,ab. or school\$.ti,ab. or Housing/ or housing\$.ti,ab. or Employment/ or employment\$.ti,ab. or Transportation/ or transport\$.ti,ab. or road\$.ti,ab. or road transport sector.ti,ab. or water.ti,ab. or sanitation.ti,ab. or inter-sectoral.ti,ab. or multi-sectoral.ti,ab.
59	58 and 6
Equity	
60	Health Equity/ or (equity or inequity or inequalit\$ or equitable or inequitable or gini or pro-poor or pro-rich or progressiv\$ or regressiv\$ or proportio\$).ti,ab.
61	60 and 6

Additional filters applied include:

- only studies related to humans
- studies published since 1 January 2008 (i.e. the last 10 years), and
- studies from LMICs in the Asia-Pacific region, defined as those countries within the World Bank regions of South Asia and East Asia & Pacific that had an economic classification of low, lower-middle or upper-middle income (as designated in June 2017).

1	(Asia or Pacific).hw,kf,ti,ab,cp.
2	((low adj3 middle adj3 countr*).ti,ab. or (lmic or lmics or third world or lami countr*).ti,ab.)
3	((developing or less* developed or under developed or underdeveloped or middle income or low* income or underserved or under served or deprived or poor*) adj (countr* or nation? or population? or world)).ti,ab.
4	((developing or less* developed or under developed or underdeveloped or middle income or low* income) adj (economy or economies)).ti,ab.
5	(Afghanistan or American Samoa or Bangladesh or Bhutan or Cambodia or China or Fiji or India or Indonesia or Kiribati or Korea or Lao PDR or Laos or Lao or Malaysia or Maldives or Marshall Islands or Micronesia or Mongolia or Myanmar or Nepal or Pakistan or Palau or Papua New Guinea or Philippines or Samoa or Solomon Islands or Sri Lanka or Thailand or Timor-Leste or East Timor or Timor Leste or Tonga or Tuvalu or Vanuatu or Vietnam).hw,kf,ti,ab,cp.
6	2 or 3 or 4
7	1 and 6
8	5 or 7

- Achadi E, Achadi A, et al. (2014) A Study on the Implementation of Jampersal Policy in Indonesia. Washington, DC: World Bank Group.
- Ajay VS, Jindal D, et al. Development of a Smartphone-Enabled Hypertension and Diabetes Mellitus Management Package to Facilitate Evidence-Based Care Delivery in Primary Healthcare Facilities in India: The mPower Heart Project. *J Am Heart Assoc.* 2016; 5:21.
- Ali Z, Pongpanich S, Kumar R. Effectiveness of Community Service Model for Increasing Routine Immunization Coverage at Primary Healthcare Facilities in a Rural District of Pakistan: A Quasi-Experimental Study. *J Ayub Med Coll Abbottabad.* 2015; 27:853-7.
- Alonge O, Gupta S, et al. Assessing the pro-poor effect of different contracting schemes for health services on health facilities in rural Afghanistan. *Health Policy Plan.* 2015; 30:1229-42.
- Anchala R, Kaptoge S, et al. Evaluation of effectiveness and cost-effectiveness of a clinical decision support system in managing hypertension in resource constrained primary health care settings: results from a cluster randomized trial. *J Am Heart Assoc.* 2015; 4:e001213.
- Aung MN, Moolphate S, et al. Satisfaction of HIV patients with task-shifted primary care service versus routine hospital service in northern Thailand. *Journal of Infection in Developing Countries.* 2015; 9:1360-6.
- Bindoria SV, Devkar R, et al. Development and pilot testing of HIV screening program integration within public/primary health centers providing antenatal care services in Maharashtra, India. *BMC Res Notes.* 2014; 7:177.
- Bradley J, Jayanna K, et al. Improving the knowledge of labour and delivery nurses in India: a randomized controlled trial of mentoring and case sheets in primary care centres. *BMC Health Serv Res.* 2017; 17:14.
- Bredenkamp CB, Leander R. (2015) Policy Research Working Paper. Universal Health Coverage in the Philippines: Progress on Financial Protection Goals. Washington, DC: World Bank.
- Buttorff C, Hock RS, et al. Economic evaluation of a task-shifting intervention for common mental disorders in India. *Bull World Health Organ.* 2012; 90:813-21.
- Cairns AH, Xiaohui. . (2015) Financing the Frontline in Papua New Guinea : An Analytical Review of Provincial Administrations' Rural Health Expenditure 2006-2012. Washington, DC: World Bank.
- Capileno YA, Bergh Rvd, et al. Management of chronic Hepatitis C at a primary health clinic in the high-burden context of Karachi, Pakistan. *PLoS ONE.* 2017; 12.
- Das Gupta MD, K.C.S.; Shanmugarajah, C.K.; Herath, H.M.S.S.D. (2013) Multisectoral Preventive Health Services in Sri Lanka : Lessons for Developing Countries in Providing Public Goods in Health. Washington, DC: World Bank.
- Das J, Chowdhury A, et al. The impact of training informal health care providers in India: A randomized controlled trial. *Science.* 2016; 354:07.
- Dawson P, Pradhan Y, et al. From research to national expansion: 20 years' experience of community-based management of childhood pneumonia in Nepal. *Bull World Health Organ.* 2008; 86:339-43.

DePue JD, Dunsiger S, et al. Nurse-community health worker team improves diabetes care in American Samoa: results of a randomized controlled trial. *Diabetes Care*. 2013; 36:1947-53.

Dukpa W, Teerawattananon Y, et al. Is diabetes and hypertension screening worthwhile in resource-limited settings? An economic evaluation based on a pilot of a Package of Essential Non-communicable disease interventions in Bhutan. *Health Policy Plan*. 2015; 30:1032-43.

Edward A, Branchini C, et al. Toward universal coverage in Afghanistan: A multi-stakeholder assessment of capacity investments in the community health worker system. *Soc Sci Med*. 2015; 145:173-83.

Engineer CY, Dale E, et al. Effectiveness of a pay-for-performance intervention to improve maternal and child health services in Afghanistan: a cluster-randomized trial. *Int J Epidemiol*. 2016; 45:451-9.

Feng S, Shi L, et al. Comparison of Primary Care Experiences in Village Clinics with Different Ownership Models in Guangdong Province, China. *PLoS ONE*. 2017; 12:e0169241.

Fischer EA, Jayana K, et al. Nurse Mentors to Advance Quality Improvement in Primary Health Centers: Lessons From a Pilot Program in Northern Karnataka, India. *Glob Health Sci Pract*. 2015; 3:660-75.

Gardner K, Bailie R, et al. Reorienting primary health care for addressing chronic conditions in remote Australia and the South Pacific: review of evidence and lessons from an innovative quality improvement process. *Aust J Rural Health*. 2011; 19:111-7.

Garg S. (2017) Chhattisgarh Swasth Panchayat Yojana: Convergent Community Action for Health and Its Determinants in Rural India. Nambiar D, Muralidharan A, editors. Singapore: Springer.

Glenton C, Colvin CJ, et al. Barriers and facilitators to the implementation of lay health worker programmes to improve access to maternal and child health: qualitative evidence synthesis. *Cochrane Database Syst Rev*. 2013:CD010414.

Glenton C, Scheel IB, et al. The female community health volunteer programme in Nepal: Decision makers' perceptions of volunteerism, payment and other incentives. *Soc Sci Med*. 2010; 70:1920-7.

Global Health Workforce Alliance. (2013) Mid-level health workers for delivery of essential health services: A global systematic review and country experiences: World Health Organization.

Global Health Workforce Alliance. (2010) Global Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Systematic Review, Country Case Studies, and Recommendations for Integration into National Health Systems: World Health Organization.

Hamid S, Dunsiger S, et al. Impact of a diabetes control and management intervention on health care utilization in American Samoa. *Chronic Illn*. 2014; 10:122-34.

- Haver J, Brieger W, et al. Experiences engaging community health workers to provide maternal and newborn health services: implementation of four programs. *Int J Gynaecol Obstet.* 2015; 130 Suppl 2:S32-9.
- Hawley NL, Brown C, et al. Barriers to adequate prenatal care utilization in American Samoa. *Matern Child Health J.* 2014; 18:2284-92.
- Heard A, Nath DK, Loevinsohn B. Contracting urban primary healthcare services in Bangladesh - effect on use, efficiency, equity and quality of care. *Trop Med Int Health.* 2013; 18:861-70.
- Higuchi M, Okumura J, et al. Use of medicines and adherence to standard treatment guidelines in rural community health centers, Timor-Leste. *Asia Pac J Public Health.* 2015; 27:2498-511.
- Honda A, McIntyre, Di., Hanson, Kara., Tangcharoensathien Viroj. (2016) Strategic purchasing in China, Indonesia and the Philippines. Manila: WHO Regional Office for the Western Pacific.
- Hung LM, Shi L, et al. Chinese primary care providers and motivating factors on performance. *Fam Pract.* 2013; 30:576-86.
- Islam Z, Sanin KI, Ahmed T. Improving case detection of tuberculosis among children in Bangladesh: lessons learned through an implementation research. *BMC Public Health.* 2017; 17:131.
- Iyengar K, Jain M, et al. Adherence to evidence based care practices for childbirth before and after a quality improvement intervention in health facilities of Rajasthan, India. *BMC Pregnancy Childbirth.* 2014; 14:270.
- Jaskiewicz WPO, Vangkonevilay P, Paphassarang C, Phachanh IT, and Wurts L. (2012) Toward Development of a Rural Retention Strategy in Lao People's Democratic Republic: Understanding Health Worker Preferences. IntraHealth WHO USAID.
- Jongudomkarn D, Macduff C. Development of a family nursing model for prevention of cancer and other noncommunicable diseases through an appreciative inquiry. *Asian Pac J Cancer Prev.* 2014; 15:10367-74.
- Joshi R, Chow CK, et al. The Rural Andhra Pradesh Cardiovascular Prevention Study (RAPCAPS): a cluster randomized trial. *J Am Coll Cardiol.* 2012; 59:1188-96.
- Khan AA, Khan NU, et al. Creating synergies for health systems strengthening through partnerships in Pakistan--a case study of the national eye health programme. *East Mediterr Health J.* 2010; 16 Suppl:S61-8.
- Khanal S, Sharma J, et al. Community health workers can identify and manage possible infections in neonates and young infants: MINI--a model from Nepal. *J Health Popul Nutr.* 2011; 29:255-64.
- Khoja S, Scott R, et al. Impact of simple conventional and Telehealth solutions on improving mental health in Afghanistan. *J Telemed Telecare.* 2016; 22:495-8.
- Khoo E, Sondi S, et al. Reducing medical errors in primary care using a pragmatic complex intervention. *Asia Pac J Public Health.* 2015; 27:670-7.

- Ku GM, Kegels G. Integrating chronic care with primary care activities: enriching healthcare staff knowledge and skills and improving glycemic control of a cohort of people with diabetes through the First Line Diabetes Care Project in the Philippines. *Glob Health Action*. 2014; 7:25286.
- Lewin S, Munabi-Babigumira S, et al. Lay health workers in primary and community health care for maternal and child health and the management of infectious diseases. *Cochrane Database Syst Rev*. 2010:CD004015.
- Li H, Qian D, et al. What are the similarities and differences in structure and function among the three main models of community health centers in China: a systematic review. *BMC Health Serv Res*. 2015; 15:504.
- Li W, Gan Y, et al. Gatekeeping and the utilization of community health services in Shenzhen, China: A cross-sectional study. *Medicine (Baltimore)*. 2017; 96:e7719.
- Liew SM, Tong SF, et al. Text messaging reminders to reduce non-attendance in chronic disease follow-up: a clinical trial. *Br J Gen Pract*. 2009; 59:916-20.
- Lin A, Zhang G, et al. Community-based lifestyle intervention for reducing blood pressure and glucose among middle-aged and older adults in China: a pilot study. *Int J Environ Res Public Health*. 2014; 11:11645-63.
- Loevinsohn B, Haq IU, et al. Contracting-in management to strengthen publicly financed primary health services--the experience of Punjab, Pakistan. *Health Policy*. 2009; 91:17-23.
- Low S, Tun KT, et al. Human resources for health: task shifting to promote basic health service delivery among internally displaced people in ethnic health program service areas in eastern Burma/Myanmar. *Glob Health Action*. 2014; 7:24937.
- Malik MA, Gul W, et al. Cost of Primary Health Care in Pakistan. *J Ayub Med Coll Abbottabad*. 2015; 27:88-92.
- Mann V, Eble A, et al. Retrospective comparative evaluation of the lasting impact of a community-based primary health care programme on under-5 mortality in villages around Jamkhed, India. *Bull World Health Organ*. 2010; 88(11):875.
- Marathe S, Shukla A. (2017) When People Wake up the Anganwadi - Community Monitoring and Action in Maharashtra Is Making Child Nutrition Services Accountable and Effective. In: Nambiar D, Muralidharan A, editors. *The Social Determinants of Health in India*. Singapore: Springer.
- Marcolino MS, Oliveira JAQ, et al. The Impact of mHealth Interventions: Systematic Review of Systematic Reviews. *JMIR mHealth and uHealth*. 2018; 6:e23.
- Martins N, Morris P, Kelly PM. Food incentives to improve completion of tuberculosis treatment: randomised controlled trial in Dili, Timor-Leste. *BMJ*. 2009; 339.
- McPake B, Edoke I, et al. Cost-effectiveness of community-based practitioner programmes in Ethiopia, Indonesia and Kenya. *Bull World Health Organ*. 2015; 93:631-9A.
- Mendenhall E, De Silva MJ, et al. Acceptability and feasibility of using non-specialist health workers to deliver mental health care: stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. *Soc Sci Med*. 2014; 118:33-42.

- Mhimbira FA, Cuevas LE, et al. Interventions to increase tuberculosis case detection at primary healthcare or community-level services. *Cochrane Database Syst Rev.* 2017; 11:CD011432.
- Mohmand KA. (2013) *Community Midwifery Education Program in Afghanistan*. Washington, DC: World Bank.
- Morrison J, Osrin D, et al. How did formative research inform the development of a women's group intervention in rural Nepal? *J Perinatol.* 2008; 28 Suppl 2:S14-22.
- Nachtnebel M, O'Mahony A, et al. Effectively engaging the private sector through vouchers and contracting - A case for analysing health governance and context. *Soc Sci Med.* 2015; 145:193-200.
- Nair MK, Chacko DS, et al. A primary care approach for adolescent care and counseling services. *Indian J Pediatr.* 2012; 79 Suppl 1:S79-83.
- Ng CH, Than PT, et al. The national community mental health care project in Vietnam: a review for future guidance. *Australas.* 2011; 19:143-50.
- Nguyen P, Bich Hanh D, et al. The effect of a poverty reduction policy and service quality standards on commune-level primary health care utilization in Thai Nguyen Province, Vietnam. *Health Policy Plan.* 2010; 25:262-71.
- Oba N, McCaffrey R, et al. Development of a community participation program for diabetes mellitus prevention in a primary care unit, Thailand. *Nurs Health Sci.* 2011; 13:352-9.
- Oyo-lta A, Wiysonge C, et al. Interventions for improving coverage of childhood immunisation in low- and middle-income countries. *Cochrane Database Syst Rev.* 2016. CD008145.
- Palagyi A, Brian G, Ramke J. Training and using mid-level eye care workers: early lessons from Timor-Leste. *Clin Experiment Ophthalmol.* 2010; 38:805-11.
- Panda B, Pati S, et al. How supportive supervision influences immunization session site practices: a quasi-experimental study in Odisha, India. *Glob Health Action.* 2015; 8:25772.
- Pei L, Wang D, et al. Evaluation of the Rural Primary Health Care project on undernutrition equity among children in rural Western China. *Health Policy Plan.* 2013; 28:429-34.
- Persson LA, Nga NT, et al. Effect of facilitation of local maternal-and-newborn stakeholder groups on neonatal mortality: cluster-randomized controlled trial. *PLoS Medicine.* 2013; 10.
- Powell-Jackson T, Neupane BD, et al. The impact of Nepal's national incentive programme to promote safe delivery in the district of Makwanpur. *Adv Health Econ Health Serv Res.* 2009; 21:221-49.
- Powell-Jackson T, Yip WC, Han W. Realigning demand and supply side incentives to improve primary health care seeking in rural China. *Health Econ.* 2015; 24:755-72.
- Praveen D, Patel A, et al. SMARTHealth India: Development and Field Evaluation of a Mobile Clinical Decision Support System for Cardiovascular Diseases in Rural India. *JMIR mHealth and uHealth.* 2014; 2:e54.
- Prinja S, Jeet G, et al. Economic analysis of delivering primary health care services through community health workers in 3 North Indian states. *PLoS ONE.* 2014; 9:e91781.

- Rattanavipapong W, Luz ACG, et al. One Step Back, Two Steps Forward: An Economic Evaluation of the PEN Program in Indonesia. *Health Systems & Reform*. 2016; 2:84-98.
- Saprii L, Richards E, et al. Community health workers in rural India: analysing the opportunities and challenges Accredited Social Health Activists (ASHAs) face in realising their multiple roles. *Hum Resour Health*. 2015; 13:95.
- Sato M, Gilson L. Exploring health facilities' experiences in implementing the free health-care policy (FHCP) in Nepal: how did organizational factors influence the implementation of the user-fee abolition policy? *Health Policy Plan*. 2015; 30:1272-88.
- Semrau KEA, Hirschhorn LR, et al. Outcomes of a Coaching-Based WHO Safe Childbirth Checklist Program in India. *New England Journal of Medicine*. 2017; 377:2313-24.
- Shinde S, Andrew G, et al. The impact of a lay counselor led collaborative care intervention for common mental disorders in public and private primary care: a qualitative evaluation nested in the MANAS trial in Goa, India. *Soc Sci Med*. 2013; 88:48-55.
- Shivalli S, Majra JP, et al. Family centered approach in primary health care: experience from an urban area of Mangalore, India. *Scientific World Journal*. 2015; 2015:419192.
- Siddiqui MR, Velidi NR, et al. Integration of leprosy elimination into primary health care in orissa, India. *PLoS ONE*. 2009; 4:e8351.
- Singh S, Doyle P, et al. Referrals between Public Sector Health Institutions for Women with Obstetric High Risk, Complications, or Emergencies in India - A Systematic Review. *PLoS ONE*. 2016; 11:e0159793.
- Sookaneknun P, Saramunee K, et al. Economic analysis of the diabetes and hypertension screening collaboration between community pharmacies and a Thai government primary care unit. *Prim Care Diabetes*. 2010; 4:155-64.
- Sun J, Zhang X, et al. Impacts of a new insurance benefit with capitated provider payment on healthcare utilization, expenditure and quality of medication prescribing in China. *Trop Med Int Health*. 2016; 21:263-74.
- Sun X, Liu X, et al. (2014) The Impact of a Pay-for-Performance Scheme on Prescription Quality in Rural China: Impact Evaluation. Washington, DC.: World Bank. Report No.: 6892.
- Tang SN, Jian WY, et al. [Impact of primary care oriented outpatient benefit package design in new rural cooperative medical system on hypertension outpatient services utilization]. *Beijing Da Xue Xue Bao*. 2014; 46:445-9.
- Tang Y, Zhang X, et al. Application of propensity scores to estimate the association between government subsidy and injection use in primary health care institutions in China. *BMC Health Serv Res*. 2013; 13:183.
- Tanner J, Hayashi R, Li Y. (2015) Improving Coverage and Utilization of Maternal and Child Health Services in Lao PDR: Impact Evaluation of the Community Nutrition Project. Washington, DC: Independent Evaluation Group. World Bank Group.
- Tian M, Ajay VS, et al. A Cluster-Randomized, Controlled Trial of a Simplified Multifaceted Management Program for Individuals at High Cardiovascular Risk (SimCard Trial) in Rural Tibet, China, and Haryana, India. *Circulation*. 2015; 132:815-24.

- Triyana M. The effects of Indonesia's 'Midwife in the Village' programme 10 years post-launch. *Popul Stud.* 2016; 70:365-76.
- van Ginneken N, Tharyan P, et al. Non-specialist health worker interventions for the care of mental, neurological and substance-abuse disorders in low- and middle-income countries. *Cochrane Database Syst Rev.* 2013. Nov 19;(11):CD009149.
- Vangkonevilay PP, Chanthakhath; Theppanya, Khampasong; Phathamavong, Outavong; Rotem, Arie. (2014) Analysis of Health Workforce Retention and Attraction Policies in Lao PDR. . Washington, DC: World Bank.
- Vellakkal S, Gupta A, et al. Has India's national rural health mission reduced inequities in maternal health services? A pre-post repeated cross-sectional study. *Health Policy Plan.* 2017; 32:79-90.
- Wang HH, Wang JJ, et al. The development of urban community health centres for strengthening primary care in China: a systematic literature review. *Br Med Bull.* 2015; 116:139-53.
- Wang HH, Wong SY, et al. Patients' experiences in different models of community health centers in southern China. *Ann Fam Med.* 2013; 11:517-26.
- Wazir MS, Shaikh BT, Ahmed A. National program for family planning and primary health care Pakistan: a SWOT analysis. *Reprod Health.* 2013; 10:60.
- Wei X, Yang N, et al. Comparison of three models of ownership of community health centres in China: a qualitative study. *J Health Serv Res Policy.* 2015; 20:162-9.
- Wei X, Yin J, et al. Private ownership of primary care providers associated with patient perceived quality of care: A comparative cross-sectional survey in three big Chinese cities. *Medicine.* 2017; 96:e5755.
- Witter S, Fretheim A, et al. Paying for performance to improve the delivery of health interventions in low- and middle-income countries. *Cochrane Database Syst Rev.* 2012. CD007899.
- Wiysonge C, Abdullahi L, et al. Public stewardship of private for-profit healthcare providers in low- and middle-income countries. *Cochrane Database Syst Rev.* 2016. Aug 11;(8):CD009855.
- Wiysonge C, Charles S, et al. Financial arrangements for health systems in low-income countries: an overview of systematic reviews. *Cochrane Database Syst Rev.* 2017. Sep 11;9:CD011084.
- Wong MC, Wang HH, et al. Performance comparison among the major healthcare financing systems in six cities of the Pearl River Delta region, mainland China. *PLoS ONE.* 2012; 7:e46309.
- Yang L, Liu C, et al. The impact of the National Essential Medicines Policy on prescribing behaviours in primary care facilities in Hubei province of China. *Health Policy Plan.* 2013; 28:750-60.
- Yao Q, Liu C, et al. Urban-rural inequality regarding drug prescriptions in primary care facilities - a pre-post comparison of the National Essential Medicines Scheme of China. *Intern.* 2015; 14:58.

- Yip W, Powell-Jackson T, et al. Capitation combined with pay-for-performance improves antibiotic prescribing practices in rural China. *Health Aff (Millwood)*. 2014; 33:502-10.
- Yip WC, Hsiao W, et al. Realignment of incentives for health-care providers in China. *Lancet*. 2010; 375:1120-30.
- Yuan B, He L, et al. Payment methods for outpatient care facilities. *Cochrane Database Syst Rev*. 2017; 3:CD011153.
- Zhan X, Zhang Z, et al. Effects of Improving Primary Health Care Workers' Knowledge About Public Health Services in Rural China: A Comparative Study of Blended Learning and Pure E-Learning. *J Med Internet Res*. 2017; 19:e116.
- Zhang M, Yang R, et al. Job satisfaction of urban community health workers after the 2009 healthcare reform in China: a systematic review. *Int J Qual Health Care*. 2016; 28:14-21.
- Zhaokang Y, Yuxi L, et al. A model for community health service development in depressed rural areas in China. *BMC Health Serv Res*. 2012; 12:465.