

Appendix Reference list of 263 articles retrieved from literature search for PHC organisation in LMIC

1. Aantjes C, Quinlan T, Bunders J. Integration of community home based care programmes within national primary health care revitalisation strategies in Ethiopia, Malawi, South-Africa and Zambia: a comparative assessment. *Globalization and health* 2014;10:85. doi: 10.1186/s12992-014-0085-5
2. Abate B, Enquesselassie F. Information use in patients' referral system at Tikur Anbessa Specialized Hospital, Addis Ababa, Ethiopia. *Ethiopian medical journal* 2010;48(2):123-35.
3. Abimbola S, Olanipekun T, Igbokwe U, et al. How decentralisation influences the retention of primary health care workers in rural Nigeria. *Global health action* 2015;8:26616. doi: 10.3402/gha.v8.26616
4. Acharya B, Tenpa J, Thapa P, et al. Recommendations from primary care providers for integrating mental health in a primary care system in rural Nepal. *BMC health services research* 2016;16:492. doi: 10.1186/s12913-016-1768-9
5. Acosta Ramirez N, Giovanella L, Vega Romero R, et al. Mapping primary health care renewal in South America. *Family practice* 2016;33(3):261-7. doi: 10.1093/fampra/cmw013
6. Aksoy H, Kahveci R, Doner P, et al. Physicians' attitudes toward home healthcare services in Turkey: A qualitative study. *The European journal of general practice* 2015;21(4):246-52. doi: 10.3109/13814788.2015.1096339
7. Alameddine M, Khodr H, Mourad Y, et al. Upscaling the recruitment and retention of human resources for health at primary healthcare centres in Lebanon: a qualitative study. *Health & social care in the community* 2016;24(3):353-62. doi: 10.1111/hsc.12210
8. Alameddine M, Saleh S, El-Jardali F, et al. The retention of health human resources in primary healthcare centers in Lebanon: a national survey. *BMC health services research* 2012;12:419. doi: 10.1186/1472-6963-12-419
9. Alberti H, Boudriga N, Nabli M. Primary care management of diabetes in a low/middle income country: a multi-method, qualitative study of barriers and facilitators to care. *BMC family practice* 2007;8:63. doi: 10.1186/1471-2296-8-63
10. Almeida PF, Santos AM. Primary Health Care: care coordinator in regionalized networks? *Revista de saude publica* 2016;50:80. doi: 10.1590/S1518-8787.2016050006602
11. Andersen KL, Basnett I, Shrestha DR, et al. Expansion of Safe Abortion Services in Nepal Through Auxiliary Nurse-Midwife Provision of Medical Abortion, 2011-2013. *Journal of midwifery & women's health* 2016;61(2):177-84. doi: 10.1111/jmwh.12419
12. Ariff KM, Beng KS. Cultural health beliefs in a rural family practice: a Malaysian perspective. *The Australian journal of rural health* 2006;14(1):2-8. doi: 10.1111/j.1440-1584.2006.00747.x
13. Athie K, Menezes AL, da Silva AM, et al. Perceptions of health managers and professionals about mental health and primary care integration in Rio de Janeiro: a mixed methods study. *BMC health services research* 2016;16(1):532. doi: 10.1186/s12913-016-1740-8
14. Balakrishnan R, Gopichandran V, Chaturvedi S, et al. Continuum of Care Services for Maternal and Child Health using mobile technology - a health system strengthening strategy in low and middle income countries. *BMC medical informatics and decision making* 2016;16:84. doi: 10.1186/s12911-016-0326-z

15. Baldani MH, Mendes YB, Lawder JA, et al. Inequalities in dental services utilization among Brazilian low-income children: the role of individual determinants. *Journal of public health dentistry* 2011;71(1):46-53.
16. Bauer AM, Fielke K, Brayley J, et al. Tackling the global mental health challenge: a psychosomatic medicine/consultation-liaison psychiatry perspective. *Psychosomatics* 2010;51(3):185-93. doi: 10.1176/appi.psy.51.3.185
17. Bauhoff S, Rabinovich L, Mayer LA. Developing citizen report cards for primary health care in low and middle-income countries: Results from cognitive interviews in rural Tajikistan. *PloS one* 2017;12(10):e0186745. doi: 10.1371/journal.pone.0186745
18. Baynes C, Semu H, Baraka J, et al. An exploration of the feasibility, acceptability, and effectiveness of professional, multitasked community health workers in Tanzania. *Global public health* 2017;12(8):1018-32. doi: 10.1080/17441692.2015.1080750
19. Ben Romdhane H, Tlili F, Skhiri A, et al. Health system challenges of NCDs in Tunisia. *International journal of public health* 2015;60 Suppl 1:S39-46. doi: 10.1007/s00038-014-0616-0
20. Berhanu S, Alemu S, Prevet M, et al. Primary care treatment of epilepsy in rural Ethiopia: causes of default from follow-up. *Seizure* 2009;18(2):100-3. doi: 10.1016/j.seizure.2008.07.002
21. Biswas KK, Pearson E, Shahidullah SM, et al. Integrating postabortion care, menstrual regulation and family planning services in Bangladesh: a pre-post evaluation. *Reproductive health* 2017;14(1):37. doi: 10.1186/s12978-017-0298-1
22. Biswas R, Joshi A, Joshi R, et al. Revitalizing primary health care and family medicine/primary care in India--disruptive innovation? *Journal of evaluation in clinical practice* 2009;15(5):873-80. doi: 10.1111/j.1365-2753.2009.01271.x
23. Boccolini CS, de Souza Junior PR. Inequities in Healthcare utilization: results of the Brazilian National Health Survey, 2013. *International journal for equity in health* 2016;15(1):150. doi: 10.1186/s12939-016-0444-3
24. Bodur S, Filiz E. A survey on patient safety culture in primary healthcare services in Turkey. *International journal for quality in health care : journal of the International Society for Quality in Health Care* 2009;21(5):348-55. doi: 10.1093/intqhc/mzp035
25. Bousquat A, Giovanella L, Campos EMS, et al. Primary health care and the coordination of care in health regions: managers' and users' perspective. *Ciencia & saude coletiva* 2017;22(4):1141-54. doi: 10.1590/1413-81232017224.28632016
26. Boutayeb W, Lamlili M, Maamri A, et al. Actions on social determinants and interventions in primary health to improve mother and child health and health equity in Morocco. *International journal for equity in health* 2016;15:19. doi: 10.1186/s12939-016-0309-9
27. Bradley H, Lehmann U, Butler N. Emerging roles and competencies of district and sub-district pharmacists: a case study from Cape Town. *Human resources for health* 2015;13:88. doi: 10.1186/s12960-015-0081-8
28. Bradley S, Kamwendo F, Masanja H, et al. District health managers' perceptions of supervision in Malawi and Tanzania. *Human resources for health* 2013;11:43. doi: 10.1186/1478-4491-11-43
29. Brazier E, Andrzejewski C, Perkins ME, et al. Improving poor women's access to maternity care: Findings from a primary care intervention in Burkina Faso. *Social science & medicine* (1982) 2009;69(5):682-90. doi: 10.1016/j.socscimed.2009.06.023
30. Breen A, Swartz L, Flisher AJ, et al. Experience of mental disorder in the context of basic service reforms: the impact on caregiving environments in South Africa. *International journal of environmental health research* 2007;17(5):327-34. doi: 10.1080/09603120701628388

31. Brock D, Bolon S, Wick K, et al. The military veteran to physician assistant pathway: building the primary care workforce. *Academic medicine : journal of the Association of American Medical Colleges* 2013;88(12):1890-4. doi: 10.1097/ACM.0000000000000011
32. Brown L, Lee TH, De Allegri M, et al. Applying stated-preference methods to improve health systems in sub-Saharan Africa: a systematic review. *Expert review of pharmacoeconomics & outcomes research* 2017;17(5):441-58. doi: 10.1080/14737167.2017.1375854
33. Cacapava JR, Colvero Lde A. [Mental health care strategies in primary health care units]. *Revista gaucha de enfermagem* 2008;29(4):573-80.
34. Casotti E, Monteiro AB, Castro Filho EL, et al. [Organization of public oral health services for early diagnosis of potentially malignant disorders in the state of Rio de Janeiro, Brazil]. *Ciencia & saude coletiva* 2016;21(5):1573-82. doi: 10.1590/1413-81232015215.10742
35. Cecilio LC, Andrezza R, Carapineiro G, et al. [Primary healthcare and the construction of thematic health networks: what role can they play?]. *Ciencia & saude coletiva* 2012;17(11):2893-902.
36. Chang SM, Grantham-McGregor SM, Powell CA, et al. Integrating a Parenting Intervention With Routine Primary Health Care: A Cluster Randomized Trial. *Pediatrics* 2015;136(2):272-80. doi: 10.1542/peds.2015-0119
37. Chazard E, Marcolino MS, Dumesnil C, et al. One Million Electrocardiograms of Primary Care Patients: A Descriptive Analysis. *Studies in health technology and informatics* 2015;216:69-73.
38. Chitama D, Baltussen R, Ketting E, et al. From papers to practices: district level priority setting processes and criteria for family planning, maternal, newborn and child health interventions in Tanzania. *BMC women's health* 2011;11:46. doi: 10.1186/1472-6874-11-46
39. Chukwuani CM, Olugboji A, Akuto EE, et al. A baseline survey of the Primary Healthcare system in south eastern Nigeria. *Health policy (Amsterdam, Netherlands)* 2006;77(2):182-201. doi: 10.1016/j.healthpol.2005.07.006
40. Chukwunke FN, Ezeonu CT, Onyire BN, et al. Culture and biomedical care in Africa: the influence of culture on biomedical care in a traditional African society, Nigeria, West Africa. *Nigerian journal of medicine : journal of the National Association of Resident Doctors of Nigeria* 2012;21(3):331-3.
41. Chung V, Yip BH, Griffiths SM, et al. Patients' experience of Chinese Medicine Primary Care Services: Implications on Improving Coordination and Continuity of Care. *Scientific reports* 2015;5:18853. doi: 10.1038/srep18853
42. Colvin M, Gumede L, Grimwade K, et al. Contribution of traditional healers to a rural tuberculosis control programme in Hlabisa, South Africa. *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease* 2003;7(9 Suppl 1):S86-91.
43. Condo J, Mugeni C, Naughton B, et al. Rwanda's evolving community health worker system: a qualitative assessment of client and provider perspectives. *Human resources for health* 2014;12:71. doi: 10.1186/1478-4491-12-71
44. Costa GD, Cotta RM, Reis JR, et al. [Evaluating child healthcare in the context of Family Healthcare in the city of Teixeiras, Minas Gerais (MG, Brazil)]. *Ciencia & saude coletiva* 2011;16(7):3229-40.
45. Costa JM, Silva MR, Carvalho EF. [The implementation analysis of the arterial hypertension care by the Family Health teams in Recife city (Pernambuco, Brazil)]. *Ciencia & saude coletiva* 2011;16(2):623-33.

46. Courtright P, Seneadza A, Mathenge W, et al. Primary eye care in sub-Saharan African: do we have the evidence needed to scale up training and service delivery? *Annals of tropical medicine and parasitology* 2010;104(5):361-7. doi: 10.1179/136485910X12743554760225
47. Cox AT, Linton T, Lentaigne J, et al. A review of the documentation in the British Armed Forces electronic patient record following discharge from the Role 3 Hospital in Camp Bastion. *Journal of the Royal Army Medical Corps* 2015;161(2):132-4. doi: 10.1136/jramc-2014-000337
48. da Fonseca DA, Mialhe FL, Ambrosano GM, et al. [Influence of the organization of primary care and the socio-demographic characteristics of the population on the demand for municipal emergency dental care]. *Ciencia & saude coletiva* 2014;19(1):269-77. doi: 10.1590/1413-81232014191.2048
49. da Silva SA, Fracolli LA. Evaluating child care in the Family Health Strategy. *Revista brasileira de enfermagem* 2016;69(1):47-53. doi: 10.1590/0034-7167.2016690107i
50. Dagdeviren N, Akturk Z. An evaluation of patient satisfaction in Turkey with the EUROPEP instrument. *Yonsei medical journal* 2004;45(1):23-8. doi: 10.3349/ymj.2004.45.1.23
51. De Kock JH, Pillay BJ. Mental health nurses in South Africa's public rural primary care settings: a human resource crisis. *Rural and remote health* 2016;16(3):3865.
52. De Vos P, Barroso I, Rodriguez A, et al. The functioning of the Cuban home hospitalization programme: a descriptive analysis. *BMC health services research* 2007;7:76. doi: 10.1186/1472-6963-7-76
53. Deen J, Matos Lda C, Temple B, et al. Identifying national health research priorities in Timor-Leste through a scoping review of existing health data. *Health research policy and systems* 2013;11(1):8. doi: 10.1186/1478-4505-11-8
54. de-Graft Aikins A. Healer shopping in Africa: new evidence from rural-urban qualitative study of Ghanaian diabetes experiences. *BMJ (Clinical research ed)* 2005;331(7519):737. doi: 10.1136/bmj.331.7519.737
55. Delobelle P, Rawlinson JL, Ntuli S, et al. Job satisfaction and turnover intent of primary healthcare nurses in rural South Africa: a questionnaire survey. *Journal of advanced nursing* 2011;67(2):371-83. doi: 10.1111/j.1365-2648.2010.05496.x
56. DePue JD, Dunsiger S, Seiden AD, et al. Nurse-community health worker team improves diabetes care in American Samoa: results of a randomized controlled trial. *Diabetes care* 2013;36(7):1947-53. doi: 10.2337/dc12-1969
57. Derbew M, Animut N, Talib ZM, et al. Ethiopian medical schools' rapid scale-up to support the government's goal of universal coverage. *Academic medicine : journal of the Association of American Medical Colleges* 2014;89(8 Suppl):S40-4. doi: 10.1097/ACM.0000000000000326
58. Deressa W, Azazh A. Attitudes of undergraduate medical students of Addis Ababa University towards medical practice and migration, Ethiopia. *BMC medical education* 2012;12:68. doi: 10.1186/1472-6920-12-68
59. Dhillon RS, Bonds MH, Fraden M, et al. The impact of reducing financial barriers on utilisation of a primary health care facility in Rwanda. *Global public health* 2012;7(1):71-86. doi: 10.1080/17441692.2011.593536
60. Doubova SV, Guanais FC, Perez-Cuevas R, et al. Attributes of patient-centered primary care associated with the public perception of good healthcare quality in Brazil, Colombia, Mexico and El Salvador. *Health policy and planning* 2016;31(7):834-43. doi: 10.1093/heapol/czv139

61. du Toit R, Faal HB, Etya'ale D, et al. Evidence for integrating eye health into primary health care in Africa: a health systems strengthening approach. *BMC health services research* 2013;13:102. doi: 10.1186/1472-6963-13-102
62. Duma OO, Rosu ST, Manole M, et al. Disparities in the access to primary healthcare in rural areas from the county of Iasi - Romania. *Revista medico-chirurgicala a Societatii de Medici si Naturalisti din Iasi* 2014;118(3):743-8.
63. Duong DV, Binns CW, Lee AH. Utilization of delivery services at the primary health care level in rural Vietnam. *Social science & medicine* (1982) 2004;59(12):2585-95. doi: 10.1016/j.socscimed.2004.04.007
64. Ebuehi OM, Campbell PC. Attraction and retention of qualified health workers to rural areas in Nigeria: a case study of four LGAs in Ogun State, Nigeria. *Rural and remote health* 2011;11(1):1515.
65. Edward A, Branchini C, Aitken I, et al. Toward universal coverage in Afghanistan: A multi-stakeholder assessment of capacity investments in the community health worker system. *Social science & medicine* (1982) 2015;145:173-83. doi: 10.1016/j.socscimed.2015.06.011
66. Edward A, Osei-Bonsu K, Branchini C, et al. Enhancing governance and health system accountability for people centered healthcare: an exploratory study of community scorecards in Afghanistan. *BMC health services research* 2015;15:299. doi: 10.1186/s12913-015-0946-5
67. Exley J, Pitchforth E, Okeke E, et al. Persistent barriers to care; a qualitative study to understand women's experiences in areas served by the midwives service scheme in Nigeria. *BMC pregnancy and childbirth* 2016;16:232. doi: 10.1186/s12884-016-1026-5
68. Fairall LR, Folb N, Timmerman V, et al. Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. *PLoS medicine* 2016;13(11):e1002178. doi: 10.1371/journal.pmed.1002178
69. Feng S, Shi L, Zeng J, et al. Comparison of Primary Care Experiences in Village Clinics with Different Ownership Models in Guangdong Province, China. *PloS one* 2017;12(1):e0169241. doi: 10.1371/journal.pone.0169241
70. Ferreira AC, Suarez-Mutis MC, Campos MR, et al. Primary health care in municipalities at high risk for malaria. *Revista latino-americana de enfermagem* 2011;19(6):1281-8.
71. Fetene N, Linnander E, Fekadu B, et al. The Ethiopian Health Extension Program and Variation in Health Systems Performance: What Matters? *PloS one* 2016;11(5):e0156438. doi: 10.1371/journal.pone.0156438
72. Franco LM, Diop FP, Burgert CR, et al. Effects of mutual health organizations on use of priority health-care services in urban and rural Mali: a case-control study. *Bulletin of the World Health Organization* 2008;86(11):830-8.
73. Friend-du Preez N, Cameron N, Griffiths P. Stuips, sputis and prophet ropes: the treatment of abantu childhood illnesses in urban South Africa. *Social science & medicine* (1982) 2009;68(2):343-51. doi: 10.1016/j.socscimed.2008.10.027
74. Giovanella L, de Mendonca MH, de Almeida PF, et al. Family health: limits and possibilities for an integral primary care approach to health care in Brazil. *Ciencia & saude coletiva* 2009;14(3):783-94.
75. Girao AL, Freitas CH. Hypertensive patients in primary health care: access, connection and care involved in spontaneous demands. *Revista gaucha de enfermagem* 2016;37(2):e60015. doi: 10.1590/1983-1447.2016.02.60015

76. Girot EA, Enders BC, Wright J. Transforming the obstetric nursing workforce in NE Brazil through international collaboration. *Journal of advanced nursing* 2005;50(6):651-60. doi: 10.1111/j.1365-2648.2005.03450.x
77. Gnyawali S, Bhattarai D, Upadhyay MP. Utilization of primary eye health services by people from a rural community of Nepal. *Nepalese journal of ophthalmology : a biannual peer-reviewed academic journal of the Nepal Ophthalmic Society : NEPJOPH* 2012;4(1):96-101. doi: 10.3126/nepjoph.v4i1.5859
78. Gomes FM, Silva MG. [Family health program as a strategy of primary attention: a reality at Juazeiro do Norte]. *Ciencia & saude coletiva* 2011;16 Suppl 1:893-902.
79. Goncalves DA, Fortes S, Campos M, et al. Evaluation of a mental health training intervention for multidisciplinary teams in primary care in Brazil: a pre- and posttest study. *General hospital psychiatry* 2013;35(3):304-8. doi: 10.1016/j.genhosppsych.2013.01.003
80. Goudge J, Gilson L, Russell S, et al. The household costs of health care in rural South Africa with free public primary care and hospital exemptions for the poor. *Tropical medicine & international health : TM & IH* 2009;14(4):458-67. doi: 10.1111/j.1365-3156.2009.02256.x
81. Graz B, Falquet J, Morency P. Rapid assessment of alternative medicine through a comparison of the expected and observed progress of patients: a feasibility study of the prognosis/follow-up method. *Journal of alternative and complementary medicine (New York, NY)* 2003;9(5):755-61. doi: 10.1089/107555303322524607
82. Gregorio G, Tomlinson M, Gerolin J, et al. Setting priorities for mental health research in Brazil. *Revista brasileira de psiquiatria (Sao Paulo, Brazil : 1999)* 2012;34(4):434-9.
83. Guerra AF, Goncalves DU, Werneck Cortes Mda C, et al. [Pediatric Otolaryngology at the Public Health System of a city in Southeastern Brazil]. *Revista de saude publica* 2007;41(5):719-25.
84. Gureje O, Abdulmalik J, Kola L, et al. Integrating mental health into primary care in Nigeria: report of a demonstration project using the mental health gap action programme intervention guide. *BMC health services research* 2015;15:242. doi: 10.1186/s12913-015-0911-3
85. Gwaikolo WS, Kohrt BA, Cooper JL. Health system preparedness for integration of mental health services in rural Liberia. *BMC health services research* 2017;17(1):508. doi: 10.1186/s12913-017-2447-1
86. Habtom GK. Integrating traditional medical practice with primary healthcare system in Eritrea. *Journal of complementary & integrative medicine* 2015;12(1):71-87. doi: 10.1515/jcim-2014-0020
87. Hafeez A, Mohamud BK, Shiekh MR, et al. Lady health workers programme in Pakistan: challenges, achievements and the way forward. *JPMA The Journal of the Pakistan Medical Association* 2011;61(3):210-5.
88. Hailemariam M, Fekadu A, Selamu M, et al. Equitable access to integrated primary mental healthcare for people with severe mental disorders in Ethiopia: a formative study. *International journal for equity in health* 2016;15(1):121. doi: 10.1186/s12939-016-0410-0
89. Hamid S, Dunsiger S, Seiden A, et al. Impact of a diabetes control and management intervention on health care utilization in American Samoa. *Chronic illness* 2014;10(2):122-34. doi: 10.1177/1742395313502367
90. Han Y, Wei J, Song X, et al. Accessibility of primary health care workforce in rural China. *Asia-Pacific journal of public health* 2012;24(5):833-47. doi: 10.1177/1010539511403801

91. Hansen PM, Peters DH, Edward A, et al. Determinants of primary care service quality in Afghanistan. *International journal for quality in health care : journal of the International Society for Quality in Health Care* 2008;20(6):375-83. doi: 10.1093/intqhc/mzn039
92. Hardison C, Fonken P, Chew T, et al. The emergence of family medicine in Kyrgyzstan. *Family medicine* 2007;39(9):627-33.
93. Harris JB, Hatwiinda SM, Randels KM, et al. Early lessons from the integration of tuberculosis and HIV services in primary care centers in Lusaka, Zambia. *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease* 2008;12(7):773-9.
94. Harzheim E, Duncan BB, Stein AT, et al. Quality and effectiveness of different approaches to primary care delivery in Brazil. *BMC health services research* 2006;6:156. doi: 10.1186/1472-6963-6-156
95. Harzheim E, Goncalves MR, Umpierre RN, et al. Telehealth in Rio Grande do Sul, Brazil: Bridging the Gaps. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association* 2016;22(11):938-44. doi: 10.1089/tmj.2015.0210
96. Hasna FS. Utilization of family planning services in the Governorate of Zarqa, Jordan. *Journal of transcultural nursing : official journal of the Transcultural Nursing Society* 2006;17(4):365-74. doi: 10.1177/1043659606291547
97. Heard A, Nath DK, Loevinsohn B. Contracting urban primary healthcare services in Bangladesh - effect on use, efficiency, equity and quality of care. *Tropical medicine & international health : TM & IH* 2013;18(7):861-70. doi: 10.1111/tmi.12113
98. Heimann LS, Ibanhes LC, Boaretto RC, et al. [Primary healthcare: a multidimensional study on challenges and potential in the Sao Paulo Metropolitan Region (SP, Brazil)]. *Ciencia & saude coletiva* 2011;16(6):2877-87.
99. Hickling FW, Robertson-Hickling H, Paisley V. Deinstitutionalization and attitudes toward mental illness in Jamaica: a qualitative study. *Revista panamericana de salud publica = Pan American journal of public health* 2011;29(3):169-76.
100. Hlahane MS, Greeff M, du Plessis E. Professional nurses' perceptions of the skills required to render comprehensive primary health care services. *Curationis* 2006;29(4):82-94.
101. Hou J, Xu M, Kolars JC, et al. Career preferences of graduating medical students in China: a nationwide cross-sectional study. *BMC medical education* 2016;16:136. doi: 10.1186/s12909-016-0658-5
102. Hughes D, Leethongdee S, Osiri S. Using economic levers to change behaviour: the case of Thailand's universal coverage health care reforms. *Social science & medicine (1982)* 2010;70(3):447-54. doi: 10.1016/j.socscimed.2009.10.031
103. Hung LM, Shi L, Wang H, et al. Chinese primary care providers and motivating factors on performance. *Family practice* 2013;30(5):576-86. doi: 10.1093/fampra/cmt026
104. Ichiho HM, Shomour M, Marar J, et al. An assessment of non-communicable diseases, diabetes, and related risk factors in the Federated States of Micronesia, State of Chuuk: a systems perspective. *Hawai'i journal of medicine & public health : a journal of Asia Pacific Medicine & Public Health* 2013;72(5 Suppl 1):30-8.
105. Iorio S. [AN ETHNOGRAPHIC STUDY OF MEDICAL PRACTICES AND KNOWLEDGE IN THE NAHUA CONTEST (NAUPAN, PUEBLA, MEXICO)]. *Medicina nei secoli* 2014;26(3):793-820.
106. Ireland M, Cavalini L, Girardi S, et al. Expanding the primary health care workforce through contracting with nongovernmental entities: the cases of Bahia and Rio de Janeiro. *Human resources for health* 2016;14:6. doi: 10.1186/s12960-016-0101-3

107. Iyer V. Female health workers in Gujarat: Examining human resource actions and workforce objectives-an exploratory mixed methods study. *The National medical journal of India* 2013;26(5):273-8.
108. Javoric H, Topolovec-Nizetic V, Pavlekovic G. Home visits in Croatian family practice: a longitudinal study: 1995-2012. *Collegium antropologicum* 2014;38 Suppl 2:55-9.
109. Jegede AS, Adejumo P, Ushie BA. Factors influencing motivation and retention of primary healthcare workers in the rural areas of Oyo State, Nigeria. *World health & population* 2013;14(4):23-36.
110. Jerome G, Ivers LC. Community health workers in health systems strengthening: a qualitative evaluation from rural Haiti. *AIDS (London, England)* 2010;24 Suppl 1:S67-72. doi: 10.1097/01.aids.0000366084.75945.c9
111. Jimoh BM, Anthonia OC, Chinwe I, et al. Prospective evaluation of cases of discharge against medical advice in Abuja, Nigeria. *TheScientificWorldJournal* 2015;2015:314817. doi: 10.1155/2015/314817
112. Johns B, Doroshenko O, Tarantino L, et al. The Cost-Effectiveness of Integrating HIV Counseling and Testing into Primary Health Care in the Ukraine. *AIDS and behavior* 2017;21(3):655-64. doi: 10.1007/s10461-016-1554-z
113. Kahabuka C, Kvale G, Moland KM, et al. Why caretakers bypass Primary Health Care facilities for child care - a case from rural Tanzania. *BMC health services research* 2011;11:315. doi: 10.1186/1472-6963-11-315
114. Kamalakannan S, Gudlavalleti Venkata M, Prost A, et al. Rehabilitation Needs of Stroke Survivors After Discharge From Hospital in India. *Archives of physical medicine and rehabilitation* 2016;97(9):1526-32.e9. doi: 10.1016/j.apmr.2016.02.008
115. Kamatenesi MM, Acipa A, Oryem-Origa H. Medicinal plants of Otwal and Ngai Sub Counties in Oyam district, Northern Uganda. *Journal of ethnobiology and ethnomedicine* 2011;7:7. doi: 10.1186/1746-4269-7-7
116. Kaufman A, Derksen D, Alfero C, et al. The Health Commons and care of New Mexico's uninsured. *Annals of family medicine* 2006;4 Suppl 1:S22-7; discussion S58. doi: 10.1370/afm.539
117. Kauye F, Udedi M, Mafuta C. Pathway to care for psychiatric patients in a developing country: Malawi. *The International journal of social psychiatry* 2015;61(2):121-8. doi: 10.1177/0020764014537235
118. Kentoffio K, Kraemer JD, Griffiths T, et al. Charting health system reconstruction in post-war Liberia: a comparison of rural vs. remote healthcare utilization. *BMC health services research* 2016;16:478. doi: 10.1186/s12913-016-1709-7
119. Khuzwayo LS, Moshabela M. The perceived role of ward-based primary healthcare outreach teams in rural KwaZulu-Natal, South Africa. *African journal of primary health care & family medicine* 2017;9(1):e1-e5. doi: 10.4102/phcfm.v9i1.1388
120. Kilic B, Kalaca S, Unal B, et al. Health policy analysis for prevention and control of cardiovascular diseases and diabetes mellitus in Turkey. *International journal of public health* 2015;60 Suppl 1:S47-53. doi: 10.1007/s00038-014-0557-7
121. Kovai V, Rao GN, Holden B, et al. An estimate of patient costs and benefits of the new primary eye care model utilization through vision centers in Andhra Pradesh, India. *Asia-Pacific journal of public health* 2010;22(4):426-35. doi: 10.1177/1010539510370779
122. Kringos DS, Boerma WG, Spaan E, et al. A snapshot of the organization and provision of primary care in Turkey. *BMC health services research* 2011;11:90. doi: 10.1186/1472-6963-11-90
123. Krumholz AR, Stone AE, Dalaba MA, et al. Factors facilitating and constraining the scaling up of an evidence-based strategy of community-based primary care:

- management perspectives from northern Ghana. *Global public health* 2015;10(3):366-78. doi: 10.1080/17441692.2014.981831
124. Kuang L, Liang Y, Mei J, et al. Family practice and the quality of primary care: a study of Chinese patients in Guangdong Province. *Family practice* 2015;32(5):557-63. doi: 10.1093/fampra/cmz064
125. Lakra GJ, Kadam S, Hussain MA, et al. Motivation and job satisfaction among multipurpose health workers in hilly and non-hilly areas of Jashpur District, Chhattisgarh: an exploratory study. *The Southeast Asian journal of tropical medicine and public health* 2012;43(5):1262-72.
126. Lawan UM, Amole GT, Khayi JH. Rural posting experience, requests for transfer, and perspectives about critical factors for staff retention among primary health care workers in urban Kano, Nigeria. *Nigerian journal of clinical practice* 2017;20(1):25-30. doi: 10.4103/1119-3077.178946
127. Le LT, Partridge JC, Tran BH, et al. Care practices and traditional beliefs related to neonatal jaundice in northern Vietnam: a population-based, cross-sectional descriptive study. *BMC pediatrics* 2014;14:264. doi: 10.1186/1471-2431-14-264
128. Li H, Sun Y, Qian D. Can integrated health services delivery have an impact on hypertension management? A cross-sectional study in two cities of China. *International journal for equity in health* 2016;15(1):193. doi: 10.1186/s12939-016-0485-7
129. Lin A, Zhang G, Liu Z, et al. Community-based lifestyle intervention for reducing blood pressure and glucose among middle-aged and older adults in China: a pilot study. *International journal of environmental research and public health* 2014;11(11):11645-63. doi: 10.3390/ijerph111111645
130. Lorenzo T, van Pletzen E, Booyens M. Determining the competences of community based workers for disability-inclusive development in rural areas of South Africa, Botswana and Malawi. *Rural and remote health* 2015;15(2):2919.
131. Low S, Tun KT, Mhote NP, et al. Human resources for health: task shifting to promote basic health service delivery among internally displaced people in ethnic health program service areas in eastern Burma/Myanmar. *Global health action* 2014;7:24937. doi: 10.3402/gha.v7.24937
132. Luna I, da Silva MT. Service intangibility and its implications for the work coordination of primary healthcare multi-professional teams in Brazil. *Work (Reading, Mass)* 2015;52(3):617-26. doi: 10.3233/WOR-152195
133. Macintyre K, Lochigan M, Letipila F. Understanding referral from primary care clinics in rural Kenya: using health information systems to prioritize health services. *The International journal of health planning and management* 2003;18(1):23-39. doi: 10.1002/hpm.689
134. Mahmood MA, Raulli A, Yan W, et al. Cooperative medical insurance and the cost of care in Shandong, PR China: perspectives of patients and community members. *Asia-Pacific journal of public health* 2015;27(2):NP897-902. doi: 10.1177/1010539510376664
135. Majrooh MA, Hasnain S, Akram J, et al. Accessibility of antenatal services at primary healthcare facilities in Punjab, Pakistan. *JPMA The Journal of the Pakistan Medical Association* 2013;63(4 Suppl 3):S60-6.
136. Mann V, Eble A, Frost C, et al. Retrospective comparative evaluation of the lasting impact of a community-based primary health care programme on under-5 mortality in villages around Jamkhed, India. *Bulletin of the World Health Organization* 2010;88(10):727-36. doi: 10.2471/BLT.09.064469

137. Martins SM, Salibe-Filho W, Tonioli LP, et al. Implementation of 'matrix support' (collaborative care) to reduce asthma and COPD referrals and improve primary care management in Brazil: a pilot observational study. *NPJ primary care respiratory medicine* 2016;26:16047. doi: 10.1038/npjpcrm.2016.47
138. Mash BJ, Mayers P, Conradie H, et al. How to manage organisational change and create practice teams: experiences of a South African primary care health centre. *Education for health (Abingdon, England)* 2008;21(2):132.
139. Maulik PK, Kallakuri S, Devarapalli S, et al. Increasing use of mental health services in remote areas using mobile technology: a pre-post evaluation of the SMART Mental Health project in rural India. *Journal of global health* 2017;7(1):010408. doi: 10.7189/jogh.07.010408
140. Mayta-Tristan P, Pereyra-Elias R, Montenegro-Idrogo JJ, et al. Profile and professional expectations of medical students from 11 Latin American countries: the Red-LIRHUS project. *BMC research notes* 2017;10(1):159. doi: 10.1186/s13104-017-2479-y
141. Mbaruku GM, Larson E, Kimweri A, et al. What elements of the work environment are most responsible for health worker dissatisfaction in rural primary care clinics in Tanzania? *Human resources for health* 2014;12:38. doi: 10.1186/1478-4491-12-38
142. Mboineki JF, Zhang W. Healthcare Provider Views on Transitioning From Task Shifting to Advanced Practice Nursing in Tanzania. *Nursing research* 2018;67(1):49-54. doi: 10.1097/NNR.0000000000000259
143. McCollum R, Chen L, ChenXiang T, et al. Experiences with primary healthcare in Fuzhou, urban China, in the context of health sector reform: a mixed methods study. *The International journal of health planning and management* 2014;29(2):e107-26. doi: 10.1002/hpm.2165
144. Melo DO, Castro LL. Pharmacist's contribution to the promotion of access and rational use of essential medicines in SUS. *Ciencia & saude coletiva* 2017;22(1):235-44. doi: 10.1590/1413-81232017221.16202015
145. Mignone J, Bartlett J, O'Neil J, et al. Best practices in intercultural health: five case studies in Latin America. *Journal of ethnobiology and ethnomedicine* 2007;3:31. doi: 10.1186/1746-4269-3-31
146. Mirzikašvili N, Baramidze L. THE ROLE OF PRIMARY HEALTH CARE IN ASSESSING AND PREVENTING HEALTH RISK FACTORS OF ADOLESCENTS IN GEORGIA. *Georgian medical news* 2017(264):53-57.
147. Mishra A. 'Trust and teamwork matter': community health workers' experiences in integrated service delivery in India. *Global public health* 2014;9(8):960-74. doi: 10.1080/17441692.2014.934877
148. Mishra AK, Bhattarai S, Bhurtel P, et al. Need for improvement of medical records. *JNMA; journal of the Nepal Medical Association* 2009;48(174):103-6.
149. Molapo ST, Maja TM, Wright SC. Guidelines to reduce sexually transmitted infections at primary health care centres--part 2. *Curationis* 2007;30(4):31-7.
150. Moosa S, Derese A, Peersman W. Insights of health district managers on the implementation of primary health care outreach teams in Johannesburg, South Africa: a descriptive study with focus group discussions. *Human resources for health* 2017;15(1):7. doi: 10.1186/s12960-017-0183-6
151. Moosa S, Downing R, Essuman A, et al. African leaders' views on critical human resource issues for the implementation of family medicine in Africa. *Human resources for health* 2014;12:2. doi: 10.1186/1478-4491-12-2
152. Mostert-Phipps N, Pottas D, Korpela M. A socio-technical approach to continuity of care and electronic records in the South African context. *Studies in health technology and informatics* 2010;160(Pt 1):406-10.

153. Mubyazi GM, Mushi A, Kamugisha M, et al. Community views on health sector reform and their participation in health priority setting: case of Lushoto and Muheza districts, Tanzania. *Journal of public health (Oxford, England)* 2007;29(2):147-56. doi: 10.1093/pubmed/fdm016
154. Munyewende PO, Rispel LC, Chirwa T. Positive practice environments influence job satisfaction of primary health care clinic nursing managers in two South African provinces. *Human resources for health* 2014;12:27. doi: 10.1186/1478-4491-12-27
155. Narahari SR, Ryan TJ, Bose KS, et al. Integrating modern dermatology and Ayurveda in the treatment of vitiligo and lymphedema in India. *International journal of dermatology* 2011;50(3):310-34. doi: 10.1111/j.1365-4632.2010.04744.x
156. Negin J, Martiniuk AL, Farrell P, et al. Frequency, cost and impact of inter-island referrals in the Solomon Islands. *Rural and remote health* 2012;12:2096.
157. Nmutandani SM, Hendricks SJ, Mulaudzi MF. Perceptions and experiences of allopathic health practitioners on collaboration with traditional health practitioners in post-apartheid South Africa. *African journal of primary health care & family medicine* 2016;8(2):e1-8. doi: 10.4102/phcfm.v8i2.1007
158. Ngoma MC, Prince M, Mann A. Common mental disorders among those attending primary health clinics and traditional healers in urban Tanzania. *The British journal of psychiatry : the journal of mental science* 2003;183:349-55.
159. Nguyen P, Bich Hanh D, Lavergne MR, et al. The effect of a poverty reduction policy and service quality standards on commune-level primary health care utilization in Thai Nguyen Province, Vietnam. *Health policy and planning* 2010;25(4):262-71. doi: 10.1093/heapol/czp064
160. Nkomazana O, Mash R, Phaladze N. Understanding the organisational culture of district health services: Mahalapye and Ngamiland health districts of Botswana. *African journal of primary health care & family medicine* 2015;7(1):907. doi: 10.4102/phcfm.v7i1.907
161. Nkomazana O, Mash R, Wojczewski S, et al. How to create more supportive supervision for primary healthcare: lessons from Ngamiland district of Botswana: co-operative inquiry group. *Global health action* 2016;9:31263. doi: 10.3402/gha.v9.31263
162. Ocek ZA, Ciceklioglu M, Yucel U, et al. Family medicine model in Turkey: a qualitative assessment from the perspectives of primary care workers. *BMC family practice* 2014;15:38. doi: 10.1186/1471-2296-15-38
163. Ojaka D, Olango S, Jarvis J. Factors affecting motivation and retention of primary health care workers in three disparate regions in Kenya. *Human resources for health* 2014;12:33. doi: 10.1186/1478-4491-12-33
164. Okoronkwo IL, Onwujekwe OE, Ani FO. The long walk to universal health coverage: patterns of inequities in the use of primary healthcare services in Enugu, Southeast Nigeria. *BMC health services research* 2014;14:132. doi: 10.1186/1472-6963-14-132
165. Okyere E, Mwanri L, Ward P. Is task-shifting a solution to the health workers' shortage in Northern Ghana? *PloS one* 2017;12(3):e0174631. doi: 10.1371/journal.pone.0174631
166. Oliveira APC, Gabriel M, Poz MRD, et al. Challenges for ensuring availability and accessibility to health care services under Brazil's Unified Health System (SUS). *Ciencia & saude coletiva* 2017;22(4):1165-80. doi: 10.1590/1413-81232017224.31382016
167. Oliver M, Geniets A, Winters N, et al. What do community health workers have to say about their work, and how can this inform improved programme design? A case study with CHWs within Kenya. *Global health action* 2015;8:27168. doi: 10.3402/gha.v8.27168

168. Onocko-Campos RT, Campos GW, Ferrer AL, et al. Evaluation of innovative strategies in the organization of Primary Health Care. *Revista de saude publica* 2012;46(1):43-50.
169. Onwujekwe O, Uzochukwu B. Socio-economic and geographic differentials in costs and payment strategies for primary healthcare services in Southeast Nigeria. *Health policy (Amsterdam, Netherlands)* 2005;71(3):383-97. doi: 10.1016/j.healthpol.2004.06.006
170. Opina-Tan LA. A pilot implementation of interprofessional education in a community-academe partnership in the Philippines. *Education for health (Abingdon, England)* 2013;26(3):164-71. doi: 10.4103/1357-6283.125992
171. Paudel R, Upadhyaya T, Pahari DP. People's perspective on access to health care services in a rural district of Nepal. *JNMA; journal of the Nepal Medical Association* 2012;52(185):20-4.
172. Peck R, Fitzgerald DW, Liautaud B, et al. The feasibility, demand, and effect of integrating primary care services with HIV voluntary counseling and testing: evaluation of a 15-year experience in Haiti, 1985-2000. *Journal of acquired immune deficiency syndromes (1999)* 2003;33(4):470-5.
173. Peck R, Mghamba J, Vanobberghen F, et al. Preparedness of Tanzanian health facilities for outpatient primary care of hypertension and diabetes: a cross-sectional survey. *The Lancet Global health* 2014;2(5):e285-92. doi: 10.1016/S2214-109X(14)70033-6
174. Pei L, Wang D, Ren L, et al. Evaluation of the Rural Primary Health Care project on undernutrition equity among children in rural Western China. *Health policy and planning* 2013;28(4):429-34. doi: 10.1093/heapol/czs074
175. Perry H, Berggren W, Berggren G, et al. Long-term reductions in mortality among children under age 5 in rural Haiti: effects of a comprehensive health system in an impoverished setting. *American journal of public health* 2007;97(2):240-6. doi: 10.2105/AJPH.2006.088732
176. Persson LA, Nga NT, Malqvist M, et al. Effect of Facilitation of Local Maternal-and-Newborn Stakeholder Groups on Neonatal Mortality: Cluster-Randomized Controlled Trial. *PLoS medicine* 2013;10(5):e1001445. doi: 10.1371/journal.pmed.1001445
177. Pesec M, Ratcliffe HL, Karlage A, et al. Primary Health Care That Works: The Costa Rican Experience. *Health affairs (Project Hope)* 2017;36(3):531-38. doi: 10.1377/hlthaff.2016.1319
178. Petersen I, Fairall L, Egbe CO, et al. Optimizing lay counsellor services for chronic care in South Africa: a qualitative systematic review. *Patient education and counseling* 2014;95(2):201-10. doi: 10.1016/j.pec.2014.02.001
179. Petersen I, Lund C, Bhana A, et al. A task shifting approach to primary mental health care for adults in South Africa: human resource requirements and costs for rural settings. *Health policy and planning* 2012;27(1):42-51. doi: 10.1093/heapol/czr012
180. Phafoli SH, Christensen-Majid A, Skolnik L, et al. Student and preceptor perceptions of primary health care clinical placements during pre-service education: Qualitative results from a quasi-experimental study. *Nurse education in practice* 2018;28:224-30. doi: 10.1016/j.nepr.2017.10.012
181. Phaswana-Mafuya N, Petros G, Peltzer K, et al. Primary health care service delivery in South Africa. *International journal of health care quality assurance* 2008;21(6):611-24. doi: 10.1108/09526860810900745
182. Phiri SC, Prust ML, Chibawe CP, et al. An exploration of facilitators and challenges in the scale-up of a national, public sector community health worker cadre in Zambia: a qualitative study. *Human resources for health* 2017;15(1):40. doi: 10.1186/s12960-017-0214-3

183. Pineda-Reyes R, Llanos-Cuentas A, Dancuart M. [Traditional treatments in an endemic area of american cutaneous Leishmaniasis in Peru]. *Revista peruana de medicina experimental y salud publica* 2015;32(4):761-5.
184. Pinto LF, Soranz D, Scardua MT, et al. Ambulatory municipal regulation of the Unified Health System services in Rio de Janeiro: advances, limitations and challenges. *Ciencia & saude coletiva* 2017;22(4):1257-67. doi: 10.1590/1413-81232017224.26422016
185. Pires MR, Gottens LB, Vasconcelos Filho JE, et al. The Care management Information system for the home Care Network (SI GESCAD): support for care coordination and continuity of care in the Brazilian Unified health system (SUS). *Ciencia & saude coletiva* 2015;20(6):1805-14. doi: 10.1590/1413-81232015206.00152014
186. Poudyal AK, Jimba M, Poudyal BK, et al. Traditional healers' roles on eye care services in Nepal. *The British journal of ophthalmology* 2005;89(10):1250-3. doi: 10.1136/bjo.2004.065060
187. Powell DL, Price AJ, Burns FA, et al. Pillars for the care of older persons in the Caribbean. *Public health nursing (Boston, Mass)* 2012;29(1):80-90. doi: 10.1111/j.1525-1446.2011.00963.x
188. Prasetiyawan, Viora E, Maramis A, et al. Mental health model of care programmes after the tsunami in Aceh, Indonesia. *International review of psychiatry (Abingdon, England)* 2006;18(6):559-62. doi: 10.1080/09540260601039959
189. Price JA, Soares AI, Asante AD, et al. "I go I die, I stay I die, better to stay and die in my house": understanding the barriers to accessing health care in Timor-Leste. *BMC health services research* 2016;16(1):535. doi: 10.1186/s12913-016-1762-2
190. Prytherch H, Kagone M, Aninanya GA, et al. Motivation and incentives of rural maternal and neonatal health care providers: a comparison of qualitative findings from Burkina Faso, Ghana and Tanzania. *BMC health services research* 2013;13:149. doi: 10.1186/1472-6963-13-149
191. Qian Y, Yan F, Wang W, et al. Challenges for strengthening the health workforce in the Lao People's Democratic Republic: perspectives from key stakeholders. *Human resources for health* 2016;14(1):72. doi: 10.1186/s12960-016-0167-y
192. Qidwai W, Alim SR, Dhanani RH, et al. Use of folk remedies among patients in Karachi Pakistan. *Journal of Ayub Medical College, Abbottabad : JAMC* 2003;15(2):31-3.
193. Radovic Z, Nola IA. [Integration of complementary and alternative medicine with primary health care in Croatia - opinions of primary health care physicians]. *Acta medica Croatica : casopis Hrvatske akademije medicinskih znanosti* 2015;69(5):451-8.
194. Rafiei M, Ezzatian R, Farshad A, et al. Occupational Health Services Integrated in Primary Health Care in Iran. *Annals of global health* 2015;81(4):561-7. doi: 10.1016/j.aogh.2015.08.020
195. Rashidian A, Joudaki H, Khodayari-Moez E, et al. The impact of rural health system reform on hospitalization rates in the Islamic Republic of Iran: an interrupted time series. *Bulletin of the World Health Organization* 2013;91(12):942-9. doi: 10.2471/BLT.12.111708
196. Rathish D, Premarathna I, Jayathilake T, et al. Availability of essential medicines in selected public, primary and secondary health care institutions of a rural Sri Lankan district: a spot survey. *BMC health services research* 2017;17(1):11. doi: 10.1186/s12913-016-1969-2
197. Rechel B, Spencer N, Blackburn C, et al. Impact of health reforms on child health services in Europe: the case of Bulgaria. *European journal of public health* 2009;19(3):326-30. doi: 10.1093/eurpub/ckp027

198. Rees CP, Hawkesworth S, Moore SE, et al. Factors Affecting Access to Healthcare: An Observational Study of Children under 5 Years of Age Presenting to a Rural Gambian Primary Healthcare Centre. *PloS one* 2016;11(6):e0157790. doi: 10.1371/journal.pone.0157790
199. Renner A, Kirigia JM, Zere EA, et al. Technical efficiency of peripheral health units in Pujehun district of Sierra Leone: a DEA application. *BMC health services research* 2005;5:77. doi: 10.1186/1472-6963-5-77
200. Richardson E. Armenia: health system review. *Health systems in transition* 2013;15(4):1-99.
201. Ruas SS, Assuncao AA. Teleconsultations by primary care physicians of Belo Horizonte: challenges in the diffusion of innovation. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association* 2013;19(5):409-14. doi: 10.1089/tmj.2012.0095
202. Ruiz-Rodriguez M, Rodriguez-Villamizar LA, Heredia-Pi I. Technical efficiency of women's health prevention programs in Bucaramanga, Colombia: a four-stage analysis. *BMC health services research* 2016;16(1):576. doi: 10.1186/s12913-016-1837-0
203. Rust G, Baltrus P, Ye J, et al. Presence of a community health center and uninsured emergency department visit rates in rural counties. *The Journal of rural health : official journal of the American Rural Health Association and the National Rural Health Care Association* 2009;25(1):8-16. doi: 10.1111/j.1748-0361.2009.00193.x
204. Saprii L, Richards E, Kokho P, et al. Community health workers in rural India: analysing the opportunities and challenges Accredited Social Health Activists (ASHAs) face in realising their multiple roles. *Human resources for health* 2015;13:95. doi: 10.1186/s12960-015-0094-3
205. Saswata B, Omar F, Aubery RJ, et al. Bridging the health gap in Uganda: the surgical role of the clinical officer. *African health sciences* 2005;5(1):86-9.
206. Sato M, Maufi D, Mwingira UJ, et al. Measuring three aspects of motivation among health workers at primary level health facilities in rural Tanzania. *PloS one* 2017;12(5):e0176973. doi: 10.1371/journal.pone.0176973
207. Schneider H, Schaay N, Dudley L, et al. The challenges of reshaping disease specific and care oriented community based services towards comprehensive goals: a situation appraisal in the Western Cape Province, South Africa. *BMC health services research* 2015;15:436. doi: 10.1186/s12913-015-1109-4
208. Schnippel K, Lince-Deroche N, van den Handel T, et al. Cost evaluation of reproductive and primary health care mobile service delivery for women in two rural districts in South Africa. *PloS one* 2015;10(3):e0119236. doi: 10.1371/journal.pone.0119236
209. Schuttner L, Sindano N, Theis M, et al. A mobile phone-based, community health worker program for referral, follow-up, and service outreach in rural Zambia: outcomes and overview. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association* 2014;20(8):721-8. doi: 10.1089/tmj.2013.0240
210. Scott K, McMahan S, Yumkella F, et al. Navigating multiple options and social relationships in plural health systems: a qualitative study exploring healthcare seeking for sick children in Sierra Leone. *Health policy and planning* 2014;29(3):292-301. doi: 10.1093/heapol/czt016
211. Shaban I, Barclay L, Lock L, et al. Barriers to developing midwifery as a primary health-care strategy: a Jordanian study. *Midwifery* 2012;28(1):106-11. doi: 10.1016/j.midw.2010.11.012
212. Shah SM, Zaidi S, Ahmed J, et al. Motivation and Retention of Physicians in Primary Healthcare Facilities: A Qualitative Study From Abbottabad, Pakistan. *International*

- journal of health policy and management 2016;5(8):467-75. doi: 10.15171/ijhpm.2016.38
213. Shi L, Lee DC, Liang H, et al. Community health centers and primary care access and quality for chronically-ill patients - a case-comparison study of urban Guangdong Province, China. *International journal for equity in health* 2015;14:90. doi: 10.1186/s12939-015-0222-7
214. Shi L, Song K, Rane S, et al. Factors associated with job satisfaction by Chinese primary care providers. *Primary health care research & development* 2014;15(1):46-57. doi: 10.1017/S1463423612000692
215. Shivalli S, Majra JP, Akshaya KM, et al. Family centered approach in primary health care: experience from an urban area of Mangalore, India. *TheScientificWorldJournal* 2015;2015:419192. doi: 10.1155/2015/419192
216. Silva MI, Sousa FC, Gondim AP. Herbal therapy in primary health care in Maracanau, Ceara, Brazil. *The Annals of pharmacotherapy* 2005;39(7-8):1336-41. doi: 10.1345/aph.1E178
217. Simino GP, dos Santos CB, Mishima SM. Follow-up of cancer patients by family health workers. *Revista latino-americana de enfermagem* 2010;18(5):856-63.
218. Sindhu S, Pholpet C, Puttapitukpol S. Meeting the challenges of chronic illness: a nurse-led collaborative community care program in Thailand. *Collegian (Royal College of Nursing, Australia)* 2010;17(2):93-9.
219. Soares FF, Chaves SC, Cangussu MC. [Local government and public dental health services: an analysis of inequality in use]. *Cadernos de saude publica* 2015;31(3):586-96.
220. Song K, Scott A, Sivey P, et al. Improving Chinese primary care providers' recruitment and retention: a discrete choice experiment. *Health policy and planning* 2015;30(1):68-77. doi: 10.1093/heapol/czt098
221. Souza MF, Santos AFD, Reis IA, et al. Care coordination in PMAQ-AB: an Item Response Theory-based analysis. *Revista de saude publica* 2017;51:87. doi: 10.11606/S1518-8787.2017051007024
222. Suwankhong D, Liamputtong P, Rumbold B. Seeking help chaow baan ways in southern Thailand. *Australian journal of primary health* 2012;18(2):105-11. doi: 10.1071/PY11015
223. Syah NA, Roberts C, Jones A, et al. Perceptions of Indonesian general practitioners in maintaining standards of medical practice at a time of health reform. *Family practice* 2015;32(5):584-90. doi: 10.1093/fampra/cmz057
224. Tahaineh L, Albsoul-Younes A, Al-Ashqar E, et al. The role of clinical pharmacist on lipid control in dyslipidemic patients in North of Jordan. *International journal of clinical pharmacy* 2011;33(2):229-36. doi: 10.1007/s11096-011-9479-0
225. Takarinda KC, Harries AD, Mutasa-Apollo T, et al. Characteristics and treatment outcomes of tuberculosis patients who "transfer-in" to health facilities in Harare City, Zimbabwe: a descriptive cross-sectional study. *BMC public health* 2012;12:981. doi: 10.1186/1471-2458-12-981
226. Takemura T, Kielmann K, Blaauw D. Job preferences among clinical officers in public sector facilities in rural Kenya: a discrete choice experiment. *Human resources for health* 2016;14:1. doi: 10.1186/s12960-015-0097-0
227. Takian A, Doshmangir L, Rashidian A. Implementing family physician programme in rural Iran: exploring the role of an existing primary health care network. *Family practice* 2013;30(5):551-9. doi: 10.1093/fampra/cmt025

228. Takian A, Rashidian A, Kabir MJ. Expediency and coincidence in re-engineering a health system: an interpretive approach to formation of family medicine in Iran. *Health policy and planning* 2011;26(2):163-73. doi: 10.1093/heapol/czq036
229. Talbot Y, Takeda S, Riutort M, et al. Capacity-building in family health: innovative in-service training program for teams in Latin America. *Canadian family physician Medecin de famille canadien* 2009;55(6):613-3.e1.
230. Tanser F, Gijsbertsen B, Herbst K. Modelling and understanding primary health care accessibility and utilization in rural South Africa: an exploration using a geographical information system. *Social science & medicine (1982)* 2006;63(3):691-705. doi: 10.1016/j.socscimed.2006.01.015
231. Tejavivaddhana P, Briggs D, Fraser J, et al. Identifying challenges and barriers in the delivery of primary healthcare at the district level: a study in one Thai province. *The International journal of health planning and management* 2013;28(1):16-34. doi: 10.1002/hpm.2118
232. Theodorakis PN, Mantzavinis GD. Inequalities in the distribution of rural primary care physicians in two remote neighboring prefectures of Greece and Albania. *Rural and remote health* 2005;5(3):457.
233. Topp SM, Chipukuma JM, Chiko MM, et al. Integrating HIV treatment with primary care outpatient services: opportunities and challenges from a scaled-up model in Zambia. *Health policy and planning* 2013;28(4):347-57. doi: 10.1093/heapol/czs065
234. Trad LA, Castellanos ME, Guimaraes MC. [Accessibility to primary health care by black families in a poor neighborhood of Salvador, Northeastern Brazil]. *Revista de saude publica* 2012;46(6):1007-13.
235. Triyana M. The effects of Indonesia's 'Midwife in the Village' programme 10 years post-launch. *Population studies* 2016;70(3):365-76. doi: 10.1080/00324728.2016.1145728
236. Urassa JA. Equity in access to health care provision under the medicare security for small scale entrepreneurs in Dar es Salaam. *East African journal of public health* 2012;9(1):1-6.
237. Van Belle SB, Marchal B, Dubourg D, et al. How to develop a theory-driven evaluation design? Lessons learned from an adolescent sexual and reproductive health programme in West Africa. *BMC public health* 2010;10:741. doi: 10.1186/1471-2458-10-741
238. Van Wieren A, Palazuelos L, Elliott PF, et al. Service, training, mentorship: first report of an innovative education-support program to revitalize primary care social service in Chiapas, Mexico. *Global health action* 2014;7:25139. doi: 10.3402/gha.v7.25139
239. Vandebroek I, Calewaert JB, De jonckheere S, et al. Use of medicinal plants and pharmaceuticals by indigenous communities in the Bolivian Andes and Amazon. *Bulletin of the World Health Organization* 2004;82(4):243-50.
240. Vandebroek I, Thomas E, Sanca S, et al. Comparison of health conditions treated with traditional and biomedical health care in a Quechua community in rural Bolivia. *Journal of ethnobiology and ethnomedicine* 2008;4:1. doi: 10.1186/1746-4269-4-1
241. Vazquez ML, Vargas I, Garcia-Subirats I, et al. Doctors' experience of coordination across care levels and associated factors. A cross-sectional study in public healthcare networks of six Latin American countries. *Social science & medicine (1982)* 2017;182:10-19. doi: 10.1016/j.socscimed.2017.04.001
242. Vellakkal S, Gupta A, Khan Z, et al. Has India's national rural health mission reduced inequities in maternal health services? A pre-post repeated cross-sectional study. *Health policy and planning* 2017;32(1):79-90. doi: 10.1093/heapol/czw100

243. Verma H, Aggarwal AK, Rattan V, et al. Access to public dental care facilities in Chandigarh. *Indian journal of dental research : official publication of Indian Society for Dental Research* 2012;23(1):121. doi: 10.4103/0970-9290.99057
244. Vichayanrat T, Steckler A, Tanasugarn C. Barriers and facilitating factors among lay health workers and primary care providers to promote children's oral health in Chon Buri Province, Thailand. *The Southeast Asian journal of tropical medicine and public health* 2013;44(2):332-43.
245. Wagenaar BH, Cumbe V, Raunig-Berho M, et al. Health facility determinants and trends of ICD-10 outpatient psychiatric consultations across Sofala, Mozambique: time-series analyses from 2012 to 2014. *BMC psychiatry* 2015;15:227. doi: 10.1186/s12888-015-0609-4
246. Wang HH, Wong SY, Wong MC, et al. Patients' experiences in different models of community health centers in southern China. *Annals of family medicine* 2013;11(6):517-26. doi: 10.1370/afm.1545
247. Wanzala P, Hassanali J, Kibet P, et al. Perceptions of primary health care with regard to corresponding knowledge, attitude and practices amongst the Kenyan Maasai. *East African medical journal* 2005;82(1):24-7.
248. Wasserman S, de Villiers L, Bryer A. Community-based care of stroke patients in a rural African setting. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde* 2009;99(8):579-83.
249. Wazir MS, Shaikh BT, Ahmed A. National program for family planning and primary health care Pakistan: a SWOT analysis. *Reproductive health* 2013;10(1):60. doi: 10.1186/1742-4755-10-60
250. Wei X, Yin J, Wong SY, et al. Private ownership of primary care providers associated with patient perceived quality of care: A comparative cross-sectional survey in three big Chinese cities. *Medicine* 2017;96(1):e5755. doi: 10.1097/MD.0000000000005755
251. Willcox ML, Peersman W, Daou P, et al. Human resources for primary health care in sub-Saharan Africa: progress or stagnation? *Human resources for health* 2015;13:76. doi: 10.1186/s12960-015-0073-8
252. Wong ST, Yin D, Bhattacharyya O, et al. Developing a performance measurement framework and indicators for community health service facilities in urban China. *BMC Family Practice* 2010;11:91. doi: 10.1186/1471-2296-11-91
253. Xavier T, Robin M, Agrawal D. Using a Call Centre for Data Mining and Data Capturing - Pilot Study Using Glasgow Coma Outcome Scale in Head Injured Patients. *Studies in health technology and informatics* 2016;225:866-7.
254. Yaya S, Nouatin GS, Singbo SJ. [Pre-financing community healthcare: the willingness of households to pay for primary health care in Benin]. *Sante publique (Vandoeuvres-Nancy, France)* 2013;25(4):527-33.
255. Yingtaweesak T, Yoshida Y, Hemhongsap P, et al. Accessibility of health care service in Thasongyang, Tak Province, Thailand. *Nagoya journal of medical science* 2013;75(3-4):243-50.
256. Yitayal M, Berhane Y, Worku A, et al. Health extension program factors, frequency of household visits and being model households, improved utilization of basic health services in Ethiopia. *BMC health services research* 2014;14:156. doi: 10.1186/1472-6963-14-156
257. Zeng J, Shi L, Zou X, et al. Rural-to-Urban Migrants' Experiences with Primary Care under Different Types of Medical Institutions in Guangzhou, China. *PloS one* 2015;10(10):e0140922. doi: 10.1371/journal.pone.0140922

258. Zeni ALB, Parisotto AV, Mattos G, et al. [Use of medicinal plants as home remedies in Primary Health Care in Blumenau - State of Santa Catarina, Brazil]. *Ciencia & saude coletiva* 2017;22(8):2703-12. doi: 10.1590/1413-81232017228.18892015
259. Zere E, Moeti M, Kirigia J, et al. Equity in health and healthcare in Malawi: analysis of trends. *BMC public health* 2007;7:78. doi: 10.1186/1471-2458-7-78
260. Zhang M, Yang R, Wang W, et al. Job satisfaction of urban community health workers after the 2009 healthcare reform in China: a systematic review. *International journal for quality in health care : journal of the International Society for Quality in Health Care* 2016;28(1):14-21. doi: 10.1093/intqhc/mzv111
261. Zhang T, Xu Y, Ren J, et al. Inequality in the distribution of health resources and health services in China: hospitals versus primary care institutions. *International journal for equity in health* 2017;16(1):42. doi: 10.1186/s12939-017-0543-9
262. Zou Y, Zhang X, Hao Y, et al. General practitioners versus other physicians in the quality of primary care: a cross-sectional study in Guangdong Province, China. *BMC family practice* 2015;16:134. doi: 10.1186/s12875-015-0349-z
263. Zulu JM, Kinsman J, Michelo C, et al. Hope and despair: community health assistants' experiences of working in a rural district in Zambia. *Human resources for health* 2014;12:30. doi: 10.1186/1478-4491-12-30