

Supplementary File 5: List of articles included in evidence review

- Achadi E, Achadi A, et al. (2014) A Study on the Implementation of Jampersal Policy in Indonesia. Washington, DC: World Bank Group.
- Ajay VS, Jindal D, et al. Development of a Smartphone-Enabled Hypertension and Diabetes Mellitus Management Package to Facilitate Evidence-Based Care Delivery in Primary Healthcare Facilities in India: The mPower Heart Project. *J Am Heart Assoc.* 2016; 5:21.
- Ali Z, Pongpanich S, Kumar R. Effectiveness of Community Service Model for Increasing Routine Immunization Coverage at Primary Healthcare Facilities in a Rural District of Pakistan: A Quasi-Experimental Study. *J Ayub Med Coll Abbottabad.* 2015; 27:853-7.
- Alonge O, Gupta S, et al. Assessing the pro-poor effect of different contracting schemes for health services on health facilities in rural Afghanistan. *Health Policy Plan.* 2015; 30:1229-42.
- Anchala R, Kaptoge S, et al. Evaluation of effectiveness and cost-effectiveness of a clinical decision support system in managing hypertension in resource constrained primary health care settings: results from a cluster randomized trial. *J Am Heart Assoc.* 2015; 4:e001213.
- Aung MN, Moolphate S, et al. Satisfaction of HIV patients with task-shifted primary care service versus routine hospital service in northern Thailand. *Journal of Infection in Developing Countries.* 2015; 9:1360-6.
- Bindoria SV, Devkar R, et al. Development and pilot testing of HIV screening program integration within public/primary health centers providing antenatal care services in Maharashtra, India. *BMC Res Notes.* 2014; 7:177.
- Bradley J, Jayanna K, et al. Improving the knowledge of labour and delivery nurses in India: a randomized controlled trial of mentoring and case sheets in primary care centres. *BMC Health Serv Res.* 2017; 17:14.
- Bredenkamp CB, Leander R. (2015) Policy Research Working Paper. Universal Health Coverage in the Philippines: Progress on Financial Protection Goals. Washington, DC: World Bank.
- Buttorff C, Hock RS, et al. Economic evaluation of a task-shifting intervention for common mental disorders in India. *Bull World Health Organ.* 2012; 90:813-21.
- Cairns AH, Xiaohui. . (2015) Financing the Frontline in Papua New Guinea : An Analytical Review of Provincial Administrations' Rural Health Expenditure 2006-2012. Washington, DC: World Bank.
- Capileno YA, Bergh Rvd, et al. Management of chronic Hepatitis C at a primary health clinic in the high-burden context of Karachi, Pakistan. *PLoS ONE.* 2017; 12.
- Das Gupta MD, K.C.S.; Shanmugarajah, C.K.; Herath, H.M.S.S.D. (2013) Multisectoral Preventive Health Services in Sri Lanka : Lessons for Developing Countries in Providing Public Goods in Health. Washington, DC: World Bank.
- Das J, Chowdhury A, et al. The impact of training informal health care providers in India: A randomized controlled trial. *Science.* 2016; 354:07.
- Dawson P, Pradhan Y, et al. From research to national expansion: 20 years' experience of community-based management of childhood pneumonia in Nepal. *Bull World Health Organ.* 2008; 86:339-43.
- DePue JD, Dunsiger S, et al. Nurse-community health worker team improves diabetes care in American Samoa: results of a randomized controlled trial. *Diabetes Care.* 2013; 36:1947-53.

- Dukpa W, Teerawattananon Y, et al. Is diabetes and hypertension screening worthwhile in resource-limited settings? An economic evaluation based on a pilot of a Package of Essential Non-communicable disease interventions in Bhutan. *Health Policy Plan*. 2015; 30:1032-43.
- Edward A, Branchini C, et al. Toward universal coverage in Afghanistan: A multi-stakeholder assessment of capacity investments in the community health worker system. *Soc Sci Med*. 2015; 145:173-83.
- Engineer CY, Dale E, et al. Effectiveness of a pay-for-performance intervention to improve maternal and child health services in Afghanistan: a cluster-randomized trial. *Int J Epidemiol*. 2016; 45:451-9.
- Feng S, Shi L, et al. Comparison of Primary Care Experiences in Village Clinics with Different Ownership Models in Guangdong Province, China. *PLoS ONE*. 2017; 12:e0169241.
- Fischer EA, Jayana K, et al. Nurse Mentors to Advance Quality Improvement in Primary Health Centers: Lessons From a Pilot Program in Northern Karnataka, India. *Glob Health Sci Pract*. 2015; 3:660-75.
- Gardner K, Bailie R, et al. Reorienting primary health care for addressing chronic conditions in remote Australia and the South Pacific: review of evidence and lessons from an innovative quality improvement process. *Aust J Rural Health*. 2011; 19:111-7.
- Garg S. (2017) Chhattisgarh Swasth Panchayat Yojana: Convergent Community Action for Health and Its Determinants in Rural India. Nambiar D, Muralidharan A, editors. Singapore: Springer.
- Glenton C, Colvin CJ, et al. Barriers and facilitators to the implementation of lay health worker programmes to improve access to maternal and child health: qualitative evidence synthesis. *Cochrane Database Syst Rev*. 2013:CD010414.
- Glenton C, Scheel IB, et al. The female community health volunteer programme in Nepal: Decision makers' perceptions of volunteerism, payment and other incentives. *Soc Sci Med*. 2010; 70:1920-7.
- Global Health Workforce Alliance. (2013) Mid-level health workers for delivery of essential health services: A global systematic review and country experiences: World Health Organization.
- Global Health Workforce Alliance. (2010) Global Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Systematic Review, Country Case Studies, and Recommendations for Integration into National Health Systems: World Health Organization.
- Hamid S, Dunsiger S, et al. Impact of a diabetes control and management intervention on health care utilization in American Samoa. *Chronic Illn*. 2014; 10:122-34.
- Haver J, Brieger W, et al. Experiences engaging community health workers to provide maternal and newborn health services: implementation of four programs. *Int J Gynaecol Obstet*. 2015; 130 Suppl 2:S32-9.
- Hawley NL, Brown C, et al. Barriers to adequate prenatal care utilization in American Samoa. *Matern Child Health J*. 2014; 18:2284-92.
- Heard A, Nath DK, Loevinsohn B. Contracting urban primary healthcare services in Bangladesh - effect on use, efficiency, equity and quality of care. *Trop Med Int Health*. 2013; 18:861-70.
- Higuchi M, Okumura J, et al. Use of medicines and adherence to standard treatment guidelines in rural community health centers, Timor-Leste. *Asia Pac J Public Health*. 2015; 27:2498-511.
- Honda A, McIntyre, Di., Hanson, Kara., Tangcharoensathien Viroj. (2016) Strategic purchasing in China, Indonesia and the Philippines. Manila: WHO Regional Office for the Western Pacific.

- Hung LM, Shi L, et al. Chinese primary care providers and motivating factors on performance. *Fam Pract*. 2013; 30:576-86.
- Islam Z, Sanin KI, Ahmed T. Improving case detection of tuberculosis among children in Bangladesh: lessons learned through an implementation research. *BMC Public Health*. 2017; 17:131.
- Iyengar K, Jain M, et al. Adherence to evidence based care practices for childbirth before and after a quality improvement intervention in health facilities of Rajasthan, India. *BMC Pregnancy Childbirth*. 2014; 14:270.
- Jaskiewicz WPO, Vangkonevilay P, Paphassarang C, Phachanh IT, and Wurts L. (2012) Toward Development of a Rural Retention Strategy in Lao People's Democratic Republic: Understanding Health Worker Preferences. IntraHealth WHO USAID.
- Jongudomkarn D, Macduff C. Development of a family nursing model for prevention of cancer and other noncommunicable diseases through an appreciative inquiry. *Asian Pac J Cancer Prev*. 2014; 15:10367-74.
- Joshi R, Chow CK, et al. The Rural Andhra Pradesh Cardiovascular Prevention Study (RAPCAPS): a cluster randomized trial. *J Am Coll Cardiol*. 2012; 59:1188-96.
- Khan AA, Khan NU, et al. Creating synergies for health systems strengthening through partnerships in Pakistan--a case study of the national eye health programme. *East Mediterr Health J*. 2010; 16 Suppl:S61-8.
- Khanal S, Sharma J, et al. Community health workers can identify and manage possible infections in neonates and young infants: MINI--a model from Nepal. *J Health Popul Nutr*. 2011; 29:255-64.
- Khoja S, Scott R, et al. Impact of simple conventional and Telehealth solutions on improving mental health in Afghanistan. *J Telemed Telecare*. 2016; 22:495-8.
- Khoo E, Sondi S, et al. Reducing medical errors in primary care using a pragmatic complex intervention. *Asia Pac J Public Health*. 2015; 27:670-7.
- Ku GM, Kegels G. Integrating chronic care with primary care activities: enriching healthcare staff knowledge and skills and improving glycemic control of a cohort of people with diabetes through the First Line Diabetes Care Project in the Philippines. *Glob Health Action*. 2014; 7:25286.
- Lewin S, Munabi-Babigumira S, et al. Lay health workers in primary and community health care for maternal and child health and the management of infectious diseases. *Cochrane Database Syst Rev*. 2010:CD004015.
- Li H, Qian D, et al. What are the similarities and differences in structure and function among the three main models of community health centers in China: a systematic review. *BMC Health Serv Res*. 2015; 15:504.
- Li W, Gan Y, et al. Gatekeeping and the utilization of community health services in Shenzhen, China: A cross-sectional study. *Medicine (Baltimore)*. 2017; 96:e7719.
- Liew SM, Tong SF, et al. Text messaging reminders to reduce non-attendance in chronic disease follow-up: a clinical trial. *Br J Gen Pract*. 2009; 59:916-20.
- Lin A, Zhang G, et al. Community-based lifestyle intervention for reducing blood pressure and glucose among middle-aged and older adults in China: a pilot study. *Int J Environ Res Public Health*. 2014; 11:11645-63.
- Loevinsohn B, Haq IU, et al. Contracting-in management to strengthen publicly financed primary health services--the experience of Punjab, Pakistan. *Health Policy*. 2009; 91:17-23.

- Low S, Tun KT, et al. Human resources for health: task shifting to promote basic health service delivery among internally displaced people in ethnic health program service areas in eastern Burma/Myanmar. *Glob Health Action*. 2014; 7:24937.
- Malik MA, Gul W, et al. Cost of Primary Health Care in Pakistan. *J Ayub Med Coll Abbottabad*. 2015; 27:88-92.
- Mann V, Eble A, et al. Retrospective comparative evaluation of the lasting impact of a community-based primary health care programme on under-5 mortality in villages around Jamkhed, India. *Bull World Health Organ*. 2010; 88(11):875.
- Marathe S, Shukla A. (2017) When People Wake up the Anganwadi - Community Monitoring and Action in Maharashtra Is Making Child Nutrition Services Accountable and Effective. In: Nambiar D, Muralidharan A, editors. *The Social Determinants of Health in India*. Singapore: Springer.
- Marcolino MS, Oliveira JAQ, et al. The Impact of mHealth Interventions: Systematic Review of Systematic Reviews. *JMIR mHealth and uHealth*. 2018; 6:e23.
- Martins N, Morris P, Kelly PM. Food incentives to improve completion of tuberculosis treatment: randomised controlled trial in Dili, Timor-Leste. *BMJ*. 2009; 339.
- McPake B, Edoke I, et al. Cost-effectiveness of community-based practitioner programmes in Ethiopia, Indonesia and Kenya. *Bull World Health Organ*. 2015; 93:631-9A.
- Mendenhall E, De Silva MJ, et al. Acceptability and feasibility of using non-specialist health workers to deliver mental health care: stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. *Soc Sci Med*. 2014; 118:33-42.
- Mhimbira FA, Cuevas LE, et al. Interventions to increase tuberculosis case detection at primary healthcare or community-level services. *Cochrane Database Syst Rev*. 2017; 11:CD011432.
- Mohmand KA. (2013) *Community Midwifery Education Program in Afghanistan*. Washington, DC: World Bank.
- Morrison J, Osrin D, et al. How did formative research inform the development of a women's group intervention in rural Nepal? *J Perinatol*. 2008; 28 Suppl 2:S14-22.
- Nachtnebel M, O'Mahony A, et al. Effectively engaging the private sector through vouchers and contracting - A case for analysing health governance and context. *Soc Sci Med*. 2015; 145:193-200.
- Nair MK, Chacko DS, et al. A primary care approach for adolescent care and counseling services. *Indian J Pediatr*. 2012; 79 Suppl 1:S79-83.
- Ng CH, Than PT, et al. The national community mental health care project in Vietnam: a review for future guidance. *Australas*. 2011; 19:143-50.
- Nguyen P, Bich Hanh D, et al. The effect of a poverty reduction policy and service quality standards on commune-level primary health care utilization in Thai Nguyen Province, Vietnam. *Health Policy Plan*. 2010; 25:262-71.
- Oba N, McCaffrey R, et al. Development of a community participation program for diabetes mellitus prevention in a primary care unit, Thailand. *Nurs Health Sci*. 2011; 13:352-9.
- Oyo-Ita A, Wiysonge C, et al. Interventions for improving coverage of childhood immunisation in low- and middle-income countries. *Cochrane Database Syst Rev*. 2016. CD008145.
- Palagyi A, Brian G, Ramke J. Training and using mid-level eye care workers: early lessons from Timor-Leste. *Clin Experiment Ophthalmol*. 2010; 38:805-11.
- Panda B, Pati S, et al. How supportive supervision influences immunization session site practices: a quasi-experimental study in Odisha, India. *Glob Health Action*. 2015; 8:25772.

- Pei L, Wang D, et al. Evaluation of the Rural Primary Health Care project on undernutrition equity among children in rural Western China. *Health Policy Plan*. 2013; 28:429-34.
- Persson LA, Nga NT, et al. Effect of facilitation of local maternal-and-newborn stakeholder groups on neonatal mortality: cluster-randomized controlled trial. *PLoS Medicine*. 2013; 10.
- Powell-Jackson T, Neupane BD, et al. The impact of Nepal's national incentive programme to promote safe delivery in the district of Makwanpur. *Adv Health Econ Health Serv Res*. 2009; 21:221-49.
- Powell-Jackson T, Yip WC, Han W. Realigning demand and supply side incentives to improve primary health care seeking in rural China. *Health Econ*. 2015; 24:755-72.
- Praveen D, Patel A, et al. SMARTHealth India: Development and Field Evaluation of a Mobile Clinical Decision Support System for Cardiovascular Diseases in Rural India. *JMIR mHealth and uHealth*. 2014; 2:e54.
- Prinja S, Jeet G, et al. Economic analysis of delivering primary health care services through community health workers in 3 North Indian states. *PLoS ONE*. 2014; 9:e91781.
- Rattanavipapong W, Luz ACG, et al. One Step Back, Two Steps Forward: An Economic Evaluation of the PEN Program in Indonesia. *Health Systems & Reform*. 2016; 2:84-98.
- Saprii L, Richards E, et al. Community health workers in rural India: analysing the opportunities and challenges Accredited Social Health Activists (ASHAs) face in realising their multiple roles. *Hum Resour Health*. 2015; 13:95.
- Sato M, Gilson L. Exploring health facilities' experiences in implementing the free health-care policy (FHCP) in Nepal: how did organizational factors influence the implementation of the user-fee abolition policy? *Health Policy Plan*. 2015; 30:1272-88.
- Semrau KEA, Hirschhorn LR, et al. Outcomes of a Coaching-Based WHO Safe Childbirth Checklist Program in India. *New England Journal of Medicine*. 2017; 377:2313-24.
- Shinde S, Andrew G, et al. The impact of a lay counselor led collaborative care intervention for common mental disorders in public and private primary care: a qualitative evaluation nested in the MANAS trial in Goa, India. *Soc Sci Med*. 2013; 88:48-55.
- Shivalli S, Majra JP, et al. Family centered approach in primary health care: experience from an urban area of Mangalore, India. *Scientific World Journal*. 2015; 2015:419192.
- Siddiqui MR, Velidi NR, et al. Integration of leprosy elimination into primary health care in orissa, India. *PLoS ONE*. 2009; 4:e8351.
- Singh S, Doyle P, et al. Referrals between Public Sector Health Institutions for Women with Obstetric High Risk, Complications, or Emergencies in India - A Systematic Review. *PLoS ONE*. 2016; 11:e0159793.
- Sookaneknun P, Saramunee K, et al. Economic analysis of the diabetes and hypertension screening collaboration between community pharmacies and a Thai government primary care unit. *Prim Care Diabetes*. 2010; 4:155-64.
- Sun J, Zhang X, et al. Impacts of a new insurance benefit with capitated provider payment on healthcare utilization, expenditure and quality of medication prescribing in China. *Trop Med Int Health*. 2016; 21:263-74.
- Sun X, Liu X, et al. (2014) The Impact of a Pay-for-Performance Scheme on Prescription Quality in Rural China: Impact Evaluation. Washington, DC.: World Bank. Report No.: 6892.
- Tang SN, Jian WY, et al. [Impact of primary care oriented outpatient benefit package design in new rural cooperative medical system on hypertension outpatient services utilization]. *Beijing Da Xue Xue Bao*. 2014; 46:445-9.

- Tang Y, Zhang X, et al. Application of propensity scores to estimate the association between government subsidy and injection use in primary health care institutions in China. *BMC Health Serv Res.* 2013; 13:183.
- Tanner J, Hayashi R, Li Y. (2015) Improving Coverage and Utilization of Maternal and Child Health Services in Lao PDR: Impact Evaluation of the Community Nutrition Project. Washington, DC: Independent Evaluation Group. World Bank Group.
- Tian M, Ajay VS, et al. A Cluster-Randomized, Controlled Trial of a Simplified Multifaceted Management Program for Individuals at High Cardiovascular Risk (SimCard Trial) in Rural Tibet, China, and Haryana, India. *Circulation.* 2015; 132:815-24.
- Triyana M. The effects of Indonesia's 'Midwife in the Village' programme 10 years post-launch. *Popul Stud.* 2016; 70:365-76.
- van Ginneken N, Tharyan P, et al. Non-specialist health worker interventions for the care of mental, neurological and substance-abuse disorders in low- and middle-income countries. *Cochrane Database Syst Rev.* 2013. Nov 19;(11):CD009149.
- Vangkonevilay PP, Chanthakath; Theppanya, Khampasong; Phathamavong, Outavong; Rotem, Arie. (2014) Analysis of Health Workforce Retention and Attraction Policies in Lao PDR. . Washington, DC: World Bank.
- Vellakkal S, Gupta A, et al. Has India's national rural health mission reduced inequities in maternal health services? A pre-post repeated cross-sectional study. *Health Policy Plan.* 2017; 32:79-90.
- Wang HH, Wang JJ, et al. The development of urban community health centres for strengthening primary care in China: a systematic literature review. *Br Med Bull.* 2015; 116:139-53.
- Wang HH, Wong SY, et al. Patients' experiences in different models of community health centers in southern China. *Ann Fam Med.* 2013; 11:517-26.
- Wazir MS, Shaikh BT, Ahmed A. National program for family planning and primary health care Pakistan: a SWOT analysis. *Reprod Health.* 2013; 10:60.
- Wei X, Yang N, et al. Comparison of three models of ownership of community health centres in China: a qualitative study. *J Health Serv Res Policy.* 2015; 20:162-9.
- Wei X, Yin J, et al. Private ownership of primary care providers associated with patient perceived quality of care: A comparative cross-sectional survey in three big Chinese cities. *Medicine.* 2017; 96:e5755.
- Witter S, Fretheim A, et al. Paying for performance to improve the delivery of health interventions in low- and middle-income countries. *Cochrane Database Syst Rev.* 2012. CD007899.
- Wiysonge C, Abdullahi L, et al. Public stewardship of private for-profit healthcare providers in low- and middle-income countries. *Cochrane Database Syst Rev.* 2016. Aug 11;(8):CD009855.
- Wiysonge C, Charles S, et al. Financial arrangements for health systems in low-income countries: an overview of systematic reviews. *Cochrane Database Syst Rev.* 2017. Sep 11;9:CD011084.
- Wong MC, Wang HH, et al. Performance comparison among the major healthcare financing systems in six cities of the Pearl River Delta region, mainland China. *PLoS ONE.* 2012; 7:e46309.
- Yang L, Liu C, et al. The impact of the National Essential Medicines Policy on prescribing behaviours in primary care facilities in Hubei province of China. *Health Policy Plan.* 2013; 28:750-60.

- Yao Q, Liu C, et al. Urban-rural inequality regarding drug prescriptions in primary care facilities - a pre-post comparison of the National Essential Medicines Scheme of China. *Intern*. 2015; 14:58.
- Yip W, Powell-Jackson T, et al. Capitation combined with pay-for-performance improves antibiotic prescribing practices in rural China. *Health Aff (Millwood)*. 2014; 33:502-10.
- Yip WC, Hsiao W, et al. Realignment of incentives for health-care providers in China. *Lancet*. 2010; 375:1120-30.
- Yuan B, He L, et al. Payment methods for outpatient care facilities. *Cochrane Database Syst Rev*. 2017; 3:CD011153.
- Zhan X, Zhang Z, et al. Effects of Improving Primary Health Care Workers' Knowledge About Public Health Services in Rural China: A Comparative Study of Blended Learning and Pure E-Learning. *J Med Internet Res*. 2017; 19:e1116.
- Zhang M, Yang R, et al. Job satisfaction of urban community health workers after the 2009 healthcare reform in China: a systematic review. *Int J Qual Health Care*. 2016; 28:14-21.
- Zhaokang Y, Yuxi L, et al. A model for community health service development in depressed rural areas in China. *BMC Health Serv Res*. 2012; 12:465.