

Towards universal health coverage: achievements and challenges of 10 years of healthcare reform in China

Wenjuan Tao ,¹ Zhi Zeng,¹ Haixia Dang,² Peiyi Li,¹ Linh Chuong,³ Dahai Yue,³ Jin Wen,¹ Rui Zhao,⁴ Weimin Li,⁵ Gerald Kominski^{3,6}

To cite: Tao W, Zeng Z, Dang H, *et al*. Towards universal health coverage: achievements and challenges of 10 years of healthcare reform in China. *BMJ Global Health* 2020;**5**:e002087. doi:10.1136/bmjgh-2019-002087

Handling editor Seye Abimbola

► Additional material is published online only. To view please visit the journal online (<http://dx.doi.org/10.1136/bmjgh-2019-002087>).

WT and ZZ contributed equally.

Received 16 October 2019
Revised 13 February 2020
Accepted 15 February 2020



© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Professor Gerald Kominski; kominski@ucla.edu, Professor Weimin Li; weimi003@yahoo.com and Professor Jin Wen; huaxiwenjin@163.com

ABSTRACT

Universal health coverage (UHC) has been identified as a priority for the global health agenda. In 2009, the Chinese government launched a new round of healthcare reform towards UHC, aiming to provide universal coverage of basic healthcare by the end of 2020. We conducted a secondary data analysis and combined it with a literature review, analysing the overview of UHC in China with regard to financial protection, coverage of health services and the reported coverage of the WHO and the World Bank UHC indicators. The results include the following: out-of-pocket expenditures as a percentage of current health expenditures in China have dropped dramatically from 60.13% in 2000 to 35.91% in 2016; the health insurance coverage of the total population jumped from 22.1% in 2003 to 95.1% in 2013; the average life expectancy increased from 72.0 to 76.4, maternal mortality dropped from 59 to 29 per 100 000 live births, the under-5 mortality rate dropped from 36.8 to 9.3 per 1000 live births, and neonatal mortality dropped from 21.4 to 4.7 per 1000 live births between 2000 and 2017; and so on. Our findings show that while China appears to be well on the path to UHC, there are identifiable gaps in service quality and a requirement for ongoing strengthening of financial protections. Some of the key challenges remain to be faced, such as the fragmented and inequitable health delivery system, and the increasing demand for high-quality and value-based service delivery. Given that China has committed to achieving UHC and 'Healthy China 2030', the evidence from this study can be suggestive of furthering on in the UHC journey and taking the policy steps necessary to secure change.

INTRODUCTION

Universal health coverage (UHC) has been identified as a priority for the global health agenda. UHC means that all people can access the health services they need, without suffering financial hardship,¹ and became a critical part of the Sustainable Development Goals (SDGs) in 2015.² In September 2019, all United Nations Member States have committed strongly to achieve UHC by 2030, with the global effort to build a healthier world for all.³ Measuring progress towards

Summary box

- Universal health coverage (UHC) has been identified as a priority for the global health agenda in many countries, including China.
- Out-of-pocket expenditures as a percentage of current health expenditures in China have dropped dramatically.
- The health insurance reform is achieved in the breadth of coverage in the population, the comprehensiveness of the benefits packages and increased reimbursement rates.
- The coverage of healthcare services greatly progressed in terms of accessibility, equity and quality, but it remains to be improved in some aspects, such as quality in non-communicable diseases.
- Taking the next steps is suggested when the Chinese government encounters some key challenges to achieve UHC.

UHC is complex due to the different political contexts among countries. In 2015, the WHO and the World Bank (WB) jointly launched a monitoring framework for UHC and reported the first global assessment of the progress towards UHC. Subsequently, a second report was published in 2017, more specifically monitoring SDG 3 target 3.8. The second framework built on two SDG UHC indicators: coverage of essential health services (target 3.8.1) and financial protection (target 3.8.2).¹ Such an evaluation framework will provide guidance for assessing UHC in a country and tracking progress over time, and be meaningful in making cross-country comparisons.

Since the Chinese government launched a new round of health system reform in 2009, China has made tremendous efforts to achieve the long-term objective of UHC—providing affordable and equitable basic healthcare for all by 2020.⁴ A series of comprehensive healthcare reforms have been adopted step by step, including the expansion of healthcare insurance, making basic public

health services available and equal for all, establishing a national essential medicines system, improving the primary care delivery system to provide basic healthcare, and the reform of public hospitals.⁵ This year marks the 10th anniversary of the healthcare reform. It is especially timely and significant to assess and track progress towards UHC in China. However, very few evaluations have been conducted on this issue.

This study aims to analyse China's progress towards UHC in the past 10 years of healthcare reform, based on two dimensions: financial protection and coverage of health services. We also tracked UHC indicators by the latest WHO and WB framework in our analysis, and conclude with a discussion of the remaining challenges towards UHC. Due to the constraints of the available data, we conducted a secondary data analysis from multiple sources: public databases (eg, WHO and WB), related reports, the China Statistical Yearbook, the National Health Services Survey (NHSS) in China and so on. To present a comprehensive and detailed picture of UHC in China, we combined our analysis with a literature review and summarised findings from the peer-reviewed original research. The search method, search strategy and included papers are listed in online supplementary file 2. Findings from this analysis will provide evidence for policy-makers on the path to achieving UHC and recommendations for the next step moving forward in China.

FINANCIAL PROTECTION

Financial protection is critical to reaching UHC, as all citizens should have access to health services without suffering financial hardship. Figure 1 shows the trends in the core indicators of health systems financing in China and the members of the Organisation for Economic

Co-operation and Development (OECD) between 2000 and 2016. Compared with OECD members, China spent less of its gross domestic product on health, but the total health expenditures still grew. Although Chinese government spending on health increased to 9.05% of its total expenditure in 2016, it is far less than the share of OECD countries. The out-of-pocket spending is a key indicator with regard to financial protection. Out-of-pocket expenditures (OOPE) as a percentage of current health expenditures in China have dropped dramatically from 60.13% in 2000 to 35.91% in 2016, but remain significantly higher in China than in OECD member countries. The amount of OOPE per capita continued to increase.⁶ Online supplementary figure S1 shows the total health expenditure composition in China from 2000 to 2018. As for the indicator of catastrophic health expenditure, recent national studies showed that China made progress in reducing the rate of catastrophic health expenditure, especially for low-income groups.^{7,8} However, the financial burden for medical services of patients remains high.^{9,10}

The achievements of health insurance reform in China are impressive for both the scale of coverage expansion and the speed of expansion.¹¹ The NHSS showed a rapid increase in coverage over the past decade for both the urban and rural populations (figure 2). The health insurance coverage of the total population jumped from 22.1% in 2003 to 95.1% in 2013. The gap of insurance coverage was greatly narrowed between the urban and rural areas, reducing inequality. According to the evaluation framework on health insurance programmes coverage by Lagomarsino and colleagues,¹² we examined the coverage of basic social health insurance programmes in China across three dimensions: who is covered, what is covered




Figure 1 Trends in the core indicators of health systems financing in China and OECD members between 2000 and 2016. The core indicators are according to the 'Health Systems Financing-Toolkit on monitoring health systems strengthening, WHO, 2008'. Source: The World Bank data (<https://data.worldbank.org>; last updated: 8 October 2019). CHE, current health expenditure; GDP, gross domestic product; GGE, general government expenditure; GGHE-D, domestic general government health expenditure; OECD, Organisation for Economic Co-operation and Development; OOPE, out-of-pocket expenditure.




Figure 2 Changes in the basic health insurance coverage of the survey population in different years. UEBMI, NRCMS and URBMI were established in 1998, 2003 and 2007, respectively. Adapted from ‘the fifth national health service survey analysis report in 2013’.³⁹ NRCMS, New Rural Cooperative Medical Scheme; UEBMI, Urban Employee Basic Medical Insurance; URBMI, Urban Resident Basic Medical Insurance.

and how much is covered (table 1). Significant achievements were realised on the breadth of coverage in the population, the comprehensiveness of the benefits packages and increased reimbursement rates. In 2018, 1.34 billion people participated in the basic health insurance

nationwide, with a steady coverage of more than 95%.¹³ In each insurance scheme, the benefit of health service package was improved, and the number of pharmaceuticals on the drug list was expanded to 2643 in 2019. Currently, there is no variation in the number of drugs

Table 1 Three dimensions of coverage on basic social health insurance programmes in China

	Who is covered?		What is covered?		How much is covered?	
	Eligible population ⁸³	Population covered (millions) ¹³	Service package covered ⁸⁴	Drugs covered (n) ^{85–87}	Per capita premium (¥) ^{13 88}	Government subsidy per capita (¥) ^{13 89}
UEBMI	Urban, employed.	219.4 (2009)* 316.8 (2018)	Inpatient services, catastrophic outpatient services, some prevention care services.	2151 (2009) 2643 (2019)	1559.2 (2009)* 4273.2 (2018)	0
URBMI	Urban, non-employed.	182.1 (2009)*	Mainly cover inpatient services and catastrophic outpatient services.	2151 (2009)	130 (2009)	80 (2009)
NRCMS	Rural, employed and non-employed.	833.1 (2009)* 130.4 (2018)†	Inpatient services, catastrophic outpatient services, some prevention care services.	County 800–1200, town 300–500 (2008)	113.4 (2009)	80 (2009)
URRMI	Unemployed urban residents and rural residents.	897.4 (2018)	Inpatient services (up to 75%) and outpatient services.	2643 (2019)	693 (2018)	497 (2018)

¥7=US\$1.

*Data are from China Statistical Yearbook 2010.

†To integrate the fragmented health insurance, the Chinese government merged URBMI and NRCMS into URRMI in 2016. There are still seven provinces implementing the NRCMS in 2018, including Liaoning, Jilin, Anhui, Hainan, Guizhou, Shanxi and Tibet.

NRCMS, New Rural Cooperative Medical Scheme; UEBMI, Urban Employee Basic Medical Insurance; URBMI, Urban Resident Basic Medical Insurance; URRMI, Urban and Rural Resident Medical Insurance.




Figure 3 Changes in NBPBS programme, 2009–2018. Sources: Data on government investment in basic public health service are from the National General Public Budget Expenditure of National Government Final Accounts released by the Financial Ministry of the People’s Republic of China every year from 2009 to 2018. Data on per capita subsidy are from the news and Statistical Bulletin released by the National Health Commission of the People’s Republic of China. Data on basic public health services are from National Basic Public Service Specifications in 2009, 2011 and 2017, and Qin’s and Wang *et al*’s research.^{90 91} *Public health emergency reporting and assistance for health inspection, and the target services group for children’s health management extended from 0–3 years to 0–6 years. CNY, Chinese yuan; NBPBS, national Basic Public Health Service; TB, tuberculosis; TCM, traditional Chinese medicine.

covered by the different insurance schemes. Along with an increase in the per capita premiums for the Urban Resident Basic Medical Insurance and the New Rural Cooperative Medical Scheme, government subsidies per capita have increased more than fivefold in 2018 compared with 2009. China’s health insurance system has been proven to be effective in boosting the utilisation of healthcare services and alleviated the financial burden of patients.^{14 15} The integration of fragmented health insurance schemes could promote access to and improve equity in healthcare utilisation for rural residents.^{16 17} However, some of the populations, such as children,¹⁸ lower income groups¹⁹ and rural-to-urban migrants,^{20 21} have a lower rate of insurance coverage.

COVERAGE OF HEALTH SERVICES

The national Basic Public Health Service (BPHS) programme was launched in 2009 to provide free basic public health services for all urban and rural residents equally. Figure 3 shows the Chinese government’s efforts in this area. To regulate the guideline for basic services, three editions of BPHS specifications were issued in 2009, 2011 and 2017, respectively. The initial service package consists of nine categories, including health archive management, health education, vaccination, communicable disease reporting, health management for children, maternal and elderly, and health management for

chronic diseases and severe psychosis. Increased government public funding was invested to expand the services (14 categories in 2017) and availability of the basic public health package to almost everyone. An average of ¥15 was allotted per capita in 2009 and was increased to ¥55 in 2018. Following the previous literature, findings of the studies showed the following: the coverage of BPHS has increased greatly, but it has not reached the goal of universal coverage,^{22 23} especially coverage of migrants^{24 25}; the utilisation of the BPHS is generally improved, but some of the services are underutilised^{26 27}; ensuring equal access to the basic public health services is improved,^{28 29} and the gaps between urban–rural areas and different regions have been narrowed, but inequality still exists^{24 30 31}; and with respect to the effects of the BPHS policy, there are some improvements in maternal health services and reductions in maternal mortality,³² and improved the treatment and control among patients with hypertension and type 2 diabetes.^{33 34} New evidence from the Global Burden of Disease Study showed that China has made substantial progress in reducing the burden of many diseases and disabilities.³⁵

According to the China Health Statistics Yearbook, the utilisation of medical services increased between 2009 and 2018: the outpatient visits increased from 518.7 million to 797.8 million, the hospital admissions increased from 132.6 million to 254.5 million, and the




Figure 4 Comparison of the visits in hospitals and primary healthcare institutions, 2009–2018. Sources: China Statistical Yearbook, 2010–2018; China Health Statistics Yearbook, 2019. H, hospital; PCI, primary care institutions.

annual resident hospitalisation rate increased from 9.95% to 18.27%. Accordingly, both the number of visits to hospitals and primary care institutions (PCIs) increased. However, the percentage of visits delivered by hospitals among all healthcare institutions increased from 35.02% to 43.06%, while the proportion accounted for by PCIs dropped from 61.82% to 53.04% (figure 4). It indicates the current disordered situation—medical services are increasingly concentrated in hospitals rather than in primary care.

Delivering healthcare services in an accessible and equitable manner is essential to the goal of UHC. Access to health services has improved since the healthcare reform of 2009,^{36 37} but regional disparity is also apparent.^{37 38} Compared with 2008, the proportion of people who were not hospitalised due to financial difficulties decreased significantly, from 17.6% in 2008 to 7.4% in 2013.³⁹ It indicated that the affordable access to healthcare services was improved, but some studies showed that the financial burden remains heavy,^{40 41} and the current reform has not resulted in access to affordable quality care.⁴² With the increase in government investments, the total amount of healthcare resources has increased in China and the equity of health resource allocation improved gradually.^{43–45} However, inequity in healthcare resources and services still existed. The inequitable determinants may relate to region,⁴⁶ income⁴⁷ and insurance type.^{46–49}

Figure 5 shows the gap between urban and rural areas in resource allocation. Between 2005 and 2017, the number of medical technical personnel, licensed (assistant) doctors, registered nurses and beds per 1000 population in urban areas grew more than in rural areas. According to the fifth NHSS in 2013, maternal and child health indicators (eg, the proportion of women receiving at

least five antenatal check-ups, the proportion of children qualifying physical examination) in Central China were the poorest of the three regions (Western, Central and Eastern China). To achieve ‘effective UHC’, ensuring good quality of healthcare services should be emphasised as well.^{50 51} According to a recent global study, China has significantly increased personal healthcare access and quality, with an increase in the Healthcare Access and Quality Index (HAQ) score from 56.2 in 1990 to 78 in 2016.⁵² Although large HAQ score gaps remain between subnational regions, the expanded coverage of health services has led to health improvements, particularly for residents in rural areas. During the period between 2000 and 2017, the average life expectancy increased from 72.0 to 76.4, maternal mortality dropped from 59 in to 29 per 100 000 live births, the under-5 mortality rate dropped from 36.8 to 9.3 per 1000 live births, and neonatal mortality dropped from 21.4 to 4.7 per 1000 live births (online supplementary file 1, table S1). The differences in the neonatal, infant, under-5 and maternal mortality rates between urban and rural have greatly narrowed (figure 6).

Health services, broadly understood, also include the provision of drugs, devices and other goods, especially the essential medicines.⁵³ Assuring access to essential medicines is also crucial for moving towards UHC.⁵⁴ As part of the commitment to giving every citizen access to basic healthcare, China implemented the National Essential Medicines Policy (NEMP), which aims to increase the availability and affordability and to ensure the quality and promote the rational use of medicines. Since the revision of the National Essential Medicines List (NEML) issued in 2009, the list has been updated constantly from 307 medicines (2009) to 520 medicines (2012) and 685 medicines




Figure 5 The gap between urban and rural medical resources, 2005–2017. Source: China Statistical Yearbook, 2006–2018. LD, licensed (assistant) doctors; MTP, medical technical personnel; RN, registered nurses.

(2018), for fully meeting the needs of basic healthcare.⁵⁵ Based on the literature review on the evaluation of the effects of the NEMP, there is no consensus conclusion. Differences in research conclusions may be due to the use of data from different regions, research period or study design. But overall, these findings have demonstrated that the NEMP interventions are effective: the availability of essential medicines had improved,^{56 57} but remains at a low level^{58 59} and had a problem of regional inequity⁶⁰; drug prices were reduced significantly,^{57 61–63} and the affordability of essential medicines has improved^{57 59 60}; and the rational use of medicine has effectively improved,

but remained poor.^{56 64–67} In the subjective questionnaire surveys, patients were satisfied with the price and quality of essential medicines.⁶⁸ However, village doctors were unsatisfied with the NEML; most of them believed that the NEML could not meet the needs of the villagers.⁶⁹

MONITORING AND EVALUATION OF UHC INDICATORS

To evaluate China’s UHC and compare it with other countries, we used the indicator framework defined in the Joint WHO/WB report entitled ‘Tracking Universal Health Coverage: 2017 Global Monitoring Report’.¹




Figure 6 Neonatal, infant, under-5 children and maternal mortality rate between urban and rural areas, 2000–2018. Source: China Health Statistics Yearbook, 2019. IMR, infant mortality rate; MMR, maternal mortality rate; NMR, neonatal mortality rate; U5MR, under-5 mortality rate.

China has comparatively high coverage of essential health services but a low score for financial protection against catastrophic health expenditures. We analysed secondary data from international and national data sets to evaluate trends in indicators (refer to online supplementary figure S2 for the trends from 2000 to 2017, and online supplementary file 1, table S2 for detailed indicators and data sources).

In terms of health service coverage, all indicators demonstrate improvement, with the exception of family planning. However, the level of demand satisfied by modern methods in 2017 (80.5%) is considered high, which is more than 75%.⁷⁰ The largest relative increases are for tuberculosis (TB) and HIV treatment, which are consistent with global trends. This reflects China's concerted efforts in the prevention and treatment of infectious diseases, for example, national 'Action Plans' to stop TB and HIV.^{71 72} However, progress in non-communicable diseases has been slower; in particular, blood glucose control (diabetes management) is deteriorating. Although the number of patients covered by type 2 diabetes management (including screening, regular follow-up and health education) increased from 18.5 million in 2011 to 31.2 million in 2017, blood glucose control rate has remained persistently low, indicating that the expanded service coverage may lack quality.⁷³ More efforts are needed to develop effective strategies to control chronic diseases.

The upward trends in hospital beds, physicians and health security indicate greatly improved service capacity and access. In terms of financial protection, the risk of financial hardship due to out-of-pocket healthcare costs increased during 2000 and 2007, as measured by a growing incidence of OOPE exceeding 10% or 25% of household total consumption or income and an increased incidence of impoverishment at the \$3.10 per day poverty line. However, the poverty gap due to OOPE (ie, the average per capita amount by which OOPE pushes or further pushes households below the poverty line)¹ decreased for both poverty lines.

CHALLENGES AND POLICY RECOMMENDATIONS

China has made unprecedented achievements on the path to realising UHC, but still faces a series of challenges when the healthcare system is subjected to multiple and persistent pressures, such as the changes in the distribution of diseases, urbanisation and a rapidly ageing population.

China's healthcare system is facing a considerable challenge of fragmented healthcare delivery: hospital-centred and treatment-dominated. The current healthcare services in China still rely on hospital care, and PCIs do not play an important role in providing the basic healthcare with the first level of contact. Patients prefer to seek care in higher level of hospitals instead of primary healthcare (PHC) providers due to various factors, such as equipment and drug availability,

medical staff, and perceived quality of primary care.^{74 75}

The overdependence on hospital care not only leads to heavy financial burden and barriers to accessing basic healthcare, but also makes it difficult to form effective and continuous management of chronic diseases. There is a need for urgency in transition from fragmented care to integrated care in China's healthcare systems. The key solution is the establishment of a tiered healthcare delivery system based on a people-centred integrated care model that can coordinate the PHC and hospital care.^{76 77} Thus, the service integration between PCIs and higher-level hospitals can be achieved through two-way referral, cooperation and information sharing among providers and between providers and patients, and active patient involvement in their continuous care.⁷⁸

The second challenge is the persistent inequity in healthcare delivery between urban and rural areas, and among different income regions. Despite substantial improvements in access to health services and the dramatic reductions in poverty, inequalities still exist. Urban-rural disparities in financing and health services access are major issues in China when promoting UHC.⁷⁹ Given China's urban-rural dualistic economic structure, uncoordinated development in the healthcare system has led to more and better healthcare resources in urban areas,⁸⁰ especially with regard to health personnel, and the differences in regional economic development tend to be the cause of the regional inequity. China needs to make more progress with respect to equity in healthcare in the future healthcare reforms. Except that policy is tilted in favour of resource-poor regions, the development of the Healthcare Alliance (HCA) is a priority issue. HCA refers to a collaborative alliance or medical group consisting of different types and levels of healthcare organisations in the same region or across regions. It is able to promote optimal healthcare resources allocation and flow, and improve the capability of primary care. Based on the HCA, strengthening the health information technology, such as mobile health and telemedicine, can help solve regional disparities and shortage of health personnel (especially for the low-income and remote areas) and promote homogenisation of healthcare services. At the same time, we need to coordinate the reform of medicine and health insurances to improve health equity.

The third challenge is to develop health services that can meet the emerging health needs of socioeconomic and demographic transitions. Given the rapidly rising incidence of non-communicable diseases and a rapidly ageing population, the health strategy should shift from treatment to prevention, calling for more comprehensive approaches to serving population health rather than solely the patient's health.^{81 82} Meanwhile, with increased economy and improved lifestyle, people are demanding more and better healthcare. More attention should pay to building high-quality and value-based service delivery.⁷⁸ The coverage of basic health services has been basically

achieved; therefore, improving the quality of services is the next step.

CONCLUSION

This analysis gives an overview of UHC in China with regard to health financing, healthcare services and the reported coverage of WHO/WB indicators. It is the first attempt to integrate WHO/WB framework into a summary measure of UHC in China. Our findings show that while China appears to be well on the path to UHC, there are identifiable gaps in service quality and a requirement for ongoing strengthening of financial protections. Some of the key challenges remain to be faced, such as the fragmented and inequitable health delivery system, and the increasing demand for high-quality and value-based service delivery. Given that China has committed to achieving UHC and 'Healthy China 2030', the evidence from this study can be suggestive of furthering on in the UHC journey and taking the policy steps necessary to secure change.

Author affiliations

¹Institute of Hospital Management, West China Hospital, Sichuan University, Chengdu, China

²Research Center of Traditional Chinese Medicine, China Academy of Chinese Medical Sciences, Beijing, China

³Department of Health Policy and Management, Fielding School of Public Health, University of California, Los Angeles (UCLA), Los Angeles, California, USA

⁴Department of drug policy and evaluation research, China National Health Development Research Center, Beijing, China

⁵President's Office, West China Hospital, Sichuan University, Chengdu, China

⁶UCLA Center for Health Policy Research, Los Angeles, California, USA

Contributors WT and ZZ wrote the first draft of the manuscript, did the literature search and review, collected and analysed the data, produced the tables and figures, and interpreted the results. HD contributed to analysis formulation. PL assisted with data collection. LC was involved in editing each draft. DY, JW and RZ provided comments and suggestions in revisions of the analysis. WL designed the study and set the research direction. GK critically revised the analysis and provided overall guidance. All authors approved the final submitted version.

Funding This work was supported by the National Natural Science Foundation of China (grant no 71874115) and China Scholarship Council (CSC no 201806240304).

Disclaimer The funders had no role in the study design, data collection, data analysis, data interpretation and in writing the manuscript.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No additional data are available.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Wenjuan Tao <http://orcid.org/0000-0002-5926-2545>

REFERENCES

1 World Health Organization. Tracking universal health coverage: 2017 global monitoring report: World Health organization and international

- bank for reconstruction and Development/The world bank, 2017; 2017.
- 2 United Nations. Transforming our world: the 2030 agenda for sustainable development. resolution adopted by the general assembly on 25 September 2015; 2015.
- 3 General Assembly of the United Nations. President of the 73rd session - Universal Health Coverage: Moving Together to Build a Healthier World: the United Nations, 2019. Available: <https://www.un.org/pga/73/event/universal-health-coverage/> [Accessed 11 Dec 2019].
- 4 Meng Q, Xu L. Monitoring and evaluating progress towards universal health coverage in China. *PLoS Med* 2014;11:e1001694.
- 5 Chen Z. Launch of the health-care reform plan in China. *Lancet* 2009;373:1322-4.
- 6 Fang H, Eggleston K, Hanson K, *et al*. Enhancing financial protection under China's social health insurance to achieve universal health coverage. *BMJ* 2019;365:12378.
- 7 Yip W, Fu H, Chen AT, *et al*. 10 years of health-care reform in China: progress and gaps in universal health coverage. *Lancet* 2019;394:1192-204.
- 8 Ma X, Wang Z, Liu X. Progress on catastrophic health expenditure in China: evidence from China family panel studies (CFPS) 2010 to 2016. *Int J Environ Res Public Health* 2019;16:4775.
- 9 Wu D, Yu F, Nie W. Improvement of the reduction in catastrophic health expenditure in China's public health insurance. *PLoS One* 2018;13:e0194915.
- 10 Diao Y, Qian J, Liu Y, *et al*. How government insurance coverage changed the utilization and affordability of expensive targeted anti-cancer medicines in China: an interrupted time-series study. *J Glob Health* 2019;9:020702.
- 11 Yu H. Universal health insurance coverage for 1.3 billion people: what accounts for China's success? *Health Policy* 2015;119:1145-52.
- 12 Lagomarsino G, Garabrant A, Adyas A, *et al*. Moving towards universal health coverage: health insurance reforms in nine developing countries in Africa and Asia. *Lancet* 2012;380:933-43.
- 13 National Healthcare Security Administration. Statistical Bulletin on the development of national basic medical security in 2018, 2019. Available: http://www.nhsa.gov.cn/art/2019/6/30/art_7_1477.html [Accessed 14 Jul 2019].
- 14 Zhang A, Nikoloski Z, Mossialos E. Does health insurance reduce out-of-pocket expenditure? Heterogeneity among China's middle-aged and elderly. *Soc Sci Med* 2017;190:11-19.
- 15 Chen J, Yu H, Dong H. Effect of the new rural cooperative medical system on farmers' medical service needs and utilization in Ningbo, China. *BMC Health Serv Res* 2016;16:593.
- 16 Li C, Tang C, Wang H. Effects of health insurance integration on health care utilization and its equity among the mid-aged and elderly: evidence from China. *Int J Equity Health* 2019;18:166.
- 17 Yang X, Chen M, Du J, *et al*. The inequality of inpatient care net benefit under integration of urban-rural medical insurance systems in China. *Int J Equity Health* 2018;17:173.
- 18 Xiong J, Hipgrave D, Myklebust K, *et al*. Child health security in China: a survey of child health insurance coverage in diverse areas of the country. *Soc Sci Med* 2013;97:15-19.
- 19 Pan J, Tian S, Zhou Q, *et al*. Benefit distribution of social health insurance: evidence from China's urban resident basic medical insurance. *Health Policy Plan* 2016;31:853-9.
- 20 Jin Y, Hou Z, Zhang D. Determinants of health insurance coverage among people aged 45 and over in China: who Buys public, private and multiple insurance. *PLoS One* 2016;11:e0161774.
- 21 Chen W, Zhang Q, Renzaho AMN, *et al*. Social health insurance coverage and financial protection among rural-to-urban internal migrants in China: evidence from a nationally representative cross-sectional study. *BMJ Glob Health* 2017;2:e000477.
- 22 Wang Z, Yang J, Chen Q, *et al*. Evaluation on implementation effect of national basic public health service project. *Chin Health Eco* 2018;37:63-6.
- 23 Huang K, Li Y, Feng X. Coverage and influential factors of national basic public health service in Jilin Province under implementation of chronic disease management. *Chin J Public Health* 2019;35:665-9.
- 24 Yang L, Sun L, Wen L, *et al*. Financing strategies to improve essential public health equalization and its effects in China. *Int J Equity Health* 2016;15:194.
- 25 Guo J, Shao F, Fan H, *et al*. Analysis on the access to the basic public health care services and influencing factors among migrants. *Chin J Health Pol* 2016;9:75-82.
- 26 He M, Gao J, Liu W, *et al*. Case management of patients with type 2 diabetes mellitus: a cross-sectional survey in Chongqing, China. *BMC Health Serv Res* 2017;17:129.

- 27 Wang L, Chen Y, L J, *et al.* Analysis of current situation and influencing factors of basic public health service in patients with hypertension and type 2 diabetes mellitus in Gansu. *Chin J Dis Cont Prevent* 2018;22:1192–4.
- 28 Zhou D, Feng Z, He S, *et al.* Equity of the essential public health service in rural China: evidence from a nationwide survey of hypertensive patients. *Pak J Med Sci* 2013;29:1012–7.
- 29 He B, Guo H, Wang J. The equalization analysis of the National essential public health services in Jiangsu Province. *J Nanjing Med Univ (Social Sciences)* 2019;19:210–3.
- 30 Wang Y, Zhang Q, Wang Q, *et al.* Coverage, change trend and influencing factors of maternal basic public health services in Jilin Province: based on the data from National Health Services Survey in 2008 and 2013. *Chin J Woman Child Health Res* 2016;27:705–8+28.
- 31 Zhang Q, Zheng Y, Xu S, *et al.* A comprehensive evaluation of basic public health quality in some counties of Gansu Province. *Chinese Rural Health Service Administration* 2019;39:104–8.
- 32 Zhao P, Diao Y, You L, *et al.* The influence of basic public health service project on maternal health services: an interrupted time series study. *BMC Public Health* 2019;19:824.
- 33 Zhang D, Pan X, Li S, *et al.* Impact of the National essential public health services policy on hypertension control in China. *Am J Hypertens* 2018;31:115–23.
- 34 Guan X, Tang X, Wu X, *et al.* Management status of non-communicable chronic diseases in basic public health service project in Sichuan Province. *J Occup Health Damage* 2015;30:76–9.
- 35 Zhou M, Wang H, Zeng X, *et al.* Mortality, morbidity, and risk factors in China and its provinces, 1990–2017: a systematic analysis for the global burden of disease study 2017. *Lancet* 2019;394:1145–58.
- 36 Meng Q, Xu L, Zhang Y, *et al.* Trends in access to health services and financial protection in China between 2003 and 2011: a cross-sectional study. *Lancet* 2012;379:805–14.
- 37 Wong HT, Guo YQ, Chiu MYL, *et al.* Spatial illustration of health-care workforce accessibility index in China: how far has our 2009 health-care reform brought us? *Aust J Rural Health* 2016;24:54–60.
- 38 Wang X, Yang H, Duan Z, *et al.* Spatial accessibility of primary health care in China: a case study in Sichuan Province. *Soc Sci Med* 2018;209:14–24.
- 39 Center for Health Statistics and Information, NHFPC. *An analysis report of national health services survey in China, 2013, 2015.*
- 40 Li X, Xu Z, Ji L, *et al.* Direct medical costs for patients with type 2 diabetes in 16 tertiary hospitals in urban China: a multicenter prospective cohort study. *J Diabetes Investig* 2019;10:539–51.
- 41 Lin L, Brown KB, Yu F, *et al.* Health care experiences and perceived barriers to health care access: a qualitative study among African migrants in Guangzhou, Guangdong Province, China. *J Immigr Minor Health* 2015;17:1509–17.
- 42 Li J, Feng XL. Health care-seeking behaviours and health expenditures in adults aged 45 years and older in China, 2011–2013. *Trop Med Int Health* 2017;22:638–54.
- 43 Liu W, Liu Y, Twum P, *et al.* National equity of health resource allocation in China: data from 2009 to 2013. *Int J Equity Health* 2016;15:68.
- 44 Zhang Y, Wang Q, Jiang T, *et al.* Equity and efficiency of primary health care resource allocation in mainland China. *Int J Equity Health* 2018;17:140.
- 45 Xu K, Zhang K, Wang D, *et al.* Trend in distribution of primary health care professionals in Jiangsu Province of eastern China. *Int J Equity Health* 2014;13:117.
- 46 Zhu D, Guo N, Wang J, *et al.* Socioeconomic inequalities of outpatient and inpatient service utilization in China: personal and regional perspectives. *Int J Equity Health* 2017;16:210.
- 47 Pan B, Towne SD, Chen Y, *et al.* The inequity of inpatient services in rural areas and the New-Type rural cooperative medical system (NRCMS) in China: repeated cross sectional analysis. *Health Policy Plan* 2017;32:634–46.
- 48 Liu X, Wong H, Liu K. Outcome-based health equity across different social health insurance schemes for the elderly in China. *BMC Health Serv Res* 2015;16:9.
- 49 Flato H, Zhang H. Inequity in level of healthcare utilization before and after universal health coverage reforms in China: evidence from household surveys in Sichuan Province. *Int J Equity Health* 2016;15:96.
- 50 Jha A, Godlee F, Abbasi K. Delivering on the promise of universal health coverage. *BMJ* 2016;353:i2216.
- 51 Geldsetzer P, Haakenstad A, James EK, *et al.* Non-technical health care quality and health system responsiveness in middle-income countries: a cross-sectional study in China, Ghana, India, Mexico, Russia, and South Africa. *J Glob Health* 2018;8:020417.
- 52 GBD 2016 Healthcare Access and Quality Collaborators. Measuring performance on the healthcare access and quality index for 195 countries and territories and selected subnational locations: a systematic analysis from the global burden of disease study 2016. *Lancet* 2018;391:2236–71.
- 53 World Health Organization. *Making fair choices on the path to universal health coverage-Final report of the who consultative group on equity and universal health coverage.* Geneva, 2014.
- 54 Wirtz VJ, Hogerzeil HV, Gray AL, *et al.* Essential medicines for universal health coverage. *Lancet* 2017;389:403–76.
- 55 He J, Tang M, Ye Z, *et al.* China issues the National essential medicines list (2018 edition): background, differences from previous editions, and potential issues. *Biosci Trends* 2018;12:445–9.
- 56 Huang Y, Jiang Y, Zhang L, *et al.* Availability, use, and affordability of medicines in urban China under universal health coverage: an empirical study in Hangzhou and Baoji. *BMC Health Serv Res* 2018;18:218.
- 57 Song Y, Bian Y, Zhen T. Making medicines more accessible in China: an empirical study investigating the early progress of essential medicine system. *PLoS One* 2018;13:e0201582.
- 58 Jiang M, Zhou Z, Wu L, *et al.* Medicine prices, availability, and affordability in the Shaanxi Province in China: implications for the future. *Int J Clin Pharm* 2015;37:12–17.
- 59 Xu R, Li S, Lv X, *et al.* Prices, availability, and affordability of national essential medicines in public primary hospitals: a cross-sectional survey in poverty-stricken rural areas in China. *Int J Health Plann Manage* 2019;60.
- 60 Guan X, Hu H, Man C, *et al.* A survey of availability, price and affordability of essential medicines from 2011 to 2016 in Chinese secondary and tertiary hospitals. *Int J Equity Health* 2018;17:158.
- 61 Fang Y, Wagner AK, Yang S, *et al.* Access to affordable medicines after health reform: evidence from two cross-sectional surveys in Shaanxi Province, Western China. *Lancet Glob Health* 2013;1:e227–37.
- 62 Song Y, Bian Y, Petzold M, *et al.* Effects of the National essential medicine system in reducing drug prices: an empirical study in four Chinese provinces. *J Pharm Policy Pract* 2014;7:12.
- 63 Wang J, Liu X, Wang S, *et al.* Short-term differences in drug prices after implementation of the National essential medicines system: a case study in rural Jiangxi Province, China. *Indian J Pharmacol* 2015;47:535–9.
- 64 Mao W, Huang Y, Chen W. An analysis on rational use and affordability of medicine after the implementation of national essential medicines policy and zero Mark-up policy in Hangzhou, China. *PLoS One* 2019;14:e0213638.
- 65 Chao J, Gu J, Zhang H, *et al.* The impact of the National essential medicines policy on rational drug use in primary care institutions in Jiangsu Province of China. *Iran J Public Health* 2018;47:24–32.
- 66 Gong Y, Yang C, Yin X, *et al.* The effect of essential medicines programme on rational use of medicines in China. *Health Policy Plan* 2016;31:21–7.
- 67 Song Y, Bian Y, Petzold M, *et al.* The impact of China's national essential medicine system on improving rational drug use in primary health care facilities: an empirical study in four provinces. *BMC Health Serv Res* 2014;14:507.
- 68 Song Y, Bian Y, Li L. Current perspectives on China's national essential medicine system: primary care provider and patient views. *BMC Health Serv Res* 2015;16:30.
- 69 Wang Z, Chang R, Luo Y-B, *et al.* Evaluation of need and distribution of national essential medicines list in village clinics: a cross-sectional study based on the perspective of village doctors in China. *Curr Med Sci* 2019;39:663–9.
- 70 Department of Economic and Social Affairs. *Tracking global progress in family planning: United nations, 2017.*
- 71 The General Office of the State Council. Notification of the general office of the state Council on the 13th five-year action plan to stop and prevent HIV in China, 2017. Available: http://www.gov.cn/zhengce/content/2017-02/05/content_5165514.htm [Accessed 12 Aug 2019].
- 72 The General Office of the State Council. Notification of the general office of the state Council on the 13th five-year for tuberculosis prevention and control, 2017. Available: http://www.gov.cn/zhengce/content/2017-02/16/content_5168491.htm [Accessed 12 Aug 2019].
- 73 Yuan B, Balabanova D, Gao J, *et al.* Strengthening public health services to achieve universal health coverage in China. *BMJ* 2019;333:i2358.
- 74 Liu Y, Zhong L, Yuan S, *et al.* Why patients prefer high-level healthcare facilities: a qualitative study using focus groups in rural and urban China. *BMJ Glob Health* 2018;3:e000854.
- 75 Liu Y, Kong Q, Yuan S, *et al.* Factors influencing choice of health system access level in China: a systematic review. *PLoS One* 2018;13:e0201887.

- 76 Wang X, Sun X, Birch S, *et al*. People-centred integrated care in urban China. *Bull World Health Organ* 2018;96:843–52.
- 77 The Lancet. A tiered health-care delivery system for China. *Lancet* 2019;393:1178.
- 78 Partnership CJS. Deepening health reform in China: building high-quality and value-based service delivery: world bank group, world Health organization, Ministry of finance, National health and family planning Commission, Ministry of human resources and social security; 2016.
- 79 Tediosi F, Finch A, Procacci C, *et al*. BRICS countries and the global movement for universal health coverage. *Health Policy Plan* 2016;31:717–28.
- 80 Wang L, Wang A, Zhou D, *et al*. An empirical analysis of rural-urban differences in out-of-pocket health expenditures in a low-income Society of China. *PLoS One* 2016;11:e0154563.
- 81 Chen P, Li F, Harmer P. Healthy China 2030: moving from blueprint to action with a new focus on public health. *Lancet Public Health* 2019;4:e447.
- 82 Liu GG, Chen X. China in transition: health, wealth, and globalisation. *Lancet Public Health* 2019;4:e444–5.
- 83 Meng Q, Fang H, Liu X, *et al*. Consolidating the social health insurance schemes in China: towards an equitable and efficient health system. *Lancet* 2015;386:1484–92.
- 84 Tan SY, Wu X, Yang W. Impacts of the type of social health insurance on health service utilisation and expenditures: implications for a unified system in China. *Health Econ Policy Law* 2018;1–19.
- 85 National Healthcare Security Administration. Interpretation of the policy of the National health insurance drug Catalogue adjustment program in 2019, 2019. Available: http://www.nhsa.gov.cn/art/2019/4/17/art_38_1212.html [Accessed 14 Jul 2019].
- 86 Ministry of Health of the People's Republic of China. Opinions of the Ministry of health on adjusting and formulating the Catalogue of new rural cooperative medical reimbursement drugs, 2009. Available: http://www.gov.cn/gongbao/content/2010/content_1599570.htm [Accessed 14 Jul 2019].
- 87 National Healthcare Security Administration, Ministry of Human Resources and Social Security. Notice on printing and distributing the National basic medical insurance, work injury insurance and maternity insurance drug list, 2019. Available: http://www.nhsa.gov.cn/art/2019/8/20/art_14_1664.html [Accessed 20 Aug 2019].
- 88 Zhu K, Zhang L, Yuan S, *et al*. Health financing and integration of urban and rural residents' basic medical insurance systems in China. *Int J Equity Health* 2017;16:194.
- 89 Xinhua News Agency. China's new rural cooperative medical insurance and urban residents' medical insurance government subsidy standards have been greatly improved, 2011. Available: http://www.gov.cn/jrzq/2011-10/12/content_1967488.htm [Accessed 14 Jul 2019].
- 90 Qin J. Progress in basic public health service projects in China. *Chin J Public Health* 2017;33:1289–97.
- 91 Wang L, Wang Z, Ma Q, *et al*. The development and reform of public health in China from 1949 to 2019. *Global Health* 2019;15:45.