What does 'leave no one behind' mean for humanitarian crises-affected populations in the COVID-19 pandemic?

Lucy Singh ¹, Neha S Singh ², Behrouz Nezafat Maldonado,³ Sam Tweed,⁴ Karl Blanchet,⁵ Wendy Jane Graham⁶

To cite: Singh L, Singh NS, Nezafat Maldonado B, *et al.* What does 'leave no one behind' mean for humanitarian crises-affected populations in the COVID-19 pandemic? *BMJ Global Health* 2020;**5**:e002540. doi:10.1136/bmjgh-2020-002540

Received 26 March 2020

Revised 31 March 2020

Accepted 2 April 2020

© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹University College London Institute for Women's Health, London, UK

²Department of Global Health and Development, London School of Hygiene & Tropical Medicine, London, UK

³Oxford University Hospitals NHS Foundation Trust, Oxford, UK

⁴Department of Public Health and Policy, London School of Hygiene & Tropical Medicine, London, UK

⁵Geneva Centre for Education and Research in Humanitarian Action, University of Geneva, The Graduate Institute, Geneva, Switzerland

⁶Department of Infectious Disease Epidemiology, London School of Hygiene & Tropical Medicine, London, UK

Correspondence to

Dr Lucy Singh;
lucy.a.singh@gmail.com

To date, over 155 countries and territories are reporting local transmission of COVID-19, including four countries with the largest refugee populations—Germany, Sudan, Pakistan and Turkey—and dozens more countries hosting tens of thousands of refugees.^{1,2} Despite this, the impact of COVID-19 pandemic on humanitarian settings has not been prioritised. Humanitarian settings present complex challenges in delivering healthcare.³ Despite international commitments to upholding health as a human right for all, humanitarian crises-affected populations are often neglected in emergency disease control strategies. The threat that the COVID-19 pandemic poses to humanitarian settings is significant and requires urgent attention. We highlight areas of particular concern and call on international and local partners, national governments and donors to ensure that humanitarian settings are not left behind in efforts to collectively manage the outbreak of COVID-19 worldwide.

Health systems in humanitarian settings are often poorly resourced and suffer from workforce shortages.⁴ Controlling COVID-19 requires multidisciplinary input from doctors to cleaners, whose integral role in prevention of spread of disease is often disregarded.⁵ A 2015 survey on infection prevention and control (IPC) preparedness of institutions worldwide showed that preparedness levels were only partially adequate.⁶ Without appropriate personal protective equipment (PPE), the health workforce is put at risk of infection with COVID-19. Any loss to the health workforce will add pressure to an already under-resourced service, with implications for patient care and ability to control COVID-19. It is vital that PPE be made available alongside the appropriate training in their usage.⁷ Governments must step up measures

Summary box

- ▶ Over 200 countries are reporting local transmission of COVID-19, including four countries with the largest refugee populations—Germany, Sudan, Pakistan and Turkey—and dozens more hosting tens of thousands of refugees.
- ▶ Health systems in humanitarian crises settings are often poorly resourced and suffer from workforce shortages, inadequate levels of water, sanitation and hygiene (WASH) and marked deterioration in routine infection prevention and control practices.
- ▶ Poorly resourced and fragmented health systems in humanitarian settings with limited resources, including health workforce, are likely to struggle to prevent the spread of COVID-19, and consequently be placed under immense strain with implications for patient care.
- ▶ We are likely to see a high spread of COVID-19 within humanitarian settings where overcrowding is an issue and interventions required to prevent the spread of COVID-19 such as social distancing will prove extremely challenging to implement.
- ▶ During this pandemic, limited access to WASH facilities is of particular concern as hand hygiene is regarded as the key preventive action for limiting the spread of COVID-19.
- ▶ Vulnerable populations including refugees in humanitarian settings must be included in the international, national and local planning and provision of services in this COVID-19 pandemic.
- ▶ Humanitarian actors and governments must step up measures to reduce strain from COVID-19 on the healthcare workforce and provide appropriate support at the front line in humanitarian settings, including strengthening WASH, reducing overcrowding where possible, protecting populations vulnerable to COVID-19 and providing additional resources to health services to be able to cope with the response.

to reduce strain on the healthcare workforce and provide appropriate support on the ground, including providing additional resources as needed within the local context.

The ability of fragmented and poorly resourced health systems to prevent transmission, test and manage COVID-19 patients must also be considered and appropriate strategies to support health systems enacted by governments. We anticipate that in countries with a high number of refugees, host populations may be prioritised by governments in their strategies to tackle COVID-19. This is a concern from an equity and human rights perspective, as well as continuing risk of transmission among the population as a whole if refugee populations are not fully integrated into the COVID-19 strategy. Within humanitarian settings, outbreak surveillance mechanisms are often weak due to limited laboratory capacity, lack of beds in intensive care units, lack of ventilators and lack of infrastructure in good condition.⁸ The expertise of humanitarian organisations already present can be integral to setting up health facilities to triage and manage COVID-19 patients; however, this should not distract from ensuring governments and partners implementing sustainable strategies to manage outbreaks.

Water, sanitation and hygiene (WASH) in health-care facilities are often disrupted during conflict and instability, with marked deterioration in routine IPC practices.⁸ WASH in healthcare facilities is a core component of quality care and vital to reduce infection rates as recognised by the resolution on WASH in healthcare facilities passed at the 72nd World Health Assembly in 2019.⁹ During this pandemic, limited access to WASH facilities is of particular concern. Hand hygiene is regarded as the key preventive action for limiting the spread of the virus.¹⁰ However, this measure depends on the availability of soap and water and the motivation to comply¹¹—preconditions that are often compromised in humanitarian settings. Similarly, environmental hygiene in healthcare facilities—meaning cleaning and disinfection—depends on water, supplies, equipment and trained staff. The urgency of strengthening WASH in humanitarian settings is clear—with benefits including and beyond COVID-19, but equally wide-reaching consequences of failing in this regard.⁹

Inadequate shelter and overcrowding are known to increase risk of outbreaks, transmission of disease and severity of outbreaks.¹² For example, overcrowding within housing was a key factor in the spread of Ebola virus in Liberia during the 2014 outbreak.⁶ We are likely to see a high spread of COVID-19 within humanitarian settings where overcrowding is an issue, for example, in camps for refugees or internally displaced people, and informal settlements. Interventions endorsed to prevent the spread of COVID-19 such as social distancing will prove extremely challenging to implement. Measures to reduce overcrowding must be prioritised, including upgrading shelter to achieve minimum shelter standards of personal covered living space.⁷ If upgrading shelter is not possible, then one of the following three options recommended by Dahab *et al*, should be implemented based on the type of humanitarian setting: (i)

household-level shielding, (ii) street-level or extended family-level shielding or (iii) neighbourhood-level or sector-level isolation.¹³

COVID-19 has significant implications for humanitarian settings. Inadequate WASH provision and overcrowded living spaces are likely to hamper efforts to interrupt COVID-19 transmission. On a background of weakened health systems with scarce resources and limited number and type of health workers, the effects of COVID-19 are likely to be magnified unless governments and other actors step up action. The right to health of vulnerable populations in humanitarian settings has too often been left behind. It is imperative that we include them in the international, national and local planning and provision of services in this COVID-19 pandemic.

Twitter Lucy Singh @lucy_a_singh and Neha S Singh @neha_s_singh

Contributors LS led the writing of the manuscript. All authors contributed to search of the literature and writing of the manuscript. NSS and KB provided technical guidance specifically related to humanitarian settings. WJG provided technical guidance specifically related to water, sanitation and hygiene.

Funding We received no funding to write this commentary. Salary support for NSS is provided under the RECAP project by the United Kingdom Research and Innovation as part of the Global Challenges Research Fund, grant number ES/P010873/1.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; internally peer reviewed.

Data availability statement No additional data are available.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Lucy Singh <http://orcid.org/0000-0003-0671-0137>

Neha S Singh <http://orcid.org/0000-0003-0057-121X>

REFERENCES

- World Health Organization. Coronavirus disease 2019 (COVID-19) Situation Report - 70, 2020. Available: https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200330-sitrep-70-covid-19.pdf?sfvrsn=7e0fe3f8_4 [Accessed 31 Mar 2020].
- UNHCR. Global trends forced displacement in 2018, 2019. Available: <https://www.unhcr.org/5d08d7ee7.pdf> [Accessed 31 Mar 2020].
- Syed SB, Leatherman S, Neilson M, *et al*. Improving quality of care in fragile, conflict-affected and vulnerable settings. *Bull World Health Organ* 2020;98:2–2A.
- Martineau T, McPake B, Theobald S, *et al*. Leaving no one behind: lessons on rebuilding health systems in conflict- and crisis-affected states. *BMJ Glob Health* 2017;2:e000327.
- Cross S, Gon G, Morrison E, *et al*. An invisible workforce: the neglected role of cleaners in patient safety on maternity units. *Glob Health Action* 2019;12:1480085.
- Tartari E, Allegranzi B, Ang B, *et al*. Preparedness of institutions around the world for managing patients with Ebola virus disease: an infection control readiness checklist. *Antimicrob Resist Infect Control* 2015;4:1–12.
- Who, IFRC, IOM, UNHCR interim guidance Scaling-up COVID-19 outbreak readiness and response operations in humanitarian situations including camps and CAMP-like settings, 2020. Available: [https://interagencystandingcommittee.org/system/files/2020-03/IASC%20Interim%20Guidance%20on%20COVID-19%20for%](https://interagencystandingcommittee.org/system/files/2020-03/IASC%20Interim%20Guidance%20on%20COVID-19%20for%20)

- 20Outbreak%20Readiness%20and%20Response%20Operations%20-%20Camps%20and%20Camp-like%20Settings.pdf [Accessed 19 Mar 2020].
- 8 Gayer M, Legros D, Formenty P, *et al*. Conflict and emerging infectious diseases. *Emerg Infect Dis* 2007;13:1625–31.
- 9 World Health Assembly. Water, sanitation and hygiene in health care facilities, 2019. Available: https://www.who.int/water_sanitation_health/publications/water-and-sanitation-for-health- [Accessed 19 Mar 2020].
- 10 World Health Organization. Infection prevention and control. Available: [https://www.who.int/emergencies/diseases/novel-](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/infection-prevention-and-control) coronavirus-2019/technical-guidance/infection-prevention-and-control [Accessed 19 Mar 2020].
- 11 Michie S, West R, Amlôt R, *et al*. Slowing down the covid-19 outbreak: changing behaviour by understanding it. *BMJ*.
- 12 World Health Organization. What are the health risks related to overcrowding? 2016. Who. Available: https://www.who.int/water_sanitation_health/emergencies/qa/emergencies_qa9/en/ [Accessed 19 Mar 2020].
- 13 Dahab M, van Zandvoort K, Flasche S, *et al*. COVID-19 control in low-income settings and displaced populations: what can realistically be done? *LSHTM*.