

# Conflict as a macrodeterminant of non-communicable diseases: the experience of Libya

Luke N Allen <sup>1</sup>, Mohamed Aghilla,<sup>2</sup> Mohini Kak,<sup>3</sup> Giulia Loffreda,<sup>4</sup> Cervantée Erice Koorey Wild <sup>5</sup>, Arian Hatefi,<sup>6</sup> Christopher H Herbst,<sup>6</sup> Haider El Saeh<sup>2</sup>

**To cite:** Allen LN, Aghilla M, Kak M, *et al*. Conflict as a macrodeterminant of non-communicable diseases: the experience of Libya. *BMJ Global Health* 2022;**7**:e007549. doi:10.1136/bmjgh-2021-007549

**Handling editor** Seye Abimbola

► Additional supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjgh-2021-007549>).

Received 27 September 2021  
Accepted 20 January 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>Department of Clinical Research, London School of Hygiene & Tropical Medicine, London, UK

<sup>2</sup>Libya Center for Disease Control, Tripoli, Libya

<sup>3</sup>World Bank, Tunis, Tunisia

<sup>4</sup>Institute for Global Health and Development, Queen Margaret University, Edinburgh, Scotland

<sup>5</sup>Nuffield Department of Primary Care Health Sciences, University of Oxford, Oxford, UK

<sup>6</sup>World Bank, Washington, DC, USA

## Correspondence to

Dr Luke N Allen;  
[drlukeallen@gmail.com](mailto:drlukeallen@gmail.com)

## INTRODUCTION: CONFLICT, PEACE AND HEALTH

It has been argued that peace and its reciprocal—conflict—are macrodeterminants of health. Nowhere has experienced greater conflict than the Middle East in recent decades.<sup>1–3</sup> The experience of Libya offers potent lessons on the bidirectional relationship between peace and health that extend beyond the immediate violence-related health impacts of civil war.

## CONTEXT: LIBYA'S POLITICAL INSTABILITY

Since the toppling of Muammar Ghaddafi in 2011, numerous political factions have vied to exert control, often backed by competing foreign nations with clashing interests over oil, regional influence and migration. International agencies have largely been working with two competing governments based in Benghazi and Tripoli, respectively. In March 2021, a new Government of National Unity was formed through a UN facilitated process, and formal elections are slated for 12022. The UN Human Rights council estimates that 10000–15 000 people died in the civil war between 15 February and 9 June 2011,<sup>4</sup> and the Global Burden of Disease Collaborative Network estimate that a further 11 355 people have been killed by fighting in the last decade.<sup>1</sup>

We are a group of World Bank health specialists and Libyan policymakers who are working together to bolster Libya's national response to non-communicable diseases (NCDs). These conditions account for over 80% of all deaths in Libya and 78% of disability-adjusted life years.<sup>5</sup> We have been focusing on the 12 WHO-recommended NCD 'best buy' policies (summarised in the online supplemental appendix) that include tobacco and alcohol taxation, reformulation of trans and saturated fats, child junk food marketing regulations and basic medicines

## Summary box

- ⇒ Libya has experienced decades of armed conflict and political instability.
- ⇒ Non-communicable diseases (NCDs) are particularly vulnerable to long-term disruptions in health services and policymaking processes.
- ⇒ Conflict indirectly drives the escalating burden of NCDs, which can stoke civic unrest and propagate further violence and political instability.
- ⇒ This reciprocal of this vicious feedback loop has been demonstrated by sustained NCD policymaking efforts spanning political factions.
- ⇒ Recent data collection, health service reform and NCD guideline development activities that have served East and West populations without distinction are contributing to the building of a collective civic identity.
- ⇒ The stability and cooperation fostered by these activities could potentially help to build small but important bridges towards peace; however, we do not have sufficient evidence to confirm a causative association.

for cardiovascular diseases.<sup>6</sup> These highly cost-effective, population-level policies were unanimously endorsed by all WHO Member States in 2013<sup>7</sup> and again in 2017 at the World Health Assembly.<sup>6</sup> Recent work has shown that countries based in the African continent are among the least likely to have implemented the NCD best buys.<sup>8</sup> Libya has only implemented five of these 12 policies, placing it in the bottom third of all countries.<sup>9</sup> Libya has yet to implement a multisectoral action plan or national targets. A number of nascent cross-departmental NCD policies are in development, but they cannot progress until a legitimate deliberative body, elected with an appropriate mandate, officially endorses these activities and releases the required resources. Libya is unusual in that big tobacco, big food

and big alcohol are not major barriers to policy implementation. Almost all tobacco products are produced illegally and sold on the black market; alcohol is illegal; and the lack of credible food reform has led major manufacturers to largely ignore the country.

In the course of our collaboration, we have performed literature reviews, analysed domestic policy documents and interviewed a range of government policymakers in order to understand how Libya can move forward to implement more of these life-saving policies. Several themes have emerged around the direct and indirect impact of conflict on NCDs.

### CONFLICT AS AN INDIRECT DRIVER OF MORBIDITY AND MORTALITY

Peace is identified as the initial ‘fundamental condition’ for health in the Ottawa Charter,<sup>10</sup> and Levy<sup>11</sup> has argued that ‘without peace, there can be no health’. Conflict and the absence of peace are intuitively associated with violent deaths, and Libya provides ample evidence for the direct impact of fighting on human lives. The quarterly civilian casualty report from the UN Support Mission in Libya enumerates five different categories of mortality: improvised explosive devices, targeted killings, airstrikes, small arms and heavy weapons.<sup>12</sup>

However, conflict can also lead to great harm long before and after physical violence, creating divisions that undermine political solidarity, governmental legitimacy and authority.<sup>11</sup> Conflict also indirectly damages health through disruptions to supply lines, human resources deployment, fractured financing and the provision of healthcare services,<sup>13</sup> and all of these outcomes have been directly observed in Libya.<sup>14 15</sup> Approximately one-third of Libyan primary health facilities have been destroyed in fighting,<sup>16</sup> and ongoing hostilities frustrate the country’s ability to train and deploy doctors, nurses and allied health staff with geographic equity.<sup>17</sup> Libya’s gross domestic product (GDP) fell by two-thirds in the five years following 2011 and has still not recovered.<sup>18</sup> Disruptions to state oil production; a fractured economy; and the emergence of multiple overlapping authorities constrain the nation’s ability to finance and run a functioning public health system. A recent survey of Libya’s health worker diaspora showed that economic collapse brought about by the conflict was the main reason for emigration and that health system reform is the most important factor for inducing future return.<sup>19</sup> There are no estimates for the epidemiological burden stemming from the indirect impact of conflict, but Libya’s health performance indicators are far below what would be expected for an upper-middle income country with such a well-educated population.

### THE UNIQUE RELATIONSHIP BETWEEN CONFLICT, PEACE AND NCDs

While infections, maternal and neonatal care, and nutritional health problems all require functioning health systems, chronic diseases are acutely vulnerable to disruption.<sup>20</sup> The long-term management of diabetes, cancers, chronic lung disease and cardiovascular diseases requires


special attention to coordinated and longitudinal care. As NCDs are driven by upstream economic and political conditions, housing, education, transport, food, international trade policy, etc, the effective prevention and control of these conditions is dependent on a *health in all policies* approach, led by multisectoral committees at the highest levels of (functioning) government.<sup>21 22</sup> WHO places great emphasis on the importance of convening stakeholders from different areas of government to develop and implement national NCD strategies<sup>23 24</sup> and monitors progress in this area for all 194 Member States.<sup>9</sup>

Through our work, we have found that one of the most commonly reported barriers to tackling NCDs in Libya is the inability to pass policies and regulations at the national level. During a decade of conflict, there has not been a single, unified deliberative body either in existence or that possesses the legislative capacity to address NCDs. High morbidity and mortality rates, ballooning levels of obesity, a booming tobacco black market and unregulated junk food sales and marketing are no secret,<sup>5 25</sup> but these significant health problems have—understandably—not been prioritised by successive short-lived governments. This legislative lapidification has forced NCD departments to focus on less impactful ‘downstream’ service delivery strategies and small-scale public awareness and education interventions.

Even if national NCD policies—such as tobacco taxes—were to be endorsed by a legislative body, conflict and instability also present major barriers to implementation and enforcement. As things currently stand, the interim government is working to develop a multisectoral committee to draw up targets and a national strategy; however, even this endeavour has been undermined by the disruption to national surveillance efforts, including a planned second WHO NCD ‘STEPS’ survey. Reinstating disease monitoring systems and epidemiological surveys is essential for understanding the baseline risk profile and epidemiological burden faced by contemporary Libyan society.

### THE CYCLE OF CONFLICT

The relationship between conflict and health service disruption in Libya’s experience can be examined using system thinking.<sup>26</sup> Building on the work of Yusuf *et al*<sup>27</sup> and Arya<sup>28</sup> in 2004, Santa-Barbara and MacQueen<sup>29</sup> presented a cyclical conflict model that illustrates the phases of war and opportunities for prevention, built around a reinforcing feedback loop. They identify public grievances as a key driver of the cycle of violence and argue that it can be broken with ‘primordial prevention’<sup>27</sup> efforts. Poor health has long been identified as an important grievance that can stoke civil unrest and subsequent violence, acting both as an important issue in itself and as a marker for other grievances such as human rights abuses and inequitable resource allocation.<sup>11 30</sup> Although we do not have direct evidence that the rising NCD burden is directly stoking civil unrest in Libya, previous



**Figure 1** A simplified reinforcing feedback loop between conflict and non-communicable diseases.

research has found that the rising incidence of various diseases is strongly associated with the risk of a country becoming engaged in armed conflict.<sup>28 31 32</sup> Based on our experience, we postulate that weak, unequal and inadequate NCD policies and service delivery has contributed to the rapid rise in NCD morbidity and mortality. We also believe that patients and the general population perceive government action to be inadequate and that this represents a public grievance that contributes to civil unrest. Decades of experience from other fragile settings shows that a rising burden of preventable disease can undermine state legitimacy,<sup>33 34</sup> and this can seed the conditions for further conflict and political instability.<sup>35</sup> We have already seen that conflict and political discontinuity undermines health services and obstructs the passing of health policy. As the burden of NCDs rises, the health-related cost of conflict continues to rise. This can lead to a reinforcing feedback loop (figure 1), which must be broken.

### BREAKING THE CYCLE

This special issue highlights how health can build bridges towards peace. Libya's experience provides case study level evidence for the reverse; how conflict, political instability and fragmented governance can directly and indirectly impede progress in tackling a country's most pressing disease burden. We also argue that conflict and NCDs can become self-sustaining, via health service disruption and civil unrest. The issues that we have documented in Libya are generalisable to other settings where conflict and the absence of peace undermine the ability of national authorities to develop, approve, implement and enforce effective health policies.

In 2000, MacQueen and Santa-Barbara identified five mechanisms through which health workers can build peace; conflict management (via medical diplomacy); solidarity (supporting those working to build peace); strengthening the social fabric (using healthcare delivery to serve diverse groups); dissent; and restricting the destructiveness of war.<sup>36</sup> Our work on NCD policymaking has provided several examples of how health workers contribute to strengthening the social fabric by working with and providing services to East and West populations,

irrespective of ethnicity, ideology or any other sociodemographic characteristic.

First, the National Centre for Disease Control's office for NCDs have continued to produce national reports and guidance for the East and West governments throughout the past decade. Second, their epidemiological reports are based on intelligence from primary care centres located throughout the entire country, serving all population groups. Third, efforts to reform the primary care-based NCD health service delivery system have been based on a commitment to serving all Libyans, and fourth, the development of new national NCD guidelines have been drawn up with broad representation from across the East and West. These policy decisions contribute to the building of a 'collective civic identity'<sup>29</sup> and have been further supported by non-state actors operating within the health system: WHO have convened numerous health system workshops that engage representatives from East and West, as well as international and national stakeholders that work to provide services across the country. Aiming to sustain continuity in the leadership and human resources of the national Centre for Disease Control (CDC) and NCD Office is an excellent starting point for the Government of National Unity. The existence of health departments that serve the entire country supports unifying peace-building efforts around a common objective. Health investments that distribute benefits among competing actors is a relatively low-hanging fruit that can foster broader, multisectoral cooperation in the longer term.

### UNITED AGAINST A COMMON ENEMY

Libya's security concerns and interrelated short-term humanitarian crises leave little room for the slow-motion disaster of rising NCDs on the legislative agenda. However, tackling NCDs provides a precious opportunity for unification around a common cause, potentially uniting disparate factions against a common enemy. The statecraft required to tackle NCDs makes these conditions especially vulnerable to conflict, but by the same token, the requirement for coordinated and cohesive governance may also provide a rallying point for the building of stable governance and a more enduring peace.

Given that addressing NCDs is a strategically important but long-term process, the government has been looking for 'quick wins' by identifying maximum-yield NCD interventions. Our current work is part of a broader support package that includes providing analytical and advisory support to develop institutional capacity for data analysis, policymaking, implementation, enforcement and service delivery for NCDs, complementing ongoing efforts by WHO and other development partners. Ongoing cross-party efforts to develop and deliver population-wide services can continue to make a modest but important contribution towards rebuilding a united state. There are potent similarities with NCD prevention in that



peacebuilding is necessarily a 'multi-level' and 'whole of society' endeavour.<sup>29 37 38</sup>

**Twitter** Luke N Allen @drlukeallen and Giulia Loffreda @Giulia\_Loff

**Contributors** LNA conceived the piece and wrote the first draft. All other authors provided conceptual contributions and revised subsequent drafts of the manuscript.

**Funding** This study was funded by World Bank Group.

**Competing interests** MA and HE work at the Libyan Centre for Disease Control.

**Patient consent for publication** Not applicable.

**Ethics approval** This study does not involve human participants.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** All data relevant to the study are included in the article.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

#### ORCID iDs

Luke N Allen <http://orcid.org/0000-0003-2750-3575>

Cervantée Erice Koorey Wild <http://orcid.org/0000-0001-5377-6222>

## REFERENCES

- Global Burden of Disease Collaborative Network. *Global burden of disease study 2019 results*. Seattle, United States: Institute for Health Metrics and Evaluation (IHME), 2020. <http://ghdx.healthdata.org/gbd-results-tool>
- Marmot M, Al-Mandhari A, Ghaffar A, *et al*. Build back fairer: achieving health equity in the eastern Mediterranean region of who. *Lancet* 2021;397:1527–8.
- UCDP Data for download - Department of Peace and Conflict Research - Uppsala University, Sweden [Internet]. Uppsala University, Sweden. Available: <https://www.pcr.uu.se/research/ucdp/ucdp-data/> [Accessed 10 Nov 2021].
- UN Human Rights Council. Report of the International Commission of inquiry to investigate all alleged violations of international human rights law in the Libyan Arab Jamahiriya. A.HRC.17.44\_AUV.pdf, 2011. Available: [https://www2.ohchr.org/english/bodies/hrcouncil/docs/17session/A.HRC.17.44\\_AUV.pdf](https://www2.ohchr.org/english/bodies/hrcouncil/docs/17session/A.HRC.17.44_AUV.pdf) [Accessed 16 Sep 2021].
- Institute for Health Metrics and Evaluation. Viz hub, 2020. Available: <http://vizhub.healthdata.org/gbd-compare> [Accessed 19 Aug 2021].
- World Health Organization. *Tackling NCDs: 'best buys' and other recommended interventions for the prevention and control of noncommunicable diseases. Updated (2017) appendix 3 of the global action plan for the prevention and control of noncommunicable diseases 2013-2020. Endorsed at the 70th World Health Assembly*. Geneva: World Health Organization, 2017. <https://apps.who.int/iris/handle/10665/259232>
- World Health Assembly. Resolution WHA66/9. Draft action plan for the prevention and control of non-communicable diseases 2013–2020 [Internet]. World Health Organization, 2013. Available: [https://apps.who.int/gb/eb/e\\_waha66.html](https://apps.who.int/gb/eb/e_waha66.html) [Accessed 12 Jul 2021].
- Allen LN, Wigley S, Holmer H. Implementation of non-communicable disease policies from 2015 to 2020: a geopolitical analysis of 194 countries. *Lancet Glob Health* 2021;9:e1528–38.
- World Health Organization. Noncommunicable diseases progress monitor 2020, 2020. Available: <https://www.who.int/publications-detail-redirect/ncd-progress-monitor-2020> [Accessed 1 Jul 2021].
- WHO. First International Conference on health promotion, Ottawa, 21 November 1986. Available: <https://www.who.int/teams/health-workforce/world-directory-of-medical-schools/health-promotion> [Accessed 9 Nov 2021].
- Levy BS. Health and peace. *Croat Med J* 2002;43:114–6.
- ReliefWeb. Civilian Casualties report 1 Jan– 31 Mar 2020, 2020. Available: <https://reliefweb.int/sites/reliefweb.int/files/resources/Civilian%20casualties%20report%20from%201%20January%20-%2031%20March%202020.pdf>
- Al Mandhari A, Ghaffar A, Etienne CF. Harnessing the peace dividends of health. *BMJ Glob Health* 2021;6:e006287.
- ReliefWeb. Libya: Health Sector Bulletin (August 2021) - Libya [Internet]. ReliefWeb. Available: <https://reliefweb.int/report/libya/libya-health-sector-bulletin-august-2021> [Accessed 15 Sep 2021].
- WHO EMRO. Service availability and readiness assessment (SARA) report, 2017. Available: <http://www.emro.who.int/lby/libya-infocus/service-availability-and-readiness-assessment-sara-report.html>
- Libyan Ministry of Health. *Primary health care strategy 2020-2022*. Tripoli, 2020.
- World Bank. *The state of primary health care in Libya*, 2021.
- World Bank. GDP per capita (current US\$): Libya. Available: <https://data.worldbank.org/indicator/NY.GDP.PCAP.CD?locations=LY> [Accessed 15 Sep 2021].
- Benamer HT, Bredan A, Bakoush O. The Libyan doctors' brain drain: an exploratory study. *BMC Res Notes* 2009;2:242.
- Bausch FJ, Beran D, Hering H, *et al*. Operational considerations for the management of non-communicable diseases in humanitarian emergencies. *Confl Health* 2021;15:9.
- Allen LN, Feigl AB. Reframing non-communicable diseases as socially transmitted conditions. *Lancet Glob Health* 2017;5:e644–6.
- WHO. Mid-Point evaluation of the implementation of the who global action plan for the prevention and control of noncommunicable diseases 2013–2020 (NCD-GAP), 2020. Available: [https://cdn.who.int/media/docs/default-source/documents/about-us/evaluation/ncd-gap-final-report.pdf?sfvrsn=55b22b89\\_22&download=true](https://cdn.who.int/media/docs/default-source/documents/about-us/evaluation/ncd-gap-final-report.pdf?sfvrsn=55b22b89_22&download=true)
- Shao R, Feil C, Wild CE. Assessing the characteristics of 110 low- and middle-income countries' noncommunicable disease national action plans. *Int J Non-Commun Dis* 2021;6:56.
- WHO. Tools for national Multisectoral action plan for prevention and control of noncommunicable diseases, 2020. Available: <https://apps.who.int/ncd-multisectoral-plantooll/home.html> [Accessed 15 Sep 2021].
- WHO and Libyan Ministry of Health. NCD steps survey: Libya, 2009. Available: [https://www.who.int/ncds/surveillance/steps/Libya\\_2009\\_STEPS\\_FactSheet.pdf](https://www.who.int/ncds/surveillance/steps/Libya_2009_STEPS_FactSheet.pdf) [Accessed 15 Sep 2021].
- Knai C, Petticrew M, Mays N, *et al*. Systems thinking as a framework for analyzing commercial determinants of health. *Milbank Q* 2018;96:472–98.
- Yusuf S, Anand S, MacQueen G. Can medicine prevent war? *BMJ* 1998;317:1669–70.
- Arya N. Peace through health I: development and use of a working model. *Med Confl Surviv* 2004;20:242–57.
- Santa Barbara J, MacQueen G. Peace through health: key concepts. *Lancet* 2004;364:384–6.
- Patel P. Health as a cause of conflict [Internet]. CIDOB, 2016. Available: [https://www.cidob.org/content/download/65606/2012300/file/13-16\\_PREETI+PATEL.pdf](https://www.cidob.org/content/download/65606/2012300/file/13-16_PREETI+PATEL.pdf) [Accessed 10 Nov 2021].
- Hotez PJ. Vaccines as instruments of foreign policy: the new vaccines for tropical infectious diseases may have unanticipated uses beyond fighting diseases. *EMBO Rep* 2001;2:862–8.
- Moodie M. *Contagion and conflict: health as a global security challenge*. Centre for Strategic and International Studies, 2000: 88.
- Haar RJ, Rubenstein L. Health in Post-Conflict and Fragile States [Internet]. United States Institute of Peace. Available: <https://www.usip.org/publications/2012/01/health-post-conflict-and-fragile-states> [Accessed 15 Sep 2021].
- Ottersen OP, Dasgupta J, Blouin C, *et al*. The political origins of health inequity: prospects for change. *The Lancet* 2014;383:630–67.
- World Health Organization. *Health and peace initiative*. Geneva: World Health Organization, 2020. <https://apps.who.int/iris/handle/10665/332938>
- MacQueen G, Santa-Barbara J. Peace building through health initiatives. *BMJ* 2000;321:293–6.
- International Colloquium on Peacemaking G Ed, International Alert (Organization) GZOPI (Quezon C Philippines), Ateneo de Manila University, Center for Social Policy and Public Affairs, editors. *Pilgrim voices: citizens as peacemakers: an International Colloquium on Peacemaking*. London; [Quezon City: International Alert; Gaston Z. Ortigas Peace Institute and Ateneo Center for Social Policy and Public Affairs: Distributed by the Ateneo de Manila University Press, 1993].
- Lederach JP. *Building peace: sustainable reconciliation in divided societies*. United States Institute of Peace Press, 1997: 12.

## Appendix

### The WHO NCD Best Buy policies and Libya's performance from 2015-2020

The WHO has presented Best Buy NCD progress monitor reports in 2015, 2017, and 2020 where they assess the degree of implementation of each policy.<sup>1-3</sup>

#### Scores

0 (red) = not implemented  
 0.5 (light green) = partial implementation  
 1 (dark green) = full implementation

	2015	2017	2020
<b>1. Targets, Data Collection and Plans</b>			
Set national NCD targets	0	0	0
Routine mortality data collection	0	0	0
Regular risk factor surveys	0.5	0.5	0
Multisectoral NCD plan	0	0	0
<b>2. Tobacco</b>			
Tobacco tax	0	0	0
Smoke free places	1	1	1
Tobacco graphic warnings	0	0	0
Tobacco advertising restrictions	1	1	1
Tobacco mass media campaigns	NA	0	0
<b>3. Alcohol</b>			

Conflict as a macro-determinant of noncommunicable diseases: the experience of Libya

Alcohol sales restrictions	1	1	1
Alcohol advertising restrictions	1	1	1
Alcohol tax	1	1	1
<b>4. Diet</b>			
Salt reduction policies	0	0	0
Fat reduction policies	0	0	0
Child food marketing policies	0	0	0
Breast-milk substitute marketing	0	0	0
<b>5. Physical activity</b>			
Physical activity mass media	0	0	0
<b>6. Primary care guidelines and therapeutics</b>			
Clinical guidelines	0	0	0.5
Cardiovascular therapies	0	0	0
<b>Total</b>	<b>5.5</b>	<b>5.5</b>	<b>5.5</b>

## References

1. World Health Organization. Noncommunicable Diseases Progress Monitor 2015. 2015 [cited 2021 Jul 1]; Available from: <https://www.who.int/publications-detail-redirect/noncommunicable-diseases-progress-monitor-2015>
2. World Health Organization. Noncommunicable Diseases Progress Monitor 2017. 2017 [cited 2021 Jul 1]; Available from: <https://www.who.int/publications-detail-redirect/9789241513029>
3. World Health Organization. Noncommunicable Diseases Progress Monitor 2020. 2020 [cited 2021 Jul 1]; Available from: <https://www.who.int/publications-detail-redirect/ncd-progress-monitor-2020>

Conflict as a macro-determinant of noncommunicable diseases: the experience of Libya