

# A study is 21 times more likely to find unfavourable results about the nutrition label Nutri-Score if the authors declare a conflict of interest or the study is funded by the food industry

Stephane Besancon,<sup>1</sup> David Beran ,<sup>2</sup> Malek Batal<sup>3</sup>

**To cite:** Besancon S, Beran D, Batal M. A study is 21 times more likely to find unfavourable results about the nutrition label Nutri-Score if the authors declare a conflict of interest or the study is funded by the food industry. *BMJ Global Health* 2023;**8**:e011720. doi:10.1136/bmjgh-2023-011720

**Handling editor** Seye Abimbola

► Additional supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjgh-2023-011720>).

Received 7 January 2023

Accepted 3 May 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>CEO, NGO Santé Diabète, Bamako, Mali

<sup>2</sup>Division of Tropical and Humanitarian Medicine, UNIGE, Geneva, Switzerland

<sup>3</sup>Département de nutrition, Faculté de Médecine, UdeM, Montreal, Québec, Canada

## Correspondence to

Pr Stephane Besancon;  
stephane.besancon@  
santediabete.org

Diseases related to unhealthy diets were responsible for 11 million deaths worldwide in 2017.<sup>1</sup> Non-communicable diseases, such as type 2 diabetes, cardiovascular diseases and cancer, are responsible for 80% of the disease burden in European Union countries. They are the leading cause of avoidable premature deaths and have become a major burden for health systems.<sup>1 2</sup> Dietary factors have long been recognised as one of the leading risk factors of these chronic diseases<sup>1-5</sup> and key policy levers for public health as they represent modifiable determinants that could be addressed through primary prevention interventions.<sup>3</sup> This is why worldwide government-led strategies and policies have introduced interventions aiming at improving diets in the population. Among the different possible interventions, front-of-pack nutrition labels (FoPNLs) have received growing attention of public health authorities by delivering simple at-a-glance nutritional information allowing consumers to easily compare nutritional quality across food products.

The Nutri-Score is a summary-graded colour-coded FoPNL aiming to inform consumers, in a simple and understandable way, about the overall nutritional value of food products. That way it helps them make better-informed and healthier choices at the point of purchase. It also encourages manufacturers to improve the nutritional quality of their products.<sup>4</sup> It uses a five-colour scale (from dark green to dark orange) associated with letters, from A (the best) to E (the worst).

Scientists, health professionals, learned societies, expert committees and public health authorities consider that the Nutri-Score relies on very strong scientific evidence, both in how the score is developed and in the demonstration of its effectiveness and usefulness in terms of

## SUMMARY BOX

- ⇒ Many scientists and health professionals consider that scientific evidence that supports front-of-pack nutrition labelling, such as 'Nutri-Score', becomes mandatory in Europe to help consumers make healthier choices at the point of purchase.
- ⇒ Politicians and political parties, food manufacturers and some agricultural sectors are opposed to nutrition labelling such as 'Nutri-Score' as they claim that scientific studies insufficiently support making it into a policy.
- ⇒ The findings of 83% of studies published in peer-reviewed journals support nutrition labelling such as 'Nutri-Score'.
- ⇒ The probability for an article to show results that are not favourable to nutrition labelling such as 'Nutri-Score' is 21 times higher if the authors declare a conflict of interest or if the study is funded by the food industry.

public health.<sup>5 6</sup> Given the evidence these experts consider that Nutri-Score should become mandatory in Europe. On the other hand, Nutri-Score is the subject of much criticism and numerous attacks by food manufacturers and some agricultural sectors. Some of this criticism is also relayed by politicians and political parties. These detractors claim that scientific studies are insufficient to support the use of Nutri-Score. Since this nutrition labelling was first used in 2014, numerous scientific studies have been published in peer-reviewed scientific journals investigating the validity of its underlying nutrient profile model and graphic design. A review of the literature (see online supplemental appendix) found a total of 149 scientific articles on Nutri-Score (or its initial version, the five-colour FoPNL or 5C label) have been published in peer-reviewed journals between January 2013 and September 2022.

Of these, 15 articles focused on the description of some food characteristics and/or evaluation of its implementation, including the evolution of its adoption by the food manufacturers and the role of industry lobbying. Of the 134 articles (110 original articles and 24 general reviews) investigating the effectiveness of the Nutri-Score using various criteria (validation of the underlying nutrient profile model or graphic design), 111 (83%) have conclusions favourable to the Nutri-Score. These articles, for example, demonstrated the relevance of the underlying algorithm,<sup>7</sup> a better performance than other existing nutrition labels in terms of perception/attractiveness,<sup>8</sup> an impact on food selection and on the nutritional quality of food purchases.<sup>9</sup>

Only 23 of the 134 articles (17%) on the effectiveness of the labelling model had results not favourable to the Nutri-Score. These 23 articles did not demonstrate its effectiveness, or showed less favourable effects than other labels,<sup>10</sup> or suggested that its algorithm be improved.<sup>11</sup>

Of the 111 studies considered favourable to the Nutri-Score, only 2 included declarations of a conflict of interest or indicated that the authors had received funding from the food industry (1.8%). Conversely, 9 of the 23 studies presenting results which are not favourable (39.1%) included a conflict of interest by the authors or that the study had received funding from the food industry. Among these nine studies, six<sup>11–16</sup> are narrative reviews or papers not presenting any original research. These especially aim to sow doubts about the validity of the algorithm underlying the computation of Nutri-Score and/or on those demonstrating its efficiency in terms of objective understanding, food choice and impact on the nutritional quality of food purchases.

This can be seen, for example, in two recently narrative reviews funded by the food industry that resulted in negative findings on Nutri-Score, questioning the positive conclusions of the authors of the original scientific works.<sup>12 14</sup> Three private structures were involved in the funding (or conflicts of interest of authors) of studies not favourable to Nutri-Score: the Dutch Dairy Association, Federalimentare (the Italian Federation of the Food Industry) and the Italian Nutrition Foundation (supported by 18 Italian food manufacturers). The impact of such private support to research specifically aims to prevent Nutri-Score from being adopted in 2023 as the single mandatory FoPNL in Europe as part of the Farm to Fork Strategy of the European Commission.

The probability for an article to show results that are not favourable to nutrition labelling such as 'Nutri-Score' is 21 times higher if the authors declared a conflict of interest or if the study was funded by the food industry. This finding of unfavorable results to Nutri-score in papers declaring a conflict of interest or that are funded by the food industry persists and is seven times higher even if all studies where the academic research team that developed Nutri-Score (without any conflict of interest) are excluded (38 articles published by the academic research team and 35 articles published in

collaboration between the team and other academic research teams).

These results about the role of financial conflicts of interest on the results of studies on Nutri-Score confirm the links between funding for studies and their results, the so-called funding bias, already described in several publications.<sup>12 17–22</sup> A study<sup>20</sup> analysing articles published in 2018 in 10 nutrition and dietetics journals found that more than half (55%) of the articles for which the food industry provided funding had results aligned to the interests of the food industry, compared with only 9.7% of the articles published without food industry support.

This review shows that industry-funded research focuses on narrative reviews aimed at casting doubt on the relevance of findings of previous scientific papers whose results are favourable to Nutri-Score. Taking into account conflicts of interest and industrial funding appears to be an important indicator when assessing the relevance and the performance of a public health tool such as FoPNL Nutri-Score. Such focus on funding sources and conflicts of interest can help shed light on the various strategies used by the food production and processing industry and other economic actors to discredit tools or policies that are deemed a threat to the economic interests of these actors.<sup>23</sup> The food industry is only one of many private sector groups trying to influence policy and practice.

Addressing this issue requires on the one hand strong government support for independent scientific research. On the other hand, policymakers need to be made aware and held accountable if and when conflicts of interest arise in decision-making processes.

Accountability can be promoted by academia and civil society through research, publications and debates of these issues in the public domain including in scientific journals. Scientific journals also play a key role in guaranteeing that conflicts of interests are disclosed. Finally, it is important to guarantee maximum transparency on funding from private sources so that certain private sector interests do not take precedence over science.

**Twitter** Stephane Besancon @StephBesancon

**Contributors** SB contributed to literature review and writing designated sections of the manuscript. SB prepared the first draft. The final revision was done by DB and MB.

**Funding** The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

**Competing interests** None declared.

**Patient consent for publication** Not required.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** All data relevant to the study are included in the article or uploaded as supplementary information.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

# ORCID iD

David Beran <http://orcid.org/0000-0001-7229-3920>

## REFERENCES

- 1 Afshin A, Sur PJ, Fay KA, *et al*. Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2019;393:1958–72.
- 2 European Commission. Public health-non-communicable diseases – overview. n.d. Available: [https://health.ec.europa.eu/non-communicable-diseases/overview\\_en#:~:text=Non%2Dcommunicable%20diseases%20\(NCDs\),causes%20of%20avoidable%20premature%20deaths](https://health.ec.europa.eu/non-communicable-diseases/overview_en#:~:text=Non%2Dcommunicable%20diseases%20(NCDs),causes%20of%20avoidable%20premature%20deaths)
- 3 Murray CJL, Aravkin AY, Zheng P, *et al*. Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the global burden of disease study 2019. *Lancet* 2020;396:1223–49.
- 4 Julia C, Hercberg S. Development of a new front-of-pack nutrition label in France: the five-colour nutri-score. *Public Health Panor* 2017;3:712–25.
- 5 Hercberg S, Touvier M, Salas-salvado J and group of European scientists supporting the implementation of nutri-score in Europe. *Int J Vitam Nutr Res* 2022;92:147–57.
- 6 International Agency for Research on Cancer (IARC/WHO). The nutri-score: a science-based front-of-pack nutrition label helping consumers make healthier food choices. n.d. Available: [https://www.iarc.who.int/wpcontent/uploads/2021/09/IARC\\_Evidence\\_Summary\\_Brief\\_2.pdf](https://www.iarc.who.int/wpcontent/uploads/2021/09/IARC_Evidence_Summary_Brief_2.pdf)
- 7 Gómez-Donoso C, Martínez-González MÁ, Perez-Cornago A, *et al*. Association between the nutrient profile system underpinning the nutri-score front-of-pack nutrition label and mortality in the sun project: a prospective cohort study. *Clin Nutr* 2021;40:1085–94.
- 8 Talati Z, Egnell M, Hercberg S, *et al*. Consumers' perceptions of five front-of-package nutrition labels: an experimental study across 12 countries. *Nutrients* 2019;11:1934.
- 9 van den Akker K, Bartelet D, Brouwer L, *et al*. The impact of the nutri-score on food choice: a choice experiment in a Dutch supermarket. *Appetite* 2022;168:S0195-6663(21)00571-7.
- 10 Packer J, Russell SJ, Ridout D, *et al*. Assessing the effectiveness of front of pack labels: findings from an online randomised-controlled experiment in a representative British sample. *Nutrients* 2021;13:900.
- 11 Kissonck KR, Vieux F, Mathias KC, *et al*. Correction to: aligning nutrient profiling with dietary guidelines: modifying the nutri-score algorithm to include whole grains. *Eur J Nutr* 2022;61:555.
- 12 van der Bend DLM, van Eijsden M, van Roost MHI, *et al*. The nutri-score algorithm: evaluation of its validation process. *Front Nutr* 2022;9:974003.
- 13 Mazzù MF, Baccelloni A, Finistauri P. Uncovering the effect of European policy-making initiatives in addressing nutrition-related issues: a systematic literature review and bibliometric analysis on front-of-pack labels. *Nutrients* 2022;14:3423.
- 14 Peters S, Verhagen H. An evaluation of the nutri-score system along the Reasoning for scientific substantiation of health claims in the EU-A narrative review. *Foods* 2022;11:2426.
- 15 Donini LM, Berry EM, Folkvord F, *et al*. Front-of-pack labels: Directive versus informative approaches. *Nutrition* 2023;105:S0899-9007(22)00274-X.
- 16 Muzzioli L, Penzavecchia C, Donini LM, *et al*. Are front-of-pack labels a health policy tool? *Nutrients* 2022;14:771.
- 17 Lesser LI, Ebbeling CB, Goozner M, *et al*. Relationship between funding source and conclusion among nutrition-related scientific articles. *PLoS Med* 2007;4:e5.
- 18 Chartres N, Fabbri A, Bero LA. Association of industry sponsorship with outcomes of nutrition studies: a systematic review and meta-analysis. *JAMA Intern Med* 2016;176:1769–77.
- 19 Nestle M. Corporate funding of food and nutrition research: science or marketing? *JAMA Intern Med* 2016;176:13–4.
- 20 Lesser LI. Reducing potential bias in industry-funded nutrition research. *Am J Clin Nutr* 2009;90:699–700.
- 21 Massougbojji J, Le Bodo Y, Fratu R, *et al*. Reviews examining sugar-sweetened beverages and body weight: correlates of their quality and conclusions. *Am J Clin Nutr* 2014;99:1096–104.
- 22 Sacks G, Riesenberger D, Mialon M, *et al*. The characteristics and extent of food industry involvement in peer-reviewed research articles from 10 leading nutrition-related journals in 2018. *PLoS ONE* 2020;15:e0243144.
- 23 Nestle M. Conflicts of interest in the regulation of food safety: a threat to scientific integrity. *JAMA Intern Med* 2013;173:2036–8.

### **Annex : methodology for the review presented in the commentary**

We identified all studies performed on Nutri-Score (and its initial version, the 5-colours FoPNL or 5C label) published between January 1st 2014 and September 30th 2022 by a systematic search in PUBMED, using the keywords « Nutri-Score », « 5-C label », « 5-C label + Front-of-pack nutrition labels » and « Nutri-Score + Front-of-pack nutrition labels ».

The articles were then classified by two independent scientific readers into:

- 1) original articles (including articles presenting specific results about the characteristics and performances of the Nutri-Score assessed alone or in comparison to other nutrition labels);
- 2) general reviews (systematic reviews, narrative reviews, conceptual articles and papers about the context of the Nutri-Score roll out).

The determination of the existence of conflicts of interest was based on the informations given by the authors within the publications in both the Conflict of Interest section and the Funding section. This include declaration about if some of the authors were salaried employees or received grants, contracts and honoraria from private entities with an interest in the topic and/or if some served directly as consultant for the specific study and/or if they received financial support for conducting the literature search and writing the manuscript and/or if some were members (even non-paid) of working group, institutes or organization supported by food companies and/or if the authors declared that the research received fundinds from private entities

Articles were classified as ‘supporting’ if the authors reported positive findings regarding the validation of the nutrient profile model (alignment with dietary recommendations, associations with dietary intakes, nutritional status or health events in the expected direction) or validation of the graphical design (favourable perception, objective understanding, effects on purchasing intention or purchases in the expected direction).

Articles were classified as ‘non-supportive’ if they reported non-significant associations or results in the opposite direction as expected. For reviews, articles were classified as ‘supporting’ if they overall concluded in favour of the Nutri-Score, and ‘non-supportive’ otherwise.

## Appendix to support the publication text

The table presenting the 134 articles (titles, 1st author, review and references). It also presents the classification made on the conclusions of the articles in favorable (F, n=111) and unfavorable (U, n=23) but also the information on the COI or not and of interest/private funding (with the description of COI) (2 F/111 and 9 U/23). Finally, it presents the articles published by EREN researchers alone (n= 38, row with O in the column entitled articles published by scientidts of EREN only) or within the framework of publications in cooperation with other researchers (n=35, row with O in the column entitled articles that associate scientists of EREN and scientists from other teams).

		Articles favorable to Nutri-Score	Articles unfavorable to Nutri-Score	Articles with COI of authors and/or ptivate fundings (declared in the paper)	Articles published by scientidts of EREN (only)	Articles that associate scientists of EREN and scientists from other teams
1	Introducing the Front-Of-Pack Acceptance Model: the role of usefulness and ease of use in European consumers' acceptance of Front-Of-Pack Labels. Mazzù MF et al <i>Int J Food Sci Nutr.</i> 2022 May;73(3):378-395		U			
2	Association between the nutrient profile system underpinning the Nutri-Score front-of-pack nutrition label and mortality in the SUN Project : a prospective cohort study Gómez-Donoso C et al <i>Clin Nutr.</i> 2021 Mar;40(3):1085-1094.	F				
3	Front-of-package food labels : A narrative review Temple NJ. <i>Appetite.</i> 2020 Jan 1 ;144:104485. doi : 10.1016/j.appet.2019.104485. Epub 2019 Oct 9		U			
4	Food consumption based on the nutrient profile system underlying the Nutri-Score and renal function in older adults.	F				

	Montero-Salazar H et al <i>Clin Nutr.</i> 2022 Jul;41(7):1541-1548.					
5	Associations Between the Modified Food Standard Agency Nutrient Profiling System Dietary Index and Cardiovascular Risk Factors in an Elderly Population Khoury N et al <i>Front. Nutr.</i> , 14 July 2022	F		COI JSS served on the board of the International Nut and Dried Fruit Council and received grant support through this institution. He also served in the Executive Committee of the Instituto Danone, Spain, and on the Scientific Committee of the Danone International Institute. He received research support from the Patrimonio Comunal Olivarero, Spain, and Borges S.A., Spain. He received consulting fees or travel expenses from Eroski Foundation, the Instituto Danone, Spain, Mundipharma and Abbot Laboratories. ER reports grants, personal fees, non-financial support, and others from California Walnut Commission and Alexion, personal fees, non-financial support, and others from Ferrer International and Danone, and personal fees from Amarin, other than the submitted study.		
6	The Nutri-Score nutrition label : a public health tool based on rigorous scientific evidence aiming to improve the nutritional status of the population	F				O
7	Nutri-Score labeling has improved a lot Rodríguez Artalejo F et al <i>Nutr Hosp.</i> 2022 Dec 20;39(6):1203-1204. doi: 10.20960/nh.04503	F				
8	Five-color Nutri-Score labeling and mortality risk in a nationwide, population-based cohort in Spain : the Study on Nutrition and Cardiovascular Risk in Spain (ENRICA) Donat-Vargas C et al	F				



	<i>Am J Clin Nutr.</i> 2021 May 8;113(5):1301-1311					
9	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects : Comparisons with other format labels Egnell M et al <i>PLoS one</i> 13, no 8, 2018 : e0202095	F			O	
10	Comparison of appropriateness of Nutri-Score and other front-of-pack nutrition labels across a group of Moroccan consumers : awareness, understanding and food choices Aguenao H et al <i>Archives of Public Health</i> , May 6;79(1):71.	F				
11	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease Egnell M et al <i>Int. J. Behav. Nutr. Phys. Act.</i> 2019, 16, 56.	F				O
12	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe : Results from the EPIC prospective cohort study. Deschasaux M et al <i>PLoS medicine</i> 15, no 9, 2018 : e1002651.	F				O
13	Are self-reported unhealthy food choices associated with an increased risk of breast cancer ? Prospective cohort study using the British Food Standards Agency nutrient profiling system Deschasaux M et al <i>BMJ open</i> 7, no 6, 2017 : e013718.	F			O	
14	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality : EPIC cohort study in 10 European countries Deschasaux M et al <i>BMJ.</i> 2020 Sep 16;370:m3173. doi: 10.1136/bmj.m3173. PMID: 32938660; PMCID: PMC7491938	F				O

15	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk Adriouch S et al <i>European journal of preventive cardiology</i> 23, no 15 (2016) : 1669-76.	F			O	
16	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System Donnenfeld M et al <i>British Journal of Nutrition</i> 114, no 10 (2015) : 1702 10.	F			O	
17	Joint association of food nutritional profile by Nutri-Score front-of-pack label and ultra-processed food intake with mortality: Moli-sani prospective cohort study Bonaccio M et al <i>BMJ</i> 2022; 378 doi: <a href="https://doi.org/10.1136/bmj-2022-070688">https://doi.org/10.1136/bmj-2022-070688</a>	F				
18	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU. VI. MAX cohort Julia C et al. <i>Preventive medicine</i> 81 (2015) : 189 94.	F			O	
19	Nutri-Score : the results 3 years after its official adoption In France Hercberg S Rev Prat 2021 Feb ;71(2):151-154	F			O	
20	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products : A Comparative Study across 8 European Countries Dréano-Trécant L, et al. <i>Nutrients</i> 2020, 12(5), 1303	F			O	
21	Ability of the Nutri-Score front-of-pack nutrition label to discriminate the nutritional quality of foods in the German food market and consistency with nutritional recommendations	F			O	



	Szabo de Edelenyi F <i>Archives of Public Health</i> (2019)					
22	Performance of a five category front-of-pack labelling system—the 5-colour nutrition label—to differentiate nutritional quality of breakfast cereals in France Julia C et al <i>BMC public health</i> 15, no 1 (2015) : 179.	F			O	
23	Application of the British Food Standards Agency nutrient profiling system in a French food composition database Julia C et al <i>British Journal of Nutrition</i> 112, no 10 (2014) : 1699 1705.	F			O	
24	Alignment of Nutri-Score with Mediterranean Diet Pyramid: A Food Level Analysis. Vlassopoulos, A et al <i>Nutrients</i> 2022, 14, 5097	F				
25	Food Choice Under Five Front-of-Package Nutrition Label Conditions : An Experimental Study Across 12 Countries Talati Z et al <i>Am J Public Health.</i> 2019 ;109(12):1770 5	F				O
26	Relationship between front-of-pack labeling and nutritional characteristics of food products: An attempt of an analytical approach. Martini D et al <i>Front Nutr.</i> 2022 Aug 19;9:963592		U	COI <i>Open access publication fees are supported by Nutrition Foundation of Italy (NFI). Authors AP and FM are, respectively, President and Scientific Director at NFI, a non-profit organization partially supported by 18 food companies</i>		
27	Validation of the FSA nutrient profiling system dietary index in French adults—findings from SUVIMAX study Julia C et al. <i>European journal of nutrition</i> 55, no 5 (2016) : 1901 10.	F			O	
28	The 5-CNL front-of-pack nutrition label appears an effective tool to achieve food substitutions towards healthier diets across dietary profiles Julia C et al <i>PLoS one</i> 11, no 6 (2016) : e0157545.	F			O	

29	Score de qualité nutritionnelle des aliments de la Food Standards Agency appliqué aux consommations alimentaires individuelles des adultes en France Deschamps V et al <i>BEH, 24-25- 7 juillet 2015</i>	F			O	
30	Experimental study of front-of-package nutrition labels' efficacy on perceived healthfulness of sugar-sweetened beverages among youth in six countries. Hock K et al <i>Prev Med Rep. 2021 Sep 28;24:101577.</i>		U			
31	Food Choice Under Five Front-of-Package Nutrition Label Conditions : An Experimental Study Across 12 Countries Talati Z et al <i>Am J Public Health. 2019 ;109(12):1770 5</i>	F				O
32	A cross-country experimental study on consumers' subjective understanding and liking on front-of-pack nutrition labels Mazzù MF et al <i>Int J Food Sci Nutr. 2021 Sep;72(6):833-847.</i>		U	COI This research received non-conditional funding from Federalimentare		
33	Objective understanding of the Nutri-score front-of-pack label by European consumers and its effect on food choices : an online experimental study Egnell M et al <i>International Journal of Behavioral Nutrition and Physical Activity (2020)</i>	F				O
34	Consumers' Perceptions of Five Front-of-Package Nutrition Labels : An Experimental Study Across 12 Countries Talati Z et al <i>Nutrients. 2019 Aug 16 ;11(8)</i>	F				O
35	Associations between the Nutrient Profiling System Underlying the Nutri-Score Nutrition Label and Biomarkers of Chronic Low-Grade Inflammation: A Cross-Sectional Analysis of a Middle- to Older-Aged Population. Millar SR et al <i>Nutrients. 2022 Jul 29;14(15):3122.</i>	F				

36	Literacy and Its Associations with Understanding and Perception of Front-of-Package Nutrition Labels among Higher Education Students. Hoge A et al <i>Int J Environ Res Public Health</i> . 2022 Jul 19;19(14):8751.	F				
37	The impact of the Nutri-Score nutrition label on perceived healthiness and purchase intentions De Temmerman J et al <i>Appetite</i> (2021), 157:104995. doi: 10.1016/j.appet.2020.104995	F				
38	Nutri-Score and Nutrition Facts Panel through the Eyes of the Consumer : Correct Healthfulness Estimations Depend on Transparent Labels, Fixation Duration, and Product Equivocality Bossuyt S et al <i>Nutrients</i> 2021, 13; 9, 2915	F				
39	Consumers' food choices, understanding and perceptions in response to different front-of-pack nutrition labelling systems in Belgium: results from an online experimental study. Vandevijvere S et al <i>Arch Public Health</i> . 2020, 3;78:30.	F				O
40	Bulgarian consumers' objective understanding of front-of-package nutrition labels : a comparative, randomized study Andreeva VA et al <i>Public Health</i> 78, 35 (2020).	F				O
41	Cross-sectional comparisons of dietary indexes underlying nutrition labels: nutri-score, Canadian 'high in' labels and Diabetes Canada Clinical Practices (DCCP). Paper L et al <i>Eur J Nutr</i> 2022. Epub 2022 Aug 12.	F				O
42	Types and Aspects of Front-of-Package Labeling Preferred by Parents: Insights for Policy Making in China. Cui J et al <i>Nutrients</i> . 2022 Feb 14;14, 4:800.		U			

43	Compared to other front-of-pack nutrition labels, the Nutri-Score emerged as the most efficient to inform Swiss consumers on the nutritional quality of food products Egnell M et al <i>Plos One (2020) Feb 27;15(2):e0228179</i>	F				O
44	The Effect of Randomly Providing Nutri-Score Information on Actual Purchases in Colombia Mora-García CA et al <i>Nutrients 2019, 11, 491</i>		U			
45	Awareness, Perception and Self-Reported Impact on Food Choices among French Adolescents. Ducrot P et al <i>Nutrients. 2022 Jul 29;14(15):3119</i>	F				O
46	Appropriation of the Front-of-Pack Nutrition Label Nutri-Score across the French Population: Evolution of Awareness, Support, and Purchasing Behaviors between 2018 and 2019. Sarda B et al. <i>Nutrients 2020, 12, 2887</i>	F				O
47	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population : cross-sectional study among the NutriNet-Santé cohort participants Julia C et al <i>BMJ Open 7, 6 (2017) : e016108.</i>	F			O	
48	Perception de différents systèmes d'information nutritionnelle actuellement proposés en France en fonction du statut pondéral Julia C et al <i>Obes. 12, 1, 2017, 5-15.</i>	F			O	
49	Effectiveness of front-of-pack nutrition labels in French adults : results from the NutriNet-Sante cohort study Ducrot P et al <i>PloS one 10, 10 ; 2015 : e0140898.</i>	F			O	
50	Objective understanding of front-of-package nutrition labels among nutritionally at-risk individuals	F			O	

	Ducrot et al <i>Nutrients</i> 7, 8, 2015 : 7106 25.					
51	The influence of the Nutri-Score on the perceived healthiness of foods labelled with a nutrition claim of sugar. Jürkenbeck K et al. <i>PLOS One</i> 17, 8: e0272220.	F				
52	Nutri-Score : Effectiveness of the Nutrition Label introduced in France Julia C et al <i>Ernährung Umschau</i> , 2017, 64, no 12 : M685 91.	F			O	
53	Front-of-pack Nutri-Score labelling in France : an evidence-based policy Julia C et al <i>Lancet Public Health</i> 3, no 4 (2018) : e164.	F			O	
54	Comparison of front-of-pack labels to help German consumers understand the nutritional quality of food products. Colour-coded labels outperform all other systems Egnell M et al <i>Ernährung Umschau</i> , 66, 5, 76-84, 2019	F				O
55	Online Consumer Survey Comparing Different Front-of-Pack Labels in Greece Kontopoulou L et al <i>Nutrients</i> 2022, 14, 46.	F				
56	Nutri-Score and NutrInform Battery: Effects on Performance and Preference in Italian Consumers. Fialon M et al <i>Nutrients</i> . 2022 Aug 26;14(17):3511	F				O
57	Effects on consumers' subjective understanding of a new front-of-pack nutritional label : a study on Italian consumers Mazzù MF et al <i>International Journal of Food Sciences and Nutrition</i> 2021 May, 72, 3:357-366		U	COI This research received non-conditional funding from Federalimentare		
58	Le logo nutritionnel Nutri-Score : un outil au service du consommateur marocain. Aguentaou H et al <i>Rev Mar Sciences Agron Vet</i> 6, 3, 2018	F				O

59	Nutri-Score and NutrInform Battery: Effects on Performance and Preference in Italian Consumers. Fialon M et al <i>Nutrients</i> . 2022 Aug 26, 14, 17, 3511	F				O
60	Guideline Daily Amounts Versus Nutri-Score Labeling: Perceptions of Greek Consumers About Front-of-Pack Label. Kontopoulou L et al <i>Cureus</i> 2022, 14(12): e32198	F				
61	Impact of different front-of-pack nutrition labels on foods according to their nutritional quality : a comparative study in Mexico Hernández-Nava LG et al <i>Salud Publ Mex</i> .Oct 2019, 61(5):609-18	F				
62	Polish Consumers' Understanding of Different Front-of-Pack Food Labels: A Randomized Experiment. Andreeva VA et al <i>Foods</i> . 2022 Jan 5;11(1):134	F				O
63	Nutri-Score : The Most Efficient Front-of-Pack Nutrition Label to Inform Portuguese Consumers on the Nutritional Quality of Foods and Help Them Identify Healthier Options in Purchasing Situations Goiana-da-Silva F et al <i>Nutrients</i> 2021 Nov 30;13(12):4335.	F				O
64	Impact of different front-of-pack nutrition labels on online food choices. Santos O et al <i>Appetite</i> . 2020 Nov 1;154:104795		U			
65	Nutri-Score : A Public Health Tool to Improve Eating Habits in Portugal Goiana-Da-Silva F et al <i>Acta Med Port</i> 2019 Mar, 32(3):175-178	F				
66	Toward a differentiated understanding of the effect of Nutri-Score nutrition labeling on healthier food choices Gassler B et al <i>Agribus</i> . July 29, 2022, 39, 1, 28-50	F				

67	Evaluation of the Ability of Nutri-Score to Discriminate the Nutritional Quality of Prepacked Foods Using a Sale-Weighting Approach Hafner E et al <i>Foods. 2021 Jul 22 ;10(8):1689</i>	F				
68	Effects on Consumers' Subjective Understanding and Liking of Front-of-Pack Nutrition Labels : A Study on Slovenian and Dutch Consumers. Baccelloni A et al <i>Foods. 2021 Dec 1 ;10(12):2958</i>		U			
69	Effect of Nutri-Score labeling on sales of food items in stores at sports and non-sports facilities. Ahn C et al <i>Prev Med Rep. 2022 Jul 21;29:f919.</i>		U			
70	Is FOP Nutrition Label Nutri-Score Well Understood by Consumers When Comparing the Nutritional Quality of Added Fats, and Does It Negatively Impact the Image of Olive Oil? Fialon M et al <i>Foods. 2021 Sep 17;10(9):2209.</i>	F		COI Conflict of interests: J.S.-S. declares that he is a non-paid member of International Danone Institute and member of the Institute of Danone, Spain. J.S.-S. and N.B. declare that their institution received funds from Danone SA for the purposes of scientific and technical consulting but not for conducting this study.		O
71	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection : An Experimental Study in a French Cohort Egnell M et al. <i>Nutrients 10, no 9 : 1268, 2018.</i>	F				O
72	El logotipo nutricional NutriScore en los envases de los alimentos puede ser una herramienta útil para los consumidores españoles. Galan P et al <i>Rev Esp Nutr Comunitaria, 2017, 23, 2</i>	F				O
73	Consumers' Responses to Front-of-Pack Nutrition Labelling: Results from a Sample from The Netherlands.	F				O



	Egnell M et al <i>Nutrients. 2019 Aug 6;11(8):1817.</i>					
74	An Evaluation of the Nutri-Score System along the Reasoning for Scientific Substantiation of Health Claims in the EU-A Narrative Review. Peters S et al <i>Foods. 2022 Aug 12;11(16):2426</i>		U	COI <i>The financial support for this study comes from the Dutch Dairy Association, The Hague. Conflicts of Interest : S.P. is employed at the Dutch Dairy Association. H.V. is an independent consultant at Food Safety &amp; Nutrition Consultancy (The Netherlands)</i>		
75	Assessing the Effectiveness of Front of Pack Labels : Findings from an Online Randomised-Controlled Experiment in a Representative British Sample Packer J et al <i>Nutrients 2021Mar 10;13(3):900</i>	F				
76	Impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of individuals with chronic diseases: results of a randomised trial. Egnell M et al <i>BMJ Open. 2022 Aug 29;12(8):e058139.</i>	F				O
77	Les effets d’alerte et de promotion des logos nutritionnels sur la face-avant des produits agroalimentaires. Mérigot P et al <i>Décision Marketing, 2016, 83, 29-48.</i>	F				
78	Effects of Digital Food Labels on Healthy Food Choices in Online Grocery Shopping. Fuchs KL et al. <i>Nutrients. 2022 May 13;14(10):2044</i>	F				
79	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population Egnell M et al <i>BMJ Open. 2021 Feb 8 ;11(2):e041196</i>	F			0	

80	The use of food swaps to encourage healthier online food choices : a randomized controlled trial Jansen L et al <i>Int J Behav Nutr Phys Act. 2021 Dec 4 ;18(1):156</i>	F				
81	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods : post-hoc analyses from three randomized controlled trials Egnell M et al. <i>Int J Behav Nutr Phys Act. 2021 Mar 17 ;18(1):38</i>	F			O	
82	The Nutri-Score algorithm: Evaluation of its validation process. Van der Bend DLM et al <i>Front Nutr. 2022 Aug 15;9:974003</i>		U	COI <i>ME and MR were consultants to the Dutch Dairy Association and received financial support for conducting the literature search and writing the manuscript.</i>		
83	The effects of a sugar-sweetened beverage tax and a nutrient profiling tax based on Nutri-Score on consumer food purchases in a virtual supermarket : a randomised controlled trial Eykelboom M et al <i>Public Health Nutr. 2021 Nov 3:1-13.</i>	F				
84	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering Julia, C. <i>Nutrients 2021, 13, 4530.</i>	F			O	
85	The Role of Nutri-Score Front-of-Pack Labels on Children's Food Products in Informing Parents: An Analysis of the Branding Effect Nabec L et al Décisions Marketing Volume 106, Issue 2, April 2022, 143-160	F				
86	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income	F				O

	population Egnell M <i>BMJ Open</i> , 2021 Feb 8;11(2):e041196.					
87	Effects of front-of-pack labels on the nutritional quality of supermarket food purchases : evidence from a large-scale randomized controlled trial Dubois P, Albuquerque P, Allais O, Bonnet C, Bertail P, Combris P, et al. <i>J Academy Market Science</i> (2021) 49:119–138	F				
88	Nutritional and economic impact of five alternative front-of-pack nutritional labels : experimental evidence Crosetto P et al <i>European Review of Agricultural Economics</i> , Volume 47, Issue 2, April 2020, Pages 785–818	F				
89	Impact of a front-of-pack nutritional traffic-light label on the nutritional quality and the hedonic value of mid-afternoon snacks chosen by mother-child dyads Poquet D et al <i>Appetite</i> . 2019 ;143:104425.	F				
90	Réponses des consommateurs à trois systèmes d'étiquetage nutritionnel face avant Crosetto P et al <i>Cah Nutr Diet</i> , 51, 3, 124-131, 2016	F				
91	Modification des achats alimentaires en réponse à cinq logos nutritionnels Crosetto P et al <i>Cah Nutr Diet</i> , 52, 129-133 - juin 2017	F				
92	Impact of different front-of-pack nutrition labels on consumer purchasing intentions : a randomized controlled trial Ducrot P et al <i>American Journal of Preventive Medicine</i> , 50, no 5: 627 36, 2016	F			O	
93	Impact of color-coded and warning nutrition labelling schemes: A systematic review and network meta-	F				

	analysis. Song J et al PLoS Med. 2021 Oct 5;18(10):e1003765					
94	Health impact of foods: Time to switch to a 3D-vision. Touvier M et al <i>Front Nutr.</i> 2022 Jul 18;9:966310.	F			O	
95	Nutri-Score y ultra-procesamiento : dos dimensiones diferentes, complementarias y no contradictorias Galan P <i>Nutricion Hospitalaria</i> ,Vol 38, Num 1, enero-febrero (2021), 201-206	F			O	
96	Nutri-Score in tug-of-war between public health and economic interests in the European Union. Julia C et al <i>Nat Food</i> 3, 181 (2022), 2, 181	F			O	
97	The policy dystopia model adapted to the food industry : the example of the Nutri-Score saga in France. Mialon M et al. <i>World Nutrition</i> 9, 2: 109 20, 2018	F				O
98	Respective contribution of ultra-processing and nutritional quality of foods to the overall diet quality: results from the NutriNet-Santé study. Julia C et al <i>Eur J Nutr.</i> 2022 Aug 4. doi: 10.1007/s00394-022-02970-4.	F			O	
99	Research and lobbying conflicting on the issue of a front-of-pack nutrition labelling in France. Julia C et al <i>Archives of Public Health</i> 74, no 1 (2016) : 51.	F			O	
100	La bataille de l'étiquetage nutritionnel. Julia C et al <i>Rev Prat</i> 66, no 9 (2016) : 943 48.	F			O	
101	Front-of-pack nutrition labels: an equitable public health intervention. Pettigrew S et al <i>Eur J Clin Nutr.</i> 2022 Sep 9. doi: 10.1038/s41430-022-01205-3.	F				O

102	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market : consistency with nutritional recommendations Julia C et al. <i>Nutrition journal</i> 14, no 1 (2015) : 100.	F			O	
103	Balanced Hybrid Nutrient Density Score Compared to Nutri-Score and Health Star Rating Using Receiver Operating Characteristic Curve Analyses. Drewnowski A et al <i>Front Nutr.</i> 2022 May 2;9:867096		U	COI TG and CR were salaried employees of PepsiCo, Inc. which funded this research. AD was the originator of the Nutrient Rich Food Index, an early NP model, and has received grants, contracts, and honoraria from entities both public and private with an interest in nutrient profiling and (re) formulation of foods. AD has served as consultant to PepsiCo, Inc. for this project		
104	Are foods 'healthy' or 'healthier'? Front-of-pack labelling and the concept of healthiness applied to foods. Julia C et al <i>Br J Nutr.</i> 2022 Mar 28;127(6):948-952	F			O	
105	Promoting public health in nutrition : Nutri-Score and the tug of war between public health and the food industry Julia C et al <i>European Journal of Public Health</i> 28, no 3 (2018) : 396 97.	F			O	
106	Slight Adjustment of the Nutri-Score Nutrient Profiling System Could Help to Better Reflect the European Dietary Guidelines Regarding Nuts. Braesco V et al <i>Nutrients.</i> 2022 Jun 27;14(13):2668.		U	COI This research was funded by General Mills, Bell Institute of Health and Nutrition.V .B. and C.B. are employed by VAB-Nutrition, that received fees from General Mills, Bell Institute of Health and Nutrition for this study. E.R. reports research grants through his institution, personal fees, non-financial support and other from the California Walnut Commission; grants,		

				personal fees, non-financial support and other from Alexion; personal fees and other from Amarin, outside the submitted work. A.G. received fees from General Mills UK, as part of the Bell Institute of Health and Nutrition for her contribution to this work and has previously worked with Kind (nut snack brand). B.Q. is employed by General Mills UK, as part of the Bell Institute of Health and Nutrition. L.B. is employed by General Mills FR, as part of the Bell Institute of Health and Nutrition.		
107	Aligning nutrient profiling with dietary guidelines: modifying the Nutri-Score algorithm to include whole grains. Kissock KR et al <i>Eur J Nutr.</i> 2022 Feb;61(1):541-553.		U			
108	Are Front-of-Pack Labels a Health Policy Tool ? Muzzioli L et al <i>Nutrients.</i> 2022 Feb 11;14(4):771.		U	COI The paper was supported in part by NFI-Nutrition Foundation of Italy		
109	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Aguentaou H et al <i>Nutrients.</i> 2022 May 23;14(10):2165.	F				O
110	South African Consumer Perception of Five Front-of-Pack Label Formats Hutton, T et al <i>Journal of Consumer Sciences</i> , 2020, vol5, 126		U			
111	Objective understanding of five front-of-pack labels among consumers in Nelson Mandela Bay, South Africa Hutton, T et al.		U			

	<i>South African Journal of Clinical Nutrition</i> 35, n° 3 (2022): 108-14.					
112	Impact of the Front-of-Pack 5-Colour Nutrition Label (5-CNL) on the Nutritional Quality of Purchases : An Experimental Study Julia , et al <i>Int J Behav Nutr Phys Act</i> 13 (2016) : 101.	F			O	
113	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases : A 3-Arm Randomized Controlled Trial Egnell M et al <i>Am J Publ Health</i> 2019 Aug;109(8):1122-1129.	F			O	
114	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score Andreeva et al <i>Cent Eur J Public Health</i> 2021, 29(1):76-79	F			O	
115	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk : results from the French NutriNet-Santé cohort Egnell M et al <i>British Journal of Nutrition</i> , 2021 Apr 28;125(8):902-914	F				O
116	Association of the Dietary Index Underpinning the Nutri-Score Label with Oral Health : Preliminary Evidence from a Large, Population-Based Sample Andreeva VA et al, <i>Nutrients</i> . 2019 Aug 23 ;11(9)	F				O
117	Associations between dietary scores with asthma symptoms and asthma control in adults. Andrianasolo RM et al <i>Eur Respir J</i> . juill 2018 ;52(1):1702572	F				O
118	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU. VI. MAX Cohort Julia C et al <i>The Journal of nutrition</i> 145, no 10 (2015) : 2355 61.	F			O	



119	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults Adriouch S et al. <i>International journal of cardiology</i> , 2017, 234: 22 27.	F		O		
120	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context Julia C et al. <i>The Journal of nutrition</i> 144, no 12 (2014) : 2009 17	F			O	
121	Objective Understanding of Front-of-Package Nutrition Labels : An International Comparative Experimental Study across 12 Countries Egnell M, et al <i>Nutrients</i> 10, no 10 (2018) : 1542.	F				O
122	Impact of nutrient warning labels on choice of ultra-processed food and drinks high in sugar, sodium, and saturated fat in Colombia: A randomized controlled trial. Mora-Plazas M et al <i>PLoS One</i> . 2022 Feb 10;17(2):e0263324.		U			
123	Comprension de diferentes etiquetados frontales en población española : Resultados de un estudio comparativo Galan P et al <i>Endocrinología, Diabetes y Nutrición</i> , Volume 67, Issue 2, February 2020, Pages 122-129	F				O
124	Secondary Outcomes of a Front-of-Pack-Labeling Randomised Controlled Experiment in a Representative British Sample: Understanding, Ranking Speed and Perceptions Packer J et al <i>Nutrients</i> . 2022 May 24;14(11):2188.	F				
125	The impact of the nutri-score on food choice : A choice experiment in a Dutch supermarket Van den Akker K et al <i>Appetite</i> 2022 Jan 1 ;168:105664	F				

126	The Influence of Front-of-Package Nutrition Labeling on Consumer Behavior and Product Reformulation Roberto CA <i>Annu Rev Nutr. 2021 Oct 11;41:529-550</i>	F				
127	Uncovering the Effect of European Policy-Making Initiatives in Addressing Nutrition-Related Issues: A Systematic Literature Review and Bibliometric Analysis on Front-of-Pack Labels. Mazzù MF et al <i>Nutrients. 2022 Aug 19;14(16):3423.</i>		U	COI <i>The research received non-conditional funding from Federalimentare (Federalimentare represents the Italian food and beverages industry,)</i>		
128	Front-of-pack (FOP) labelling systems, nutrition education, and obesity prevention: nutri-score and nutrinform battery need more research Carruba MO et al. <i>Eat Weight Disord 27, 2265–2266 (2022).</i>		U			
129	Evaluating the Relative Effectiveness of the Multiple Traffic Light and Nutri-Score Front of Package Nutrition Labels. Finkelstein et al <i>Nutrients 2019, 11, 2236.</i>	F				
130	Efficacy of different front-of-package labeling systems in changing purchase intention and product healthfulness perception for food products in Argentina. Castronuovo L et al, <i>Rev Panam Salud Publica. 2022 Sep 26;46:e137.</i>		U			
131	Performance and discriminatory capacity of Nutri-Score in branded foods in Greece. Vlassopoulos A et al <i>Front. Nutr. 2022, 9:993238</i>	F				
132	The impact of the Nutri-Score system in France on low-income consumers' willingness-to-pay Nabec L et al , <i>Décisions Marketing Volume 96, Issue 4, October 2019, 69 - 88</i>	F				

133	Development of a new front-of-pack nutrition label in France : the five-colour Nutri-Score Julia C et al <i>Public Health Panorama, 2017, 3, no 4: 712 25.</i>	F			O	
134	An 18-country analysis of the effectiveness of five front-of-pack nutrition labels Pettigrew S et al <i>Food Quality and Preference, 2022, 104691, ISSN 0950-329</i>	F				O
134		111	23	11	38	35