

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
All	All interventions	AFRO	Low	Female	55.83	89.44	191.68	0.53	1.93	3.43
All	All interventions	AFRO	Low	Male	67.89	113.49	172.13	0.55	1.88	3.51
All	All interventions	AFRO	Lower middle	Female	124.25	236.4	319.76	0.69	2.36	5.28
All	All interventions	AFRO	Lower middle	Male	112.51	154.14	235.28	0.75	2.66	6.16
All	All interventions	AFRO	Upper middle	Female	34.14	43.01	53.32	18.94	22.67	26.91
All	All interventions	AFRO	Upper middle	Male	18.49	23.07	27.94	21.05	25.21	30.26
All	All interventions	EMRO	Low	Female	26.53	40.13	65.85	1.29	2.16	5.14
All	All interventions	EMRO	Low	Male	43.3	89.05	168.24	1.2	2.12	5.18
All	All interventions	EMRO	Lower middle	Female	17.06	30.79	82.45	2.24	3.93	17.93
All	All interventions	EMRO	Lower middle	Male	25.67	43.02	122.58	2.92	9.02	18.48
All	All interventions	EMRO	Upper middle	Female	145.68	188.32	230.39	4.16	5.39	6.92
All	All interventions	EMRO	Upper middle	Male	70.68	107.88	178.07	6.02	7.71	9.83
All	All interventions	EURO	High	Female	6.85	12.25	24.12	470.66	599.18	745.8
All	All interventions	EURO	High	Male	5.51	9.38	22.64	512.97	639.91	792.77
All	All interventions	EURO	Upper middle	Female	55.69	95.15	369.14	4.15	7.21	28.15
All	All interventions	EURO	Upper middle	Male	42.2	65.15	349.96	4.44	8.36	33
All	All interventions	PAHO	High	Female	13.59	18.69	23.21	419.8	539.56	688.91
All	All interventions	PAHO	High	Male	15.12	19.32	24.95	416.43	533.74	650.04
All	All interventions	PAHO	Upper middle	Female	28.35	82.44	154.35	3.26	12.47	27.32
All	All interventions	PAHO	Upper middle	Male	29.01	58.56	130.47	3.97	15.62	32.09
All	All interventions	SEARO	Lower middle	Female	58.73	85.66	124.4	1.95	2.54	3.38
All	All interventions	SEARO	Lower middle	Male	70.86	100.28	133.13	2.61	3.35	4.41
All	All interventions	SEARO	Upper middle	Female	100.12	157.52	509.71	1.63	2.69	12.39
All	All interventions	SEARO	Upper middle	Male	76.48	109.65	372.74	2.08	4.77	15.53
All	All interventions	WPRO	High	Female	84.5	108.54	135.84	63.91	85.31	107.92
All	All interventions	WPRO	High	Male	82.03	103.41	135.4	75.75	98.95	124.86
All	All interventions	WPRO	Lower middle	Female	202.99	332.29	689.26	1.46	2.03	2.99
All	All interventions	WPRO	Lower middle	Male	169.04	267.72	378.13	2.23	2.84	3.73
All	All interventions	WPRO	Upper middle	Female	62.09	81.67	99.64	17.61	22.09	27.48
All	All interventions	WPRO	Upper middle	Male	31.25	42.25	50.39	24.25	29.34	36.93
Anxiety	Group CBT	AFRO	Low	Female	223.91	834.69	4,253.49	0	0.2	0.55
Anxiety	Group CBT	AFRO	Low	Male	233.8	1,019.47	4,476.74	0	0.18	0.52
Anxiety	Group CBT	AFRO	Lower middle	Female	478.91	1,817.94	6,291.68	0.02	0.23	0.63
Anxiety	Group CBT	AFRO	Lower middle	Male	548.68	1,606.82	5,071.07	0.02	0.2	0.55
Anxiety	Group CBT	AFRO	Upper middle	Female	73.86	167.98	311.77	1.91	3.86	7.81
Anxiety	Group CBT	AFRO	Upper middle	Male	64.58	138.36	255.34	1.7	3.28	6.06
Anxiety	Group CBT	EMRO	Low	Female	58.79	190.23	496.67	0.11	0.38	1.03
Anxiety	Group CBT	EMRO	Low	Male	59.73	336.86	1,144.25	0.1	0.34	0.98
Anxiety	Group CBT	EMRO	Lower middle	Female	44.66	184.3	762.53	0.2	0.95	4.58
Anxiety	Group CBT	EMRO	Lower middle	Male	41.22	199.93	1,191.60	0.19	1.03	4.28
Anxiety	Group CBT	EMRO	Upper middle	Female	9,587.32	45,292.22	249,604.04	0	0.01	0.04
Anxiety	Group CBT	EMRO	Upper middle	Male	9,030.80	32,989.10	324,556.47	0	0.01	0.05
Anxiety	Group CBT	EURO	High	Female	15.95	42.8	108.74	71.28	146.41	280.61
Anxiety	Group CBT	EURO	High	Male	13.96	38.83	87.75	67.61	135.64	258.74
Anxiety	Group CBT	EURO	Upper middle	Female	207.2	568.47	1,455.08	0.64	1.96	6.48
Anxiety	Group CBT	EURO	Upper middle	Male	147.4	431.1	1,518.26	0.65	2.22	6.01
Anxiety	Group CBT	PAHO	High	Female	-0.17	25.29	74.26	60.49	179.52	444.73
Anxiety	Group CBT	PAHO	High	Male	10.56	40.27	86.78	69.9	148.29	301.13
Anxiety	Group CBT	PAHO	Upper middle	Female	100.76	744.8	11,066.69	0.01	0.74	5.68
Anxiety	Group CBT	PAHO	Upper middle	Male	148.11	756.26	7,195.53	0.02	0.8	4.79
Anxiety	Group CBT	SEARO	Lower middle	Female	145.41	428.28	920.47	0.18	0.39	0.89
Anxiety	Group CBT	SEARO	Lower middle	Male	186.98	649.55	1,453.99	0.17	0.34	0.76
Anxiety	Group CBT	SEARO	Upper middle	Female	1,083.78	4,669.98	497,525.32	0	0.01	0.71
Anxiety	Group CBT	SEARO	Upper middle	Male	764.82	3,937.75	414,492.39	0	0.01	0.79
Anxiety	Group CBT	WPRO	High	Female	1,748.47	5,101.12	10,536.76	0.57	1.17	2.53
Anxiety	Group CBT	WPRO	High	Male	1,860.20	5,318.40	10,753.68	0.64	1.23	2.47
Anxiety	Group CBT	WPRO	Lower middle	Female	946.66	3,446.86	1,318,721.31	0	0	0.48
Anxiety	Group CBT	WPRO	Lower middle	Male	797.12	3,345.88	1,045,900.18	0	0	0.49
Anxiety	Group CBT	WPRO	Upper middle	Female	258.1	591.06	985.74	1.27	2.45	4.72
Anxiety	Group CBT	WPRO	Upper middle	Male	193.84	440.9	812.14	1.15	2.22	4.43

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Anxiety	Internet-based CBT	AFRO	Low	Female	-0.59	1.48	6.39	16.85	53.95	138.37
Anxiety	Internet-based CBT	AFRO	Low	Male	-0.78	0.99	6.84	16.32	50	149.1
Anxiety	Internet-based CBT	AFRO	Lower middle	Female	0.43	5.54	19.96	13.16	39.41	108.7
Anxiety	Internet-based CBT	AFRO	Lower middle	Male	0.41	5.29	16.19	13.46	37.33	98.81
Anxiety	Internet-based CBT	AFRO	Upper middle	Female	0.29	3.36	9.55	46.91	127.48	320.14
Anxiety	Internet-based CBT	AFRO	Upper middle	Male	0	2.28	7.08	39.3	110.12	287.71
Anxiety	Internet-based CBT	EMRO	Low	Female	-0.72	0.33	2.75	14.29	44.67	123.44
Anxiety	Internet-based CBT	EMRO	Low	Male	-0.75	1.31	6.22	13.36	38.42	115.01
Anxiety	Internet-based CBT	EMRO	Lower middle	Female	-0.54	1.25	5.61	20.05	77.89	260.1
Anxiety	Internet-based CBT	EMRO	Lower middle	Male	-0.52	1.84	8.42	19.21	68.72	214.63
Anxiety	Internet-based CBT	EMRO	Upper middle	Female	4.61	18.92	50.22	9.11	26	70.38
Anxiety	Internet-based CBT	EMRO	Upper middle	Male	4.94	22.08	56.43	8.65	22.95	56.01
Anxiety	Internet-based CBT	EURO	High	Female	-0.68	0.33	2.92	1,114.37	3,790.68	10,100.18
Anxiety	Internet-based CBT	EURO	High	Male	-0.71	0.18	2.51	1,098.57	3,793.59	10,066.40
Anxiety	Internet-based CBT	EURO	Upper middle	Female	1.95	10.65	29.7	20.35	86.43	271.29
Anxiety	Internet-based CBT	EURO	Upper middle	Male	1.35	8.22	29.34	20.2	88.78	278.2
Anxiety	Internet-based CBT	PAHO	High	Female	-1	-0.3	2.2	153.1	4,350.06	14,388.42
Anxiety	Internet-based CBT	PAHO	High	Male	-0.84	0.26	2.64	626.24	3,577.37	10,666.36
Anxiety	Internet-based CBT	PAHO	Upper middle	Female	0.74	7.5	29.09	15.09	68.87	269.57
Anxiety	Internet-based CBT	PAHO	Upper middle	Male	1.39	8.85	28.16	16.19	66.73	216.23
Anxiety	Internet-based CBT	SEARO	Lower middle	Female	0.21	4.04	11.64	8.27	26.48	77.74
Anxiety	Internet-based CBT	SEARO	Lower middle	Male	0.07	4.8	16.88	8.81	28.19	83.35
Anxiety	Internet-based CBT	SEARO	Upper middle	Female	4.32	20.93	51.9	10.97	32.18	87.06
Anxiety	Internet-based CBT	SEARO	Upper middle	Male	3.16	15.84	39.89	10.23	33.67	98.72
Anxiety	Internet-based CBT	WPRO	High	Female	15.99	69.26	183.18	24.05	67.03	181.92
Anxiety	Internet-based CBT	WPRO	High	Male	13.53	73.99	206.28	25.11	70.67	198.81
Anxiety	Internet-based CBT	WPRO	Lower middle	Female	4.02	18.26	49.14	8.99	26.86	67.99
Anxiety	Internet-based CBT	WPRO	Lower middle	Male	3.3	16.79	45.64	8.34	24.4	69.75
Anxiety	Internet-based CBT	WPRO	Upper middle	Female	3.57	13.19	31.15	25.4	77.05	198.37
Anxiety	Internet-based CBT	WPRO	Upper middle	Male	3	9.97	24.18	28.27	75.32	182.68
Anxiety	Internet-based guided self help	AFRO	Low	Female	5.17	21.8	55.8	2.87	6.4	15.01
Anxiety	Internet-based guided self help	AFRO	Low	Male	2.72	17.7	50.68	2.77	6.31	14.82
Anxiety	Internet-based guided self help	AFRO	Lower middle	Female	13.25	46.01	113.76	2.95	6.43	14.65
Anxiety	Internet-based guided self help	AFRO	Lower middle	Male	15.33	47.32	106.14	2.72	5.84	13.32
Anxiety	Internet-based guided self help	AFRO	Upper middle	Female	7.68	19.18	40.44	13.27	30.86	62.14
Anxiety	Internet-based guided self help	AFRO	Upper middle	Male	6.1	14.6	28.21	12.63	27.19	56.96
Anxiety	Internet-based guided self help	EMRO	Low	Female	1.8	8.49	20	3.42	8.16	18.03
Anxiety	Internet-based guided self help	EMRO	Low	Male	1.89	14.22	40.65	3.16	7.37	17.72
Anxiety	Internet-based guided self help	EMRO	Lower middle	Female	2.82	12.38	37.14	3.95	14.51	46.19
Anxiety	Internet-based guided self help	EMRO	Lower middle	Male	3.12	17.41	53.32	3.89	13.74	39.78
Anxiety	Internet-based guided self help	EMRO	Upper middle	Female	48.14	151.43	312.45	1.94	4.21	9.08
Anxiety	Internet-based guided self help	EMRO	Upper middle	Male	59.6	151.61	344.87	1.91	4	9
Anxiety	Internet-based guided self help	EURO	High	Female	1.1	5.28	15.1	438.97	979.48	2,008.85
Anxiety	Internet-based guided self help	EURO	High	Male	0.94	4.68	12.83	398.52	905.04	1,888.44
Anxiety	Internet-based guided self help	EURO	Upper middle	Female	18.68	56.77	144.9	6.75	20.48	55.23
Anxiety	Internet-based guided self help	EURO	Upper middle	Male	15.67	50.95	143.78	6.56	19.82	52.46
Anxiety	Internet-based guided self help	PAHO	High	Female	-1	2.19	10.57	337.49	1,165.50	3,495.31
Anxiety	Internet-based guided self help	PAHO	High	Male	0.57	4.62	11.9	457.5	1,121.37	2,287.80
Anxiety	Internet-based guided self help	PAHO	Upper middle	Female	12.19	62.43	214.94	2.99	11.1	46.77
Anxiety	Internet-based guided self help	PAHO	Upper middle	Male	15	60.16	186.67	2.82	10.62	39.66
Anxiety	Internet-based guided self help	SEARO	Lower middle	Female	6.66	20.97	47.77	2.87	7.07	15.72
Anxiety	Internet-based guided self help	SEARO	Lower middle	Male	9.76	32.52	72.08	3.07	6.32	14.02
Anxiety	Internet-based guided self help	SEARO	Upper middle	Female	60.16	145.6	301.61	2.48	5.44	12.44
Anxiety	Internet-based guided self help	SEARO	Upper middle	Male	44.19	124.74	258.66	2.28	5.7	12.53
Anxiety	Internet-based guided self help	WPRO	High	Female	165.38	494.66	1,076.75	5.38	11.64	26.8
Anxiety	Internet-based guided self help	WPRO	High	Male	156.67	472.9	1,128.72	5.41	13.06	28.47
Anxiety	Internet-based guided self help	WPRO	Lower middle	Female	44.89	115.07	276.14	2.44	5.36	11.45
Anxiety	Internet-based guided self help	WPRO	Lower middle	Male	36.05	101.55	232.22	2.21	5.16	11.31
Anxiety	Internet-based guided self help	WPRO	Upper middle	Female	23.34	59.77	124.83	10.02	22.09	46.54
Anxiety	Internet-based guided self help	WPRO	Upper middle	Male	21.14	50.92	92.9	8.66	18.61	36.23

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Anxiety and depress	School-based prevention	AFRO	Low	Female	7,753.87	17,584.06	34,967.34	0	0.01	0.02
Anxiety and depress	School-based prevention	AFRO	Low	Male	9,508.36	18,770.93	29,838.92	0	0.01	0.02
Anxiety and depress	School-based prevention	AFRO	Lower middle	Female	249.98	385.96	633.03	0	1.37	5.94
Anxiety and depress	School-based prevention	AFRO	Lower middle	Male	117.89	223.01	716.31	0.01	1.84	7.59
Anxiety and depress	School-based prevention	AFRO	Upper middle	Female	77.51	108.13	142.11	8.57	11.85	15.04
Anxiety and depress	School-based prevention	AFRO	Upper middle	Male	30.39	41.48	52.02	11.51	16.4	21.49
Anxiety and depress	School-based prevention	EMRO	Low	Female	225.49	8,159.20	20,545.98	0	0.01	0.86
Anxiety and depress	School-based prevention	EMRO	Low	Male	264.3	14,276.02	33,068.91	0.01	0.01	1.1
Anxiety and depress	School-based prevention	EMRO	Lower middle	Female	101.17	183.34	467.13	0.72	1.12	1.7
Anxiety and depress	School-based prevention	EMRO	Lower middle	Male	129.63	251.35	534.67	1.03	1.6	2.54
Anxiety and depress	School-based prevention	EMRO	Upper middle	Female	125.15	172.04	221.74	5.28	7.31	9.43
Anxiety and depress	School-based prevention	EMRO	Upper middle	Male	49.16	82.25	148.97	7.97	10.88	14.21
Anxiety and depress	School-based prevention	EURO	High	Female	30.85	61.45	119.39	105.27	147.71	189.27
Anxiety and depress	School-based prevention	EURO	High	Male	15.84	32.56	82.49	163.42	231.1	297.94
Anxiety and depress	School-based prevention	EURO	Upper middle	Female	161.49	253.42	2,676.47	0.59	1.09	11.42
Anxiety and depress	School-based prevention	EURO	Upper middle	Male	87.73	142.21	1,982.01	0.83	1.61	17.93
Anxiety and depress	School-based prevention	PAHO	High	Female	149.79	211.26	269.12	38.35	53.39	69.5
Anxiety and depress	School-based prevention	PAHO	High	Male	95.96	130.64	168.04	62.99	89.14	112.87
Anxiety and depress	School-based prevention	PAHO	Upper middle	Female	80.67	148.65	278.66	0.05	7.47	12.04
Anxiety and depress	School-based prevention	PAHO	Upper middle	Male	50.87	84.95	179.66	0.09	13.1	19.71
Anxiety and depress	School-based prevention	SEARO	Lower middle	Female	115.07	177.29	251.47	0.98	1.39	1.88
Anxiety and depress	School-based prevention	SEARO	Lower middle	Male	127.11	184.3	241.3	1.58	2.17	2.79
Anxiety and depress	School-based prevention	SEARO	Upper middle	Female	99.22	176.67	657.76	1.36	2.24	13.24
Anxiety and depress	School-based prevention	SEARO	Upper middle	Male	63.35	106.25	419.65	1.97	3.86	20.05
Anxiety and depress	School-based prevention	WPRO	High	Female	60.7	83.16	107.75	79.81	117.12	152.77
Anxiety and depress	School-based prevention	WPRO	High	Male	61.13	82.24	107.36	102.94	144.95	187.07
Anxiety and depress	School-based prevention	WPRO	Lower middle	Female	679.05	1,006.37	1,342.35	0.51	0.89	1.73
Anxiety and depress	School-based prevention	WPRO	Lower middle	Male	311.79	495.14	972.55	0.75	1.32	3.17
Anxiety and depress	School-based prevention	WPRO	Upper middle	Female	97.7	135.92	174.43	11.42	15.28	19.48
Anxiety and depress	School-based prevention	WPRO	Upper middle	Male	39.52	55.16	69.87	18.38	24.62	31.88
Bipolar disorder	CBT and medication	AFRO	Low	Female	-0.61	-0.14	0.46	54.96	107.36	198.14
Bipolar disorder	CBT and medication	AFRO	Low	Male	-0.63	-0.17	0.51	53.41	106.13	201.04
Bipolar disorder	CBT and medication	AFRO	Lower middle	Female	0.19	1.52	3.65	48.47	88.29	150.76
Bipolar disorder	CBT and medication	AFRO	Lower middle	Male	0.27	1.46	3.12	49.66	85.83	148.87
Bipolar disorder	CBT and medication	AFRO	Upper middle	Female	-0.3	0.34	1.19	177.4	322.34	543.09
Bipolar disorder	CBT and medication	AFRO	Upper middle	Male	-0.38	0.25	1.03	174.29	313.77	535.06
Bipolar disorder	CBT and medication	EMRO	Low	Female	-0.82	-0.63	-0.29	61.04	129.09	247.29
Bipolar disorder	CBT and medication	EMRO	Low	Male	-0.68	-0.31	0.35	60.75	130.17	239.26
Bipolar disorder	CBT and medication	EMRO	Lower middle	Female	-0.63	-0.18	0.55	68.71	187.28	467.93
Bipolar disorder	CBT and medication	EMRO	Lower middle	Male	-0.54	0.06	1.14	73.68	200.28	432.47
Bipolar disorder	CBT and medication	EMRO	Upper middle	Female	2.29	5.7	10.12	38.04	67.74	112.75
Bipolar disorder	CBT and medication	EMRO	Upper middle	Male	3.28	7.33	12.47	39.78	65.27	111.8
Bipolar disorder	CBT and medication	EURO	High	Female	-0.7	-0.37	0.17	3,325.55	6,209.45	10,556.00
Bipolar disorder	CBT and medication	EURO	High	Male	-0.69	-0.4	0.1	3,407.94	6,275.28	10,476.89
Bipolar disorder	CBT and medication	EURO	Upper middle	Female	0.02	1.66	8.61	95.38	240.11	692.8
Bipolar disorder	CBT and medication	EURO	Upper middle	Male	-0.07	1.46	8.96	85.55	247.24	698.95
Bipolar disorder	CBT and medication	PAHO	High	Female	-0.51	-0.1	0.46	3,229.94	6,044.56	10,137.24
Bipolar disorder	CBT and medication	PAHO	High	Male	-0.47	0	0.53	3,041.33	5,615.11	9,285.26
Bipolar disorder	CBT and medication	PAHO	Upper middle	Female	0.07	3	8.61	55.51	145.92	447.8
Bipolar disorder	CBT and medication	PAHO	Upper middle	Male	0.08	2.92	7.82	54.39	141.35	441.04
Bipolar disorder	CBT and medication	SEARO	Lower middle	Female	-0.2	0.49	1.3	61.02	105.38	175.47
Bipolar disorder	CBT and medication	SEARO	Lower middle	Male	-0.12	0.78	1.82	63.48	104.18	174.86
Bipolar disorder	CBT and medication	SEARO	Upper middle	Female	1.78	4.6	8.34	45.17	101.98	186.95
Bipolar disorder	CBT and medication	SEARO	Upper middle	Male	1.88	4.7	8.16	47.21	97.83	188.13
Bipolar disorder	CBT and medication	WPRO	High	Female	17.17	37.54	62.21	59.6	101.87	171.55
Bipolar disorder	CBT and medication	WPRO	High	Male	23.84	43.83	68.36	61.2	108.12	175.95
Bipolar disorder	CBT and medication	WPRO	Lower middle	Female	1.05	3.14	7.48	45.24	86.95	156.41
Bipolar disorder	CBT and medication	WPRO	Lower middle	Male	1.03	3.33	6.67	44.68	85.62	149.6
Bipolar disorder	CBT and medication	WPRO	Upper middle	Female	0.4	1.61	3.26	183.06	355.11	585.99
Bipolar disorder	CBT and medication	WPRO	Upper middle	Male	0.13	1.28	2.44	195.27	347.34	572.66

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Mild depression	Indicated prevention	AFRO	Low	Female	-0.9	-0.81	4.03	20.7	895.28	1,852.65
Mild depression	Indicated prevention	AFRO	Low	Male	-0.88	-0.73	1.72	26.24	936.52	1,969.38
Mild depression	Indicated prevention	AFRO	Lower middle	Female	-0.68	0.03	1.97	49.99	795.43	1,400.15
Mild depression	Indicated prevention	AFRO	Lower middle	Male	-0.73	-0.49	0.14	66.29	1,222.11	2,161.93
Mild depression	Indicated prevention	AFRO	Upper middle	Female	-0.9	-0.84	-0.77	5,180.98	8,190.79	11,765.24
Mild depression	Indicated prevention	AFRO	Upper middle	Male	-0.97	-0.95	-0.92	7,840.98	12,436.83	18,459.85
Mild depression	Indicated prevention	EMRO	Low	Female	-0.92	-0.86	-0.61	213.71	769.77	2,074.48
Mild depression	Indicated prevention	EMRO	Low	Male	-0.91	-0.77	-0.26	244.51	891	2,703.30
Mild depression	Indicated prevention	EMRO	Lower middle	Female	-0.95	-0.89	-0.81	954.17	2,157.00	5,560.50
Mild depression	Indicated prevention	EMRO	Lower middle	Male	-0.95	-0.88	-0.77	1,580.75	3,427.09	8,883.50
Mild depression	Indicated prevention	EMRO	Upper middle	Female	1.04	2.23	3.62	225.23	403.17	651.42
Mild depression	Indicated prevention	EMRO	Upper middle	Male	-0.55	-0.18	0.68	673.27	1,017.38	1,422.63
Mild depression	Indicated prevention	EURO	High	Female	-0.98	-0.95	-0.9	114,765.38	193,298.16	289,971.82
Mild depression	Indicated prevention	EURO	High	Male	-0.99	-0.98	-0.94	198,191.16	346,030.88	521,010.93
Mild depression	Indicated prevention	EURO	Upper middle	Female	-0.79	-0.58	-0.27	1,886.72	3,829.23	7,681.18
Mild depression	Indicated prevention	EURO	Upper middle	Male	-0.89	-0.79	-0.41	2,490.13	6,027.30	13,870.08
Mild depression	Indicated prevention	PAHO	High	Female	-0.94	-0.89	-0.83	56,918.43	96,558.22	149,936.60
Mild depression	Indicated prevention	PAHO	High	Male	-0.96	-0.94	-0.91	108,853.80	192,071.97	279,801.54
Mild depression	Indicated prevention	PAHO	Upper middle	Female	-0.9	-0.63	0.15	648.76	2,651.41	7,526.94
Mild depression	Indicated prevention	PAHO	Upper middle	Male	-0.94	-0.85	-0.48	1,157.59	5,067.22	17,560.23
Mild depression	Indicated prevention	SEARO	Lower middle	Female	-0.91	-0.81	-0.56	515.73	1,076.87	2,044.44
Mild depression	Indicated prevention	SEARO	Lower middle	Male	-0.9	-0.81	-0.68	1,062.88	1,792.64	3,082.24
Mild depression	Indicated prevention	SEARO	Upper middle	Female	-0.68	-0.39	2.58	251.93	508.88	4,153.05
Mild depression	Indicated prevention	SEARO	Upper middle	Male	-0.8	-0.61	0.86	418.34	813.88	5,852.97
Mild depression	Indicated prevention	WPRO	High	Female	-0.49	-0.25	0.03	8,511.74	12,973.40	17,538.41
Mild depression	Indicated prevention	WPRO	High	Male	-0.58	-0.38	-0.16	12,864.00	18,906.60	25,446.48
Mild depression	Indicated prevention	WPRO	Lower middle	Female	-0.62	-0.2	5.39	179.2	356.52	1,571.38
Mild depression	Indicated prevention	WPRO	Lower middle	Male	-0.72	-0.38	0.69	557.54	1,029.57	2,347.70
Mild depression	Indicated prevention	WPRO	Upper middle	Female	-0.9	-0.83	-0.76	7,664.28	12,017.90	17,720.71
Mild depression	Indicated prevention	WPRO	Upper middle	Male	-0.96	-0.94	-0.92	16,555.17	23,508.38	32,427.79
Mild depression	Group CBT	AFRO	Low	Female	6,976.24	12,290.65	522,099.65	0	0.01	0.02
Mild depression	Group CBT	AFRO	Low	Male	9,866.05	20,184.20	389,915.82	0	0.01	0.02
Mild depression	Group CBT	AFRO	Lower middle	Female	15,305.12	45,092.49	113,271.93	0	0.01	0.02
Mild depression	Group CBT	AFRO	Lower middle	Male	18,365.15	33,961.72	82,803.80	0	0.01	0.02
Mild depression	Group CBT	AFRO	Upper middle	Female	2,300.32	3,344.75	4,662.59	0.13	0.18	0.25
Mild depression	Group CBT	AFRO	Upper middle	Male	1,824.21	2,682.67	3,743.02	0.12	0.18	0.25
Mild depression	Group CBT	EMRO	Low	Female	2,470.27	4,629.86	12,269.24	0.01	0.01	0.04
Mild depression	Group CBT	EMRO	Low	Male	4,798.45	11,123.75	30,302.68	0.01	0.01	0.04
Mild depression	Group CBT	EMRO	Lower middle	Female	1,384.48	3,510.55	12,348.38	0.01	0.02	0.19
Mild depression	Group CBT	EMRO	Lower middle	Male	2,065.37	4,328.32	23,347.11	0.01	0.03	0.2
Mild depression	Group CBT	EMRO	Upper middle	Female	271,885.81	587,774.62	4,720,447.44	0	0	0
Mild depression	Group CBT	EMRO	Upper middle	Male	278,162.50	544,392.04	6,697,693.84	0	0	0
Mild depression	Group CBT	EURO	High	Female	511.02	874.71	1,507.06	4.83	7.09	9.75
Mild depression	Group CBT	EURO	High	Male	485.68	862.68	1,573.32	4.65	6.73	9.27
Mild depression	Group CBT	EURO	Upper middle	Female	4,083.70	8,681.42	29,727.88	0.04	0.08	0.24
Mild depression	Group CBT	EURO	Upper middle	Male	4,303.42	9,983.78	32,615.29	0.04	0.08	0.24
Mild depression	Group CBT	PAHO	High	Female	898.38	1,241.27	1,652.81	4.99	7.09	9.83
Mild depression	Group CBT	PAHO	High	Male	979.27	1,422.29	1,980.73	4.56	6.56	8.7
Mild depression	Group CBT	PAHO	Upper middle	Female	2,389.53	13,786.39	159,924.37	0	0.03	0.22
Mild depression	Group CBT	PAHO	Upper middle	Male	2,606.87	13,652.48	87,153.27	0	0.03	0.21
Mild depression	Group CBT	SEARO	Lower middle	Female	7,512.28	11,944.58	18,568.56	0.01	0.02	0.02
Mild depression	Group CBT	SEARO	Lower middle	Male	11,114.00	18,418.48	28,819.71	0.01	0.02	0.02
Mild depression	Group CBT	SEARO	Upper middle	Female	23,928.31	56,636.79	7,161,007.72	0	0	0.04
Mild depression	Group CBT	SEARO	Upper middle	Male	25,780.09	51,715.10	7,623,935.79	0	0	0.04
Mild depression	Group CBT	WPRO	High	Female	97,463.94	139,060.09	190,375.70	0.04	0.05	0.07
Mild depression	Group CBT	WPRO	High	Male	115,074.49	160,957.50	227,651.81	0.04	0.05	0.07
Mild depression	Group CBT	WPRO	Lower middle	Female	14,748.28	31,472.74	20,207,982.65	0	0	0.03
Mild depression	Group CBT	WPRO	Lower middle	Male	17,328.91	38,170.92	20,210,399.27	0	0	0.02
Mild depression	Group CBT	WPRO	Upper middle	Female	6,473.15	9,186.67	12,802.61	0.1	0.14	0.18
Mild depression	Group CBT	WPRO	Upper middle	Male	5,226.13	7,722.28	10,779.17	0.08	0.13	0.18

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Mild depression	Internet-based CBT	AFRO	Low	Female	99.68	161.49	250.56	0.53	0.91	1.34
Mild depression	Internet-based CBT	AFRO	Low	Male	70.22	200.05	365.69	0.5	0.84	1.31
Mild depression	Internet-based CBT	AFRO	Lower middle	Female	261.53	414.91	885.2	0.47	0.67	0.96
Mild depression	Internet-based CBT	AFRO	Lower middle	Male	292.17	450.51	796.61	0.44	0.65	0.92
Mild depression	Internet-based CBT	AFRO	Upper middle	Female	166.56	248.37	340.89	1.68	2.45	3.3
Mild depression	Internet-based CBT	AFRO	Upper middle	Male	134.02	205.64	288.32	1.53	2.3	3.28
Mild depression	Internet-based CBT	EMRO	Low	Female	82.48	123.31	171.54	0.45	0.68	0.99
Mild depression	Internet-based CBT	EMRO	Low	Male	191.43	283.37	407.06	0.44	0.65	0.95
Mild depression	Internet-based CBT	EMRO	Lower middle	Female	105.97	169.3	266.84	0.57	1.05	2.34
Mild depression	Internet-based CBT	EMRO	Lower middle	Male	161.25	285.17	506.6	0.51	1.04	2.29
Mild depression	Internet-based CBT	EMRO	Upper middle	Female	989	1,513.28	2,135.19	0.3	0.44	0.61
Mild depression	Internet-based CBT	EMRO	Upper middle	Male	1,062.31	1,735.89	2,771.97	0.29	0.42	0.58
Mild depression	Internet-based CBT	EURO	High	Female	49.18	88.07	152.22	45.85	69.91	97.11
Mild depression	Internet-based CBT	EURO	High	Male	47.58	86.7	157.32	44.76	66.91	90.75
Mild depression	Internet-based CBT	EURO	Upper middle	Female	327.75	755.53	1,853.50	0.65	1.25	2.92
Mild depression	Internet-based CBT	EURO	Upper middle	Male	370.95	751.01	1,917.37	0.62	1.25	2.74
Mild depression	Internet-based CBT	PAHO	High	Female	87.85	125.3	173.36	50.15	71.45	95.53
Mild depression	Internet-based CBT	PAHO	High	Male	102.91	143.33	195.83	43.06	62.74	84.54
Mild depression	Internet-based CBT	PAHO	Upper middle	Female	232.31	781.9	1,396.49	0.53	1.13	2.58
Mild depression	Internet-based CBT	PAHO	Upper middle	Male	248.18	759.6	1,298.99	0.5	1.08	2.51
Mild depression	Internet-based CBT	SEARO	Lower middle	Female	287.5	420.56	594.74	0.32	0.46	0.64
Mild depression	Internet-based CBT	SEARO	Lower middle	Male	407.68	619.97	877.45	0.31	0.45	0.63
Mild depression	Internet-based CBT	SEARO	Upper middle	Female	807.96	1,171.76	1,647.89	0.4	0.62	0.92
Mild depression	Internet-based CBT	SEARO	Upper middle	Male	873.47	1,268.46	1,727.13	0.38	0.6	0.88
Mild depression	Internet-based CBT	WPRO	High	Female	4,834.72	6,831.73	9,817.36	0.72	1.07	1.47
Mild depression	Internet-based CBT	WPRO	High	Male	5,509.47	7,949.89	11,082.90	0.74	1.06	1.46
Mild depression	Internet-based CBT	WPRO	Lower middle	Female	565.33	992.07	2,094.26	0.28	0.46	0.71
Mild depression	Internet-based CBT	WPRO	Lower middle	Male	669.33	1,143.71	2,040.67	0.26	0.45	0.67
Mild depression	Internet-based CBT	WPRO	Upper middle	Female	531.25	759.63	1,080.93	1.18	1.7	2.26
Mild depression	Internet-based CBT	WPRO	Upper middle	Male	416.65	619.07	873.29	1.02	1.59	2.2
Mild depression	Internet-based guided self help	AFRO	Low	Female	443.49	735.94	1,117.90	0.13	0.2	0.28
Mild depression	Internet-based guided self help	AFRO	Low	Male	439.88	733.96	1,416.09	0.12	0.19	0.27
Mild depression	Internet-based guided self help	AFRO	Lower middle	Female	934.72	1,554.05	3,013.94	0.13	0.19	0.27
Mild depression	Internet-based guided self help	AFRO	Lower middle	Male	1,114.94	1,704.84	2,602.60	0.12	0.19	0.27
Mild depression	Internet-based guided self help	AFRO	Upper middle	Female	425.56	612.38	848.61	0.69	0.99	1.33
Mild depression	Internet-based guided self help	AFRO	Upper middle	Male	343.37	501.08	704.94	0.65	0.95	1.34
Mild depression	Internet-based guided self help	EMRO	Low	Female	255.26	388.69	562.95	0.14	0.22	0.34
Mild depression	Internet-based guided self help	EMRO	Low	Male	546.24	864.75	1,327.55	0.14	0.22	0.33
Mild depression	Internet-based guided self help	EMRO	Lower middle	Female	251.57	468.33	877.18	0.17	0.35	1.03
Mild depression	Internet-based guided self help	EMRO	Lower middle	Male	389	754.67	1,566.40	0.16	0.34	0.99
Mild depression	Internet-based guided self help	EMRO	Upper middle	Female	3,389.35	5,140.59	7,044.90	0.1	0.13	0.18
Mild depression	Internet-based guided self help	EMRO	Upper middle	Male	3,758.14	5,935.47	8,943.76	0.09	0.12	0.17
Mild depression	Internet-based guided self help	EURO	High	Female	111.22	194.98	341.65	21.99	31.95	44.35
Mild depression	Internet-based guided self help	EURO	High	Male	108.3	190.56	350.38	20.37	29.88	40.84
Mild depression	Internet-based guided self help	EURO	Upper middle	Female	753.7	1,599.35	4,328.33	0.28	0.52	1.31
Mild depression	Internet-based guided self help	EURO	Upper middle	Male	807.26	1,747.59	4,811.16	0.27	0.53	1.26
Mild depression	Internet-based guided self help	PAHO	High	Female	187.74	275.79	376.09	22.3	32	44.99
Mild depression	Internet-based guided self help	PAHO	High	Male	214.81	308.38	437.97	19.75	28.87	38.74
Mild depression	Internet-based guided self help	PAHO	Upper middle	Female	485.17	2,186.07	5,664.07	0.13	0.31	1.13
Mild depression	Internet-based guided self help	PAHO	Upper middle	Male	540.91	2,346.31	5,384.33	0.13	0.29	1.07
Mild depression	Internet-based guided self help	SEARO	Lower middle	Female	684.86	1,028.67	1,397.34	0.14	0.2	0.27
Mild depression	Internet-based guided self help	SEARO	Lower middle	Male	983.78	1,498.54	2,137.44	0.13	0.19	0.26
Mild depression	Internet-based guided self help	SEARO	Upper middle	Female	2,498.15	3,740.45	5,295.57	0.11	0.18	0.31
Mild depression	Internet-based guided self help	SEARO	Upper middle	Male	2,768.32	4,135.84	5,787.53	0.1	0.18	0.3
Mild depression	Internet-based guided self help	WPRO	High	Female	14,416.02	21,390.97	29,443.19	0.25	0.36	0.48
Mild depression	Internet-based guided self help	WPRO	High	Male	17,244.61	25,575.11	35,706.99	0.23	0.33	0.46
Mild depression	Internet-based guided self help	WPRO	Lower middle	Female	1,519.08	2,910.00	6,139.56	0.1	0.17	0.26
Mild depression	Internet-based guided self help	WPRO	Lower middle	Male	1,789.75	3,031.32	5,643.57	0.1	0.17	0.25
Mild depression	Internet-based guided self help	WPRO	Upper middle	Female	1,203.82	1,672.35	2,426.83	0.51	0.75	1.01
Mild depression	Internet-based guided self help	WPRO	Upper middle	Male	923.09	1,351.08	1,834.15	0.51	0.74	1.02

Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Mild depression	CBT and medication	AFRO	Low	Female	55.88	106.05	186.36	0.52	1.27	2.25
Mild depression	CBT and medication	AFRO	Low	Male	66.28	122.41	203.12	0.48	1.24	2.06
Mild depression	CBT and medication	AFRO	Lower middle	Female	122.16	247.01	421.11	0.62	1.43	2.31
Mild depression	CBT and medication	AFRO	Lower middle	Male	145.19	250.82	384.06	0.59	1.3	2.24
Mild depression	CBT and medication	AFRO	Upper middle	Female	27.33	39.96	56.62	10.15	14.3	19.91
Mild depression	CBT and medication	AFRO	Upper middle	Male	19.37	32.49	46.15	8.95	13.68	20.06
Mild depression	CBT and medication	EMRO	Low	Female	22.69	41.62	77.45	0.84	1.64	3.48
Mild depression	CBT and medication	EMRO	Low	Male	47.07	92.21	184.57	0.8	1.64	3.32
Mild depression	CBT and medication	EMRO	Lower middle	Female	15.3	34.7	106.8	1.2	2.81	14.6
Mild depression	CBT and medication	EMRO	Lower middle	Male	23.5	53	206.85	1.15	2.45	14.22
Mild depression	CBT and medication	EMRO	Upper middle	Female	667.87	1,098.33	1,558.02	0.4	0.58	0.85
Mild depression	CBT and medication	EMRO	Upper middle	Male	723.01	1,241.04	2,018.07	0.38	0.55	0.81
Mild depression	CBT and medication	EURO	High	Female	5.19	10.04	18.82	361.04	532.04	734.68
Mild depression	CBT and medication	EURO	High	Male	4.72	9.39	18.69	341.3	515.71	731.18
Mild depression	CBT and medication	EURO	Upper middle	Female	48.79	117.42	365.45	3.27	6.67	18.97
Mild depression	CBT and medication	EURO	Upper middle	Male	49.71	108.54	376.44	3.13	6.89	19.2
Mild depression	CBT and medication	PAHO	High	Female	10.16	15.48	22.44	347.54	522.61	735.46
Mild depression	CBT and medication	PAHO	High	Male	10.06	16.37	23.96	324.94	495.07	715.09
Mild depression	CBT and medication	PAHO	Upper middle	Female	29.04	195.35	1,273.17	0.54	1.42	15.5
Mild depression	CBT and medication	PAHO	Upper middle	Male	34.38	196.63	1,192.94	0.52	1.27	14.18
Mild depression	CBT and medication	SEARO	Lower middle	Female	70.83	115.7	175.6	1.08	1.6	2.3
Mild depression	CBT and medication	SEARO	Lower middle	Male	104.33	164.33	247.42	1.11	1.64	2.32
Mild depression	CBT and medication	SEARO	Upper middle	Female	228.16	436.9	1,120.98	0.42	0.95	3.41
Mild depression	CBT and medication	SEARO	Upper middle	Male	275.27	531.83	1,272.54	0.4	0.83	3.11
Mild depression	CBT and medication	WPRO	High	Female	1,101.53	1,609.93	2,223.69	3.13	4.49	6.14
Mild depression	CBT and medication	WPRO	High	Male	1,157.24	1,835.49	2,549.44	2.78	4.34	6.15
Mild depression	CBT and medication	WPRO	Lower middle	Female	143.58	327.97	1,408.05	0.39	0.8	2.42
Mild depression	CBT and medication	WPRO	Lower middle	Male	180.76	360.55	1,406.06	0.38	0.84	2.37
Mild depression	CBT and medication	WPRO	Upper middle	Female	78.41	117.11	165.49	7.05	9.99	13.94
Mild depression	CBT and medication	WPRO	Upper middle	Male	58.97	91.31	128.67	7.03	10.34	14.54
Suicide	Follow-up prevention in hospitals	AFRO	Low	Female	8.56	26.95	43.71	1.43	2.78	5.03
Suicide	Follow-up prevention in hospitals	AFRO	Low	Male	35.95	75.17	117.53	0.6	1.13	1.71
Suicide	Follow-up prevention in hospitals	AFRO	Lower middle	Female	26.69	71.53	187.32	1.5	2.45	4.59
Suicide	Follow-up prevention in hospitals	AFRO	Lower middle	Male	95.49	153.37	236.9	0.69	1.18	2.47
Suicide	Follow-up prevention in hospitals	AFRO	Upper middle	Female	15.71	21.62	29.66	16.61	23.03	31.23
Suicide	Follow-up prevention in hospitals	AFRO	Upper middle	Male	58.39	79.89	108.9	3.84	5.46	7.36
Suicide	Follow-up prevention in hospitals	EMRO	Low	Female	20.63	36.43	54.49	0.95	1.45	2.1
Suicide	Follow-up prevention in hospitals	EMRO	Low	Male	34.79	54.93	80.21	0.94	1.42	2.03
Suicide	Follow-up prevention in hospitals	EMRO	Lower middle	Female	23.17	37.2	56.31	1.8	3.5	9.16
Suicide	Follow-up prevention in hospitals	EMRO	Lower middle	Male	22.66	42.39	171.91	0.8	1.69	11.26
Suicide	Follow-up prevention in hospitals	EMRO	Upper middle	Female	317.02	441.69	594.93	0.91	1.29	1.74
Suicide	Follow-up prevention in hospitals	EMRO	Upper middle	Male	378.9	513.81	700.66	0.73	1.08	1.44
Suicide	Follow-up prevention in hospitals	EURO	High	Female	2.16	5.99	10.33	337.18	536.21	823.82
Suicide	Follow-up prevention in hospitals	EURO	High	Male	7.24	16.74	30.42	136.35	208.47	317.2
Suicide	Follow-up prevention in hospitals	EURO	Upper middle	Female	88.36	188.3	448.54	2.02	3.36	8
Suicide	Follow-up prevention in hospitals	EURO	Upper middle	Male	87.44	183.21	1,323.26	0.69	1.24	7.97
Suicide	Follow-up prevention in hospitals	PAHO	High	Female	16.81	24.35	33.63	141.25	213.19	298.65
Suicide	Follow-up prevention in hospitals	PAHO	High	Male	48.68	66.62	91.08	56.47	81.96	106.8
Suicide	Follow-up prevention in hospitals	PAHO	Upper middle	Female	32.38	203.6	564.94	1.08	1.99	10.99
Suicide	Follow-up prevention in hospitals	PAHO	Upper middle	Male	77.14	412.62	1,409.28	0.41	0.83	5.24
Suicide	Follow-up prevention in hospitals	SEARO	Lower middle	Female	107.87	196.5	344.87	0.43	0.71	1.33
Suicide	Follow-up prevention in hospitals	SEARO	Lower middle	Male	133.22	180.66	236.19	0.77	1.04	1.35
Suicide	Follow-up prevention in hospitals	SEARO	Upper middle	Female	87.23	119.93	159.38	2.97	4.25	5.75
Suicide	Follow-up prevention in hospitals	SEARO	Upper middle	Male	242.47	381.05	587.54	0.96	1.35	1.79
Suicide	Follow-up prevention in hospitals	WPRO	High	Female	886.21	1,253.67	1,675.55	2.15	3.08	4.15
Suicide	Follow-up prevention in hospitals	WPRO	High	Male	2,226.90	2,990.22	3,959.48	1.03	1.4	1.85
Suicide	Follow-up prevention in hospitals	WPRO	Lower middle	Female	79.66	136.89	291.89	1.1	1.99	3.64
Suicide	Follow-up prevention in hospitals	WPRO	Lower middle	Male	186.69	266.63	361.19	0.92	1.28	1.7
Suicide	Follow-up prevention in hospitals	WPRO	Upper middle	Female	57.58	77.51	100.06	8.69	11.62	15.49
Suicide	Follow-up prevention in hospitals	WPRO	Upper middle	Male	45.97	60.03	77.82	10.05	13.83	17.51



Supplementary File 5 - Probabilistic sensitivity analysis results by subgroup and intervention					ROI			Cost per DALY averted		
Condition	Intervention	WHO region name	World Bank income level	Sex	25th percentile ROI	Median ROI	75th percentile ROI	25th percentile (c/d)	Median (c/d)	75th percentile (c/d)
Suicide	School-based prevention	AFRO	Low	Female	-0.67	-0.32	36.04	0.91	83.43	170.24
Suicide	School-based prevention	AFRO	Low	Male	0.36	1.5	93.82	0.34	23.59	59.07
Suicide	School-based prevention	AFRO	Lower middle	Female	0.87	15.82	33.04	2.12	14.27	59.03
Suicide	School-based prevention	AFRO	Lower middle	Male	5.91	20.95	79.89	0.71	6.57	32.82
Suicide	School-based prevention	AFRO	Upper middle	Female	-0.06	0.43	0.94	248.1	366.25	521.67
Suicide	School-based prevention	AFRO	Upper middle	Male	2.89	4.45	6.43	57.48	81.65	110.29
Suicide	School-based prevention	EMRO	Low	Female	-0.25	0.45	2.53	11.9	31.91	56.94
Suicide	School-based prevention	EMRO	Low	Male	0.31	1.54	3.95	13.06	27.6	49.05
Suicide	School-based prevention	EMRO	Lower middle	Female	-0.19	0.58	2.55	26.9	64.11	252.42
Suicide	School-based prevention	EMRO	Lower middle	Male	-0.22	0.88	10.01	11.94	32.94	303.01
Suicide	School-based prevention	EMRO	Upper middle	Female	205.21	450.11	4,249.67	0.12	0.32	2.25
Suicide	School-based prevention	EMRO	Upper middle	Male	237.26	530.64	5,441.13	0.11	0.24	1.66
Suicide	School-based prevention	EURO	High	Female	-0.75	-0.33	0.08	3,396.66	5,601.23	9,336.50
Suicide	School-based prevention	EURO	High	Male	-0.29	0.67	2	1,307.45	2,165.94	3,540.95
Suicide	School-based prevention	EURO	Upper middle	Female	1.48	4.99	31.51	23.7	55.32	246.56
Suicide	School-based prevention	EURO	Upper middle	Male	1.98	5.78	100.28	8.55	18.64	232.06
Suicide	School-based prevention	PAHO	High	Female	0.69	1.63	2.75	1,217.43	1,855.47	2,690.64
Suicide	School-based prevention	PAHO	High	Male	4	6.24	9.11	515.32	744.54	1,053.01
Suicide	School-based prevention	PAHO	Upper middle	Female	0.68	11.47	268.97	0.72	12.08	233.79
Suicide	School-based prevention	PAHO	Upper middle	Male	2.42	19.06	546.84	0.38	3.75	115.22
Suicide	School-based prevention	SEARO	Lower middle	Female	2	5.23	11.42	10.48	21.28	40.64
Suicide	School-based prevention	SEARO	Lower middle	Male	3.55	6.47	9.49	16.7	24.36	36.78
Suicide	School-based prevention	SEARO	Upper middle	Female	2.38	7.44	631.32	0.51	1.43	163.71
Suicide	School-based prevention	SEARO	Upper middle	Male	11.83	27.74	1,678.09	0.19	0.53	44.15
Suicide	School-based prevention	WPRO	High	Female	146.01	213.9	309.88	11.11	17.75	24.28
Suicide	School-based prevention	WPRO	High	Male	325.89	497.94	669.66	5.69	8.18	11.89
Suicide	School-based prevention	WPRO	Lower middle	Female	1.93	7.34	2,097.33	0.13	0.4	86.62
Suicide	School-based prevention	WPRO	Lower middle	Male	6.73	15.99	2,656.41	0.12	0.29	36.97
Suicide	School-based prevention	WPRO	Upper middle	Female	0.06	0.8	1.61	313.83	488.29	749.44
Suicide	School-based prevention	WPRO	Upper middle	Male	-0.04	0.52	1.17	339.24	528.71	780.62