

SUPPLEMENTARY APPENDIX 1

Table S1. Final Studies Selected for Coding Analysis

No.	Source
1	Abbey M, Bartholomew LK, Chinbuah MA, Gyapong M, Gyapong JO, van den Borne B. Development of a theory and evidence-based program to promote community treatment of fevers in children under five in a rural district in Southern Ghana: An intervention mapping approach. <i>BMC Public Health</i> . 2017;17:120. doi:10.1186/s12889-016-3957-1
2	Abbey M, Bartholomew LK, Pappoe M, van den Borne B. Treating fever in children under 5 years of age: caregiver perceptions of community health worker services in Dangme West district, Ghana. <i>Int Health</i> . 2015;7(6):455-463. doi:10.1093/inthealth/ihv027
3	Abbey M, Chinbuah MA, Gyapong M, Bartholomew LK, van den Borne B. Community perceptions and practices of treatment seeking for childhood pneumonia: a mixed methods study in a rural district, Ghana. <i>BMC Public Health</i> . 2016;16(1):848. doi:10.1186/s12889-016-3513-z
4	Abegunde D, Orobato N, Bassi A, et al. The Impact of Integrated Community Case Management of Childhood Diseases Interventions to Prevent Malaria Fever in Children Less than Five Years Old in Bauchi State of Nigeria. <i>PLoS One</i> . 2016;11(2):e0148586. doi:10.1371/journal.pone.0148586
5	Abejirinde IOO, Ingabire CM, van Vugt M, Mutesa L, van den Borne B, Busari JO. Qualitative analysis of the health system effects of a community-based malaria elimination program in Rwanda. <i>Res Rep Trop Med</i> . 2018;9:63-75. doi:10.2147/RRTM.S158131
6	Adamo M, Rivera D, Shah R, et al. Time volunteered on community health activities by brigadistas in Nicaragua. <i>Rev Panam Salud Publica</i> . 2016;40(5):388-395.
7	Adesoro O, Oresanya O, Counihan H, et al. A feasibility study to assess non-clinical community health workers' capacity to use simplified protocols and tools to treat severe acute malnutrition in Niger state Nigeria. <i>BMC Health Serv Res</i> . 2021;21:1102. doi:10.1186/s12913-021-07118-4
8	Admasu K. Integrated community case management of sick children in Ethiopia. Foreword. <i>Ethiop Med J</i> . 2014;52 Suppl 3:1 p preceding 1.
9	Adom PVM, Ouendo EM, Salami L, Napo-Koura G, Makoutodé M. [Quality of the contribution of community volunteers in Benin community-based IMCI]. <i>Sante Publique</i> . 2014;26(2):241-248.
10	Aftab W, Piryani S, Rabbani F. Does supportive supervision intervention improve community health worker knowledge and practices for community management of childhood diarrhea and pneumonia? Lessons for scale-up from Nigraan and Nigraan Plus trials in Pakistan. <i>Hum Resour Health</i> . 2021;19:99. doi:10.1186/s12960-021-00641-9
11	Aftab W, Rabbani F, Sangrasi K, Perveen S, Zahidie A, Qazi SA. Improving community health worker performance through supportive supervision: a randomised controlled implementation trial in Pakistan. <i>Acta Paediatr</i> . 2018;107 Suppl 471:63-71. doi:10.1111/apa.14282
12	Aftab W, Shipton L, Rabbani F, et al. Exploring health care seeking knowledge, perceptions and practices for childhood diarrhea and pneumonia and their context in a rural Pakistani community. <i>BMC Health Serv Res</i> . 2018;18:44. doi:10.1186/s12913-018-2845-z
13	Agarwal S, Sripath P, Johnson C, et al. A conceptual framework for measuring community health workforce performance within primary health care systems. <i>Hum Resour Health</i> . 2019;17:86. doi:10.1186/s12960-019-0422-0
14	Agyei-Baffour P, Hansen KS, Browne ENL, Magnussen P. The amount and value of work time of community medicine distributors in community case management of malaria among children under five years in the Ejisu-Juaben District of Ghana. <i>Malar J</i> . 2012;11:277. doi:10.1186/1475-2875-11-277
15	Ajayi IO, Nsungwa-Sabiiti J, Siribié M, et al. Feasibility of Malaria Diagnosis and Management in Burkina Faso, Nigeria, and Uganda: A Community-Based Observational Study. <i>Clin Infect Dis</i> . 2016;63(Suppl 5):S245-S255. doi:10.1093/cid/ciw622
16	Ajibaye O, Balogun EO, Olukosi YA, et al. Impact of training of mothers, drug shop attendants and voluntary health workers on effective diagnosis and treatment of malaria in Lagos, Nigeria. <i>Trop Parasitol</i> . 2019;9(1):36-44. doi:10.4103/tp.TP_36_18
17	Akinyode AO, Ajayi IO, Ibrahim MS, Akinyemi JO, Ajumobi OO. Practice of antimalarial prescription to patients with negative rapid test results and associated factors among health workers in Oyo State, Nigeria. <i>Pan Afr Med J</i> . 2018;30:229. doi:10.11604/pamj.2018.30.229.13231

18 Akweongo P, Agyei-Baffour P, Sudhakar M, et al. Feasibility and acceptability of ACT for the community case management of malaria in urban settings in five African sites. *Malar J*. 2011;10:240. doi:10.1186/1475-2875-10-240

19 Alegebeleye A, Dada J, Oresanya O, et al. Community engagement and mobilisation of local resources to support integrated Community Case Management of childhood illnesses in Niger State, Nigeria. *J Glob Health*. 9(1):010804. doi:10.7189/jogh.09.010804

20 Aliyu A, Ogbureke N, Azike S, Obamina D, Kunle B. Integrated Community Case Management of Childhood Illness: A Contextual Examination of Community Healthcare Delivery in Benue State Nigeria. *INTERNATIONAL JOURNAL OF INTEGRATED CARE*. 2018;18. doi:10.5334/ijic.s2217

21 Aliyu S, Shea J, Masu A, Udoh A, Azike S. Management of malaria, pneumonia and diarrhoea: addressing the needs of under-fives via culturally appropriate community - level strategy in Benue state, Nigeria. *INTERNATIONAL JOURNAL OF INTEGRATED CARE*. 2019;19. doi:10.5334/ijic.s3500

22 Allen KC, Whitfield K, Rabinovich R, Sadruddin S. The role of governance in implementing sustainable global health interventions: review of health system integration for integrated community case management (iCCM) of childhood illnesses. *BMJ Glob Health*. 2021;6(3):e003257. doi:10.1136/bmjgh-2020-003257

23 Al-Mujtaba M, Shobo O, Oyebola BC, et al. Assessing the acceptability of village health workers' roles in improving maternal health care in Gombe State, Nigeria a qualitative exploration from women beneficiaries. *PLoS One*. 2020;15(10):e0240798. doi:10.1371/journal.pone.0240798

24 Altaras R, Montague M, Graham K, et al. Integrated community case management in a peri-urban setting: a qualitative evaluation in Wakiso District, Uganda. *BMC Health Serv Res*. 2017;17:785. doi:10.1186/s12913-017-2723-0

25 Altaras R, Nuwa A, Agaba B, et al. How Do Patients and Health Workers Interact around Malaria Rapid Diagnostic Testing, and How Are the Tests Experienced by Patients in Practice? A Qualitative Study in Western Uganda. *PLoS One*. 2016;11(8):e0159525. doi:10.1371/journal.pone.0159525

26 Alvarez Morán JL, Alé FGB, Rogers E, Guerrero S. Quality of care for treatment of uncomplicated severe acute malnutrition delivered by community health workers in a rural area of Mali. *Matern Child Nutr*. 2017;14(1):e12449. doi:10.1111/mcn.12449

27 Alvarez Morán JL, Alé GBF, Charle P, Sessions N, Doumbia S, Guerrero S. The effectiveness of treatment for Severe Acute Malnutrition (SAM) delivered by community health workers compared to a traditional facility based model. *BMC Health Serv Res*. 2018;18:207. doi:10.1186/s12913-018-2987-z

28 Ameh S, Welaga P, Kabiru CW, et al. Factors associated with appropriate home management of uncomplicated malaria in children in Kassena-Nankana district of Ghana and implications for community case management of childhood illness: a cross-sectional study. *BMC Public Health*. 2015;15:458. doi:10.1186/s12889-015-1777-3

29 Ameha A, Karim AM, Erbo A, et al. Effectiveness of supportive supervision on the consistency of integrated community cases management skills of the health extension workers in 113 districts of Ethiopia. *Ethiop Med J*. 2014;52 Suppl 3:65-71.

30 Amouzou A, Hazel E, Shaw B, et al. Effects of the integrated Community Case Management of Childhood Illness Strategy on Child Mortality in Ethiopia: A Cluster Randomized Trial. *Am J Trop Med Hyg*. 2016;94(3):596-604. doi:10.4269/ajtmh.15-0586

31 Amouzou A, Kanyuka M, Hazel E, et al. Independent Evaluation of the integrated Community Case Management of Childhood Illness Strategy in Malawi Using a National Evaluation Platform Design. *Am J Trop Med Hyg*. 2016;94(3):574-583. doi:10.4269/ajtmh.15-0584

32 Amouzou A, Kidanu A, Tadesse N, et al. Using Health Extension Workers for Monitoring Child Mortality in Real-Time: Validation against Household Survey Data in Rural Ethiopia. *PLoS One*. 2015;10(11):e0126909. doi:10.1371/journal.pone.0126909

33 Amouzou A, Morris S, Moulton LH, Mukanga D. Assessing the impact of integrated community case management (iCCM) programs on child mortality: Review of early results and lessons learned in sub-Saharan Africa. *J Glob Health*. 2014;4(2):020411. doi:10.7189/jogh.04.020411

34 Andrus A, Cohen R, Carvajal-Aguirre L, El Arifeen S, Weiss W. Strong community-based health systems and national governance predict improvement in coverage of oral rehydration solution (ORS): a multilevel longitudinal model. *J Glob Health*. 10(1):010503. doi:10.7189/jogh.10.010503

35 Angwa LM, Ouma C, Okoth P, et al. Acceptability, adherence, and clinical outcomes, of amoxicillin dispersible tablets versus oral suspension in treatment of children aged 2–59 Months with pneumonia, Kenya: A cluster randomized controlled trial. *Heliyon*. 2020;6(4):e03786. doi:10.1016/j.heliyon.2020.e03786

36 Angwenyi V, Aantjes C, Kondowe K, et al. Moving to a strong(er) community health system: analysing the role of community health volunteers in the new national community health strategy in Malawi. *BMJ Glob Health*. 2018;3(Suppl 3):e000996. doi:10.1136/bmjgh-2018-000996

37 Annobil I, Dakyaga F, Sillim ML. "From experts to locals hands" healthcare service planning in sub-Saharan Africa: an insight from the integrated community case management of Ghana. *BMC Health Serv Res.* 2021;21:403. doi:10.1186/s12913-021-06407-2

38 Ansermino JM, Wiens MO, Kissoon N. Evidence and Transparency are Needed to Develop a Frontline Health Worker mHealth Assessment Platform. *Am J Trop Med Hyg.* 2019;101(4):948. doi:10.4269/ajtmh.19-0411a

39 Aridi JO, Chapman SA, Wagah MA, Negin J. A comparative study of an NGO-sponsored CHW programme versus a ministry of health sponsored CHW programme in rural Kenya: a process evaluation. *Hum Resour Health.* 2014;12:64. doi:10.1186/1478-4491-12-64

40 Ashenafi A, Karim AM, Ameha A, Erbo A, Getachew N, Betemariam W. Effect of the health extension program and other accessibility factors on care-seeking behaviors for common childhood illnesses in rural Ethiopia. *Ethiop Med J.* 2014;52 Suppl 3:57-64.

41 Assebe LF, Belete WN, Alemayehu S, et al. Economic evaluation of Health Extension Program packages in Ethiopia. *PLoS One.* 2021;16(2):e0246207. doi:10.1371/journal.pone.0246207

42 Awasthi S, Kumar D, Mishra N, Agarwal M, Pandey CM. Effectiveness of various communication strategies for improving childhood pneumonia case management: a community based behavioral open labeled trial in rural Lucknow, Uttar Pradesh, India. *BMC Public Health.* 2019;19:1721. doi:10.1186/s12889-019-8050-0

43 Awasthi S, Nichter M, Verma T, et al. Revisiting community case management of childhood pneumonia: perceptions of caregivers and grass root health providers in Uttar Pradesh and Bihar, northern India. *PLoS One.* 2015;10(4):e0123135. doi:10.1371/journal.pone.0123135

44 Awasthi S, Verma T, Agarwal M, Pandey CM. To assess the effectiveness of various communication strategies for improving childhood pneumonia case management: study protocol of a community based behavioral open labeled trial in rural Lucknow, Uttar Pradesh, India. *BMC Pediatr.* 2018;18:279. doi:10.1186/s12887-018-1250-4

45 Awor P, Kalyango JN, Stålsby Lundborg C, Ssengooba F, Eriksen J, Rutebemberwa E. Policy Challenges Facing the Scale Up of Integrated Community Case Management (iCCM) in Uganda. *Int J Health Policy Manag.* Published online May 24, 2021. doi:10.34172/ijhpm.2021.39

46 Awor P, Wamani H, Bwire G, Jagoe G, Peterson S. Private Sector Drug Shops in Integrated Community Case Management of Malaria, Pneumonia, and Diarrhea in Children in Uganda. *Am J Trop Med Hyg.* 2012;87(5 Suppl):92-96. doi:10.4269/ajtmh.2012.11-0791

47 Awor P, Wamani H, Tylleskar T, Jagoe G, Peterson S. Increased Access to Care and Appropriateness of Treatment at Private Sector Drug Shops with Integrated Management of Malaria, Pneumonia and Diarrhoea: A Quasi-Experimental Study in Uganda. *PLoS One.* 2014;9(12):e115440. doi:10.1371/journal.pone.0115440

48 Awor P, Wamani H, Tylleskar T, Peterson S. Drug seller adherence to clinical protocols with integrated management of malaria, pneumonia and diarrhoea at drug shops in Uganda. *Malar J.* 2015;14:277. doi:10.1186/s12936-015-0798-9

49 Awor, P, Peterson, S, Gautham, M. Delivering child health interventions through the private sector in low and middle income countries: challenges, opportunities, and potential next steps. *BMJ.* 2018;362:k2950. doi:10.1136/bmj.k2950

50 Aysha Z, Kashif S, Saleem I, Shagufta P, Wafa A, Fauziah R. Strengthening Health System: Using Mobile Phones for Coordinated Community Case Management of Childhood Diarrhea and Pneumonia in District Badin, Pakistan. *Health Systems and Policy Research.* Published online 2016. Accessed November 4, 2021. <https://www.semanticscholar.org/paper/Strengthening-Health-System%3A-Using-Mobile-Phones-of-Aysha-Kashif/2563e9125361180564ade1b640f22de8bb4ee2f0>

51 Bagonza A, Kitutu FE, Peterson S, et al. Effectiveness of peer-supervision on pediatric fever illness treatment among registered private drug sellers in East-Central Uganda: An interrupted time series analysis. *Health Sci Rep.* 2021;4(2):e284. doi:10.1002/hsr2.284

52 Bagonza A, Wamani H, Peterson S, et al. Peer supervision experiences of drug sellers in a rural district in East-Central Uganda: a qualitative study. *Malar J.* 2020;19:270. doi:10.1186/s12936-020-03343-0

53 Bagonza J, Kibira SP, Rutebemberwa E. Performance of community health workers managing malaria, pneumonia and diarrhoea under the community case management programme in central Uganda: a cross sectional study. *Malar J.* 2014;13:367. doi:10.1186/1475-2875-13-367

54 Bagonza J, Rutebemberwa E, Eckmanns T, Ekirapa-Kiracho E. What influences availability of medicines for the community management of childhood illnesses in central Uganda? Implications for scaling up the integrated community case management programme. *BMC Public Health.* 2015;15:1180. doi:10.1186/s12889-015-2525-4

55 Baker K, Akasiima M, Wharton-Smith A, et al. Performance, Acceptability, and Usability of Respiratory Rate Timers and Pulse Oximeters When Used by Frontline Health Workers to Detect Symptoms of Pneumonia in Sub-Saharan Africa and Southeast Asia: Protocol for a Two-Phase, Multisite, Mixed-Methods Trial. *JMIR Res Protoc*. 2018;7(10):e10191. doi:10.2196/10191

56 Baker K, Alfvén T, Mucunguzi A, et al. Performance of Four Respiratory Rate Counters to Support Community Health Workers to Detect the Symptoms of Pneumonia in Children in Low Resource Settings: A Prospective, Multicentre, Hospital-Based, Single-Blinded, Comparative Trial. *EClinicalMedicine*. 2019;12:20-30. doi:10.1016/j.eclinm.2019.05.013

57 Baker K, Maurel A, Ward C, et al. Automated Respiratory Rate Counter to Assess Children for Symptoms of Pneumonia: Protocol for Cross-Sectional Usability and Acceptability Studies in Ethiopia and Nepal. *JMIR Res Protoc*. 2020;9(3):e14405. doi:10.2196/14405

58 Baker K, Petzold M, Mucunguzi A, et al. Performance of five pulse oximeters to detect hypoxaemia as an indicator of severe illness in children under five by frontline health workers in low resource settings – A prospective, multicentre, single-blinded, trial in Cambodia, Ethiopia, South Sudan, and Uganda. *EClinicalMedicine*. 2021;38:101040. doi:10.1016/j.eclinm.2021.101040

59 Baker K, Ward C, Maurel A, et al. Usability and acceptability of a multimodal respiratory rate and pulse oximeter device in case management of children with symptoms of pneumonia: A cross-sectional study in Ethiopia. *Acta Paediatr*. 2021;110(5):1620-1632. doi:10.1111/apa.15682

60 Banek K, Nankabirwa J, Maiteki-Sebuguzi C, et al. Community case management of malaria: exploring support, capacity and motivation of community medicine distributors in Uganda. *Health Policy Plan*. 2015;30(4):451-461. doi:10.1093/heapol/czu033

61 Bari A, Sadruddin S, Khan A, et al. Community case management of severe pneumonia with oral amoxicillin in children aged 2-59 months in Haripur district, Pakistan: a cluster randomised trial. *Lancet*. 2011;378(9805):1796-1803. doi:10.1016/S0140-6736(11)61140-9

62 Basaleem HO, Amin RM. Integrated management of childhood illness in Lahej, Yemen: a qualitative analysis from the perspective of health providers. *East Mediterr Health J*. 2011;17(2):101-108.

63 Basaleem HO, Amin RM. Qualitative study on the Community Perception of the Integrated Management of Childhood Illness (IMCI) Implementation in Lahej, Yemen. *Sultan Qaboos Univ Med J*. 2009;9(1):42-52.

64 Baynes C, Mboya D, Likasi S, et al. Quality of Sick Child-Care Delivered by Community Health Workers in Tanzania. *Int J Health Policy Manag*. 2018;7(12):1097-1109. doi:10.15171/ijhpm.2018.63

65 Bedford KJA, Sharkey AB. Local Barriers and Solutions to Improve Care-Seeking for Childhood Pneumonia, Diarrhoea and Malaria in Kenya, Nigeria and Niger: A Qualitative Study. *PLoS One*. 2014;9(6):e100038. doi:10.1371/journal.pone.0100038

66 Befekadu A, Yitayal M. Knowledge and practice of health extension workers on drug provision for childhood illness in west Gojjam, Amhara, Northwest Ethiopia. *BMC Public Health*. 2020;20:496. doi:10.1186/s12889-020-08602-y

67 Bekolo C, Williams T. ADDING PROACTIVE AND REACTIVE CASE DETECTION INTO THE INTEGRATED COMMUNITY CASE MANAGEMENT SYSTEM (ICCM plus) TO OPTIMISE DIAGNOSIS AND TREATMENT OF MALARIA IN A HIGH TRANSMISSION SETTING OF CAMEROON. *TRANSACTIONS OF THE ROYAL SOCIETY OF TROPICAL MEDICINE AND HYGIENE*. 2019;113:S9-S10.

68 Bekolo CE, Williams TD. Adding proactive and reactive case detection into the integrated community case management system to optimise diagnosis and treatment of malaria in a high transmission setting of Cameroon: an observational quality improvement study. *BMJ Open*. 2019;9(6):e026678. doi:10.1136/bmjopen-2018-026678

69 Bell D, Bwanika JB, Cunningham J, et al. Prototype Positive Control Wells for Malaria Rapid Diagnostic Tests: Prospective Evaluation of Implementation Among Health Workers in Lao People's Democratic Republic and Uganda. *Am J Trop Med Hyg*. 2017;96(2):319-329. doi:10.4269/ajtmh.16-0498

70 Bellele M, Boke MM, Yenit MK. Child Caregiver's healthcare seeking behavior and its determinants for common childhood illnesses in Addis Ababa, Ethiopia: a community-based study. *Ital J Pediatr*. 2021;47:99. doi:10.1186/s13052-021-01049-w

71 Bennett S, Dalglis SL, Juma PA, Rodríguez DC. Altogether now... understanding the role of international organizations in iCCM policy transfer. *Health Policy Plan*. 2015;30 Suppl 2:ii26-ii35. doi:10.1093/heapol/czv071

72 Bennett S, George A, Rodriguez D, et al. Policy challenges facing integrated community case management in Sub-Saharan Africa. *Trop Med Int Health*. 2014;19(7):872-882. doi:10.1111/tmi.12319

73 Berhanu A, Alemayehu M, Daka K, Binu W, Suleiman M. Utilization of Integrated Community Case Management of Childhood Illnesses at Health Posts in Southern Ethiopia. *Pediatric Health Med Ther*. 2020;11:459-467. doi:10.2147/PHMT.S282698

74 Berhanu D, Okwaraji YB, Belayneh AB, et al. Protocol for the evaluation of a complex intervention aiming at increased utilisation of primary child health services in Ethiopia: a before and after study in intervention and comparison areas. *BMC Health Serv Res*. 2020;20:339. doi:10.1186/s12913-020-05151-3

75 Berhanu D, Okwaraji YB, Defar A, et al. Does a complex intervention targeting communities, health facilities and district health managers increase the utilisation of community-based child health services? A before and after study in intervention and comparison areas of Ethiopia. *BMJ Open*. 2020;10(9):e040868. doi:10.1136/bmjopen-2020-040868

76 Berlan D. Pneumonia's second wind? A case study of the global health network for childhood pneumonia. *Health Policy Plan*. 2016;31(Suppl 1):i33-i47. doi:10.1093/heapol/czv070

77 Besada D, Kerber K, Leon N, et al. Niger's Child Survival Success, Contributing Factors and Challenges to Sustainability: A Retrospective Analysis. *PLoS One*. 2016;11(1):e0146945. doi:10.1371/journal.pone.0146945

78 Beyene H, Hailu D, Tadele H, Persson LÅ, Berhanu D. A mixed-methods study exploring adherence to the referral of severely sick children in primary health care in Southern Ethiopia. *Arch Public Health*. 2021;79:159. doi:10.1186/s13690-021-00681-6

79 Beyene H, Hailu D, Tadele H, Persson LÅ, Berhanu D. Insufficient referral practices of sick children in Ethiopia shown in a cross-sectional survey. *Acta Paediatr*. 2020;109(9):1867-1874. doi:10.1111/apa.15200

80 Beyene H, Kassa DH, Tadele H, Persson L, Defar A, Berhanu D. Factors associated with the referral of children with severe illnesses at primary care level in Ethiopia: a cross-sectional study. *BMJ Open*. 2021;11(6):e047640. doi:10.1136/bmjopen-2020-047640

81 Biemba G, Chiluba B, Yeboah-Antwi K, et al. A Mobile-Based Community Health Management Information System for Community Health Workers and Their Supervisors in 2 Districts of Zambia. *Glob Health Sci Pract*. 2017;5(3):486-494. doi:10.9745/GHSP-D-16-00275

82 Biemba G, Chiluba B, Yeboah-Antwi K, et al. Impact of mobile health-enhanced supportive supervision and supply chain management on appropriate integrated community case management of malaria, diarrhoea, and pneumonia in children 2-59 months: A cluster randomised trial in Eastern Province, Zambia. *J Glob Health*. 10(1):010425. doi:10.7189/jogh.10.010425

83 Biemba G, Mulenga A, Chiluba B, et al. Cost analysis of integrated community case management of childhood malaria, diarrhoea and pneumonia enhanced by mobile health technology in rural Zambia. *J Public Health Afr*. 2020;10(2):1039. doi:10.4081/jphia.2019.1039

84 Billah SM, Hoque DE, Rahman M, et al. Feasibility of engaging "Village Doctors" in the Community-based Integrated Management of Childhood Illness (C-IMCI): experience from rural Bangladesh. *J Glob Health*. 2018;8(2):020413. doi:10.7189/jogh.08.020413

85 Blanas DA, Ndiaye Y, MacFarlane M, et al. Health worker perceptions of integrating mobile phones into community case management of malaria in Saraya, Senegal. *Int Health*. 2015;7(3):176-182. doi:10.1093/inthealth/ihu075

86 Blanas DA, Ndiaye Y, Nichols K, Jensen A, Siddiqui A, Hennig N. Barriers to community case management of malaria in Saraya, Senegal: training, and supply-chains. *Malar J*. 2013;12:95. doi:10.1186/1475-2875-12-95

87 Blum LS, Oria PA, Olson CK, Breiman RF, Ram PK. Examining the Use of Oral Rehydration Salts and Other Oral Rehydration Therapy for Childhood Diarrhea in Kenya. *Am J Trop Med Hyg*. 2011;85(6):1126-1133. doi:10.4269/ajtmh.2011.11-0171

88 Boakye MDS, Owek CJ, Oluoch E, Atakora SB, Wachira J, Afrane YA. Needs assessment of community health workers to enhance efficient delivery of their services for community case management of malaria in Kenya. *Malar J*. 2021;20:102. doi:10.1186/s12936-021-03640-2

89 Boakye MDS, Owek CJ, Oluoch E, Wachira J, Afrane YA. Challenges of achieving sustainable community health services for community case management of malaria. *BMC Public Health*. 2018;18(1):1150. doi:10.1186/s12889-018-6040-2

90 Boateng M, Angel S, Enemark U. Integrated Community Case Management of Malaria-Stakeholders' Assessment From a Health Literacy Perspective. *INTERNATIONAL JOURNAL OF QUALITATIVE METHODS*. 2019;18.

91 Boateng MA, Agyei-Baffour E, Angel S, Asare O, Prempeh B, Enemark U. Co-creation and prototyping of an intervention focusing on health literacy in management of malaria at community-level in Ghana. *Res Involv Engagem*. 2021;7:55. doi:10.1186/s40900-021-00302-0

92 Boateng MA, Agyei-Baffour P, Angel S, Enemark U. Translation, cultural adaptation and psychometric properties of the Ghanaian language (Akan; Asante Twi) version of the Health Literacy Questionnaire. *BMC Health Serv Res*. 2020;20:1064. doi:10.1186/s12913-020-05932-w

93 Boettiger DC, Treleaven E, Kayentao K, et al. Household factors and under-five mortality in Bankass, Mali: results from a cross-sectional survey. *BMC Public Health*. 2021;21:244. doi:10.1186/s12889-021-10242-9

94 Bosch-Capblanch X, Marceau C. Training, supervision and quality of care in selected integrated community case management (iCCM) programmes: A scoping review of programmatic evidence. *J Glob Health*. 2014;4(2):020403. doi:10.7189/jogh.04.020403

95 Boschi-Pinto C, Dilip TR, Costello A. Association between community management of pneumonia and diarrhoea in high-burden countries and the decline in under-five mortality rates: an ecological analysis. *BMJ Open*. 2017;7(2):e012639. doi:10.1136/bmjopen-2016-012639

96 Boschi-Pinto C, Labadie G, Dilip TR, et al. Global implementation survey of Integrated Management of Childhood Illness (IMCI): 20 years on. *BMJ Open*. 2018;8(7):e019079. doi:10.1136/bmjopen-2017-019079

97 Boyce MR, Menya D, Turner EL, Laktabai J, Prudhomme-O'Meara W. Evaluation of malaria rapid diagnostic test (RDT) use by community health workers: a longitudinal study in western Kenya. *Malar J*. 2018;17:206. doi:10.1186/s12936-018-2358-6

98 Boyce SP, Nyangara F, Kamunyori J. A mixed-methods quasi-experimental evaluation of a mobile health application and quality of care in the integrated community case management program in Malawi. *J Glob Health*. 9(1):010811. doi:10.7189/jogh.09.010811

99 Bradley SEK, Rosapep L, Shiras T. Where Do Caregivers Take Their Sick Children for Care? An Analysis of Care Seeking and Equity in 24 USAID Priority Countries. *Glob Health Sci Pract*. 2020;8(3):518-533. doi:10.9745/GHSP-D-20-00115

100 Brenner JL, Barigye C, Maling S, et al. Where there is no doctor: can volunteer community health workers in rural Uganda provide integrated community case management? *Afr Health Sci*. 2017;17(1):237-246. doi:10.4314/ahs.v17i1.29

101 Briaux J, Martin-Prevel Y, Carles S, et al. Evaluation of an unconditional cash transfer program targeting children's first-1,000-days linear growth in rural Togo: A cluster-randomized controlled trial. *PLoS Med*. 2020;17(11):e1003388. doi:10.1371/journal.pmed.1003388

102 Briggs J, Embrey M, Maliqi B, Hedman L, Requejo J. How to assure access of essential RMNCH medicines by looking at policy and systems factors: an analysis of countdown to 2015 countries. *BMC Health Serv Res*. 2018;18:952. doi:10.1186/s12913-018-3766-6

103 Brunie A, Mercer S, Chen M, Andrianantoandro T. Expanding Understanding of Community Health Worker Programs: A Cross-Sectional Survey on the Work, Satisfaction, and Livelihoods of CHWs in Madagascar. *Inquiry*. 2018;55:0046958018798493. doi:10.1177/0046958018798493

104 Bruxvoort KJ, Leurent B, Chandler CIR, et al. The Impact of Introducing Malaria Rapid Diagnostic Tests on Fever Case Management: A Synthesis of Ten Studies from the ACT Consortium. *Am J Trop Med Hyg*. 2017;97(4):1170-1179. doi:10.4269/ajtmh.16-0955

105 Bryce J, Victora CG, Habicht JP, Black RE, Scherpbier RW, MCE-IMCI Technical Advisors. Programmatic pathways to child survival: results of a multi-country evaluation of Integrated Management of Childhood Illness. *Health Policy Plan*. 2005;20 Suppl 1:i5-i17. doi:10.1093/heapol/czi055

106 Buchner DL, Awor P. A protocol for engaging unlicensed private drug shops in Rural Eastern Uganda for Integrated Community Case Management (ICCM) of malaria, pneumonia and diarrhoea in children under 5 years of age. *BMJ Open*. 2015;5(10):e009133. doi:10.1136/bmjopen-2015-009133

107 Buchner DL, Brenner JL, Kabakyenga J, et al. Stakeholders' Perceptions of Integrated Community Case Management by Community Health Workers: A Post-Intervention Qualitative Study. *PLoS One*. 2014;9(6):e98610. doi:10.1371/journal.pone.0098610

108 Buchner DL, Kitutu FE, Cross DE, Nakamoga E, Awor P. A cross-sectional study to identify the distribution and characteristics of licensed and unlicensed private drug shops in rural Eastern Uganda to inform an iCCM intervention to improve health outcomes for children under five years. *PLoS One*. 2019;14(1):e0209641. doi:10.1371/journal.pone.0209641

109 Buregyeya E, Rutebemberwa E, LaRussa P, et al. Comparison of the capacity between public and private health facilities to manage under-five children with febrile illnesses in Uganda. *Malar J*. 2017;16:183. doi:10.1186/s12936-017-1842-8

110 Buregyeya E, Rutebemberwa E, LaRussa P, Mbonye A. Strengthening referral of sick children from the private health sector and its impact on referral uptake in Uganda: a cluster randomized controlled trial protocol. *BMC Health Serv Res*. 2016;16:646. doi:10.1186/s12913-016-1885-5

111 Callaghan-Koru JA, Gilroy K, Hyder AA, et al. Health systems supports for community case management of childhood illness: lessons from an assessment of early implementation in Malawi. *BMC Health Serv Res*. 2013;13:55. doi:10.1186/1472-6963-13-55

112 Callaghan-Koru JA, Hyder AA, George A, et al. Health Workers' and Managers' Perceptions of the Integrated Community Case Management Program for Childhood Illness in Malawi: The Importance of Expanding Access to Child Health Services. *Am J Trop Med Hyg*. 2012;87(5 Suppl):61-68. doi:10.4269/ajtmh.2012.11-0665

113 Camara A, Guilavogui T, Keita K, et al. Rapid Epidemiological and Entomological Survey for Validation of Reported Indicators and Characterization of Local Malaria Transmission in Guinea, 2017. *Am J Trop Med Hyg*. 2018;99(5):1134-1144. doi:10.4269/ajtmh.18-0479

114 Canavati SE, Lawpoolsri S, Quintero CE, et al. Village malaria worker performance key to the elimination of artemisinin-resistant malaria: a Western Cambodia health system assessment. *Malar J.* 2016;15:282. doi:10.1186/s12936-016-1322-6

115 Cardemil CV, Gilroy KE, Callaghan-Koru JA, Nsona H, Bryce J. Comparison of Methods for Assessing Quality of Care for Community Case Management of Sick Children: An Application with Community Health Workers in Malawi. *Am J Trop Med Hyg.* 2012;87(5 Suppl):127-136. doi:10.4269/ajtmh.2012.12-0389

116 Carvajal-Vélez L, Amouzou A, Perin J, et al. Diarrhea management in children under five in sub-Saharan Africa: does the source of care matter? A Countdown analysis. *BMC Public Health.* 2016;16:830. doi:10.1186/s12889-016-3475-1

117 Castellani J, Mihaylova B, Ajayi IO, et al. Quantifying and Valuing Community Health Worker Time in Improving Access to Malaria Diagnosis and Treatment. *Clin Infect Dis.* 2016;63(Suppl 5):S298-S305. doi:10.1093/cid/ciw629

118 Castellani J, Mihaylova B, Siribié M, et al. Household costs and time to treatment for children with severe febrile illness in rural Burkina Faso: the role of rectal artesunate. *Malar J.* 2018;17:380. doi:10.1186/s12936-018-2526-8

119 Chanda P, Hamainza B, Moonga HB, Chalwe V, Pagnoni F. Community case management of malaria using ACT and RDT in two districts in Zambia: achieving high adherence to test results using community health workers. *Malar J.* 2011;10:158. doi:10.1186/1475-2875-10-158

120 Chandani Y, Andersson S, Heaton A, et al. Making products available among community health workers: Evidence for improving community health supply chains from Ethiopia, Malawi, and Rwanda. *J Glob Health.* 2014;4(2):020405. doi:10.7189/jogh.04.020405

121 Chandani Y, Duffy M, Lamphere B, Noel M, Heaton A, Andersson S. Quality improvement practices to institutionalize supply chain best practices for iCCM: Evidence from Rwanda and Malawi. *Res Social Adm Pharm.* 2017;13(6):1095-1109. doi:10.1016/j.sapharm.2016.07.003

122 Chandani Y, Noel M, Pomeroy A, Andersson S, Pahl MK, Williams T. Factors affecting availability of essential medicines among community health workers in Ethiopia, Malawi, and Rwanda: solving the last mile puzzle. *Am J Trop Med Hyg.* 2012;87(5 Suppl):120-126. doi:10.4269/ajtmh.2012.11-0781

123 Chandna A, Shwe Nwe Htun N, Peto TJ, et al. Defining the burden of febrile illness in rural South and Southeast Asia: an open letter to announce the launch of the Rural Febrile Illness project. *Wellcome Open Res.* 2021;6:64. doi:10.12688/wellcomeopenres.16393.1

124 Charle-Cuéllar P, López-Ejeda N, Traore M, et al. Impact of Different Levels of Supervision on the Recovery of Severely Malnourished Children Treated by Community Health Workers in Mali. *Nutrients.* 2021;13(2):367. doi:10.3390/nu13020367

125 Chen X, Mohan D, Maiga A, et al. Validity of using mobile phone surveys to evaluate community health worker program in Mali. *BMC Med Res Methodol.* 2021;21:115. doi:10.1186/s12874-021-01317-7

126 Chikaphupha KR, Kok MC, Nyirenda L, Namakhoma I, Theobald S. Motivation of health surveillance assistants in Malawi: A qualitative study. *Malawi Med J.* 2016;28(2):37-42.

127 Chilundo BG, Cliff JL, Mariano AR, Rodríguez DC, George A. Relaunch of the official community health worker programme in Mozambique: is there a sustainable basis for iCCM policy? *Health Policy Plan.* 2015;30(Suppl 2):ii54-ii64. doi:10.1093/heapol/czv036

128 Chinbuah MA, Kager PA, Abbey M, et al. Impact of Community Management of Fever (Using Antimalarials With or Without Antibiotics) on Childhood Mortality: A Cluster-Randomized Controlled Trial in Ghana. *Am J Trop Med Hyg.* 2012;87(5 Suppl):11-20. doi:10.4269/ajtmh.2012.12-0078

129 Chipukuma HM, Halwiindi H, Zulu JM, Azizi SC, Jacobs C. Evaluating fidelity of community health worker roles in malaria prevention and control programs in Livingstone District, Zambia-A bottleneck analysis. *BMC Health Serv Res.* 2020;20:612. doi:10.1186/s12913-020-05458-1

130 Chirambo GB, Hardy VE, Heavin C, et al. Perceptions of a mobile health intervention for Community Case Management in Malawi: Opportunities and challenges for Health Surveillance Assistants in a community setting. *Malawi Med J.* 2018;30(1):6-12. doi:10.4314/mmj.v30i1.2

131 Chirambo GB, Muula AS, Thompson M, et al. End-user perspectives of two mHealth decision support tools: Electronic Community Case Management in Northern Malawi. *Int J Med Inform.* 2021;145:104323. doi:10.1016/j.ijmedinf.2020.104323

132 Chirambo GB, Thompson M, Hardy V, et al. Effectiveness of Smartphone-Based Community Case Management on the Urgent Referral, Reconsultation, and Hospitalization of Children Aged Under 5 Years in Malawi: Cluster-Randomized, Stepped-Wedge Trial. *J Med Internet Res.* 2021;23(10):e25777. doi:10.2196/25777

133 Choudhary TS, Sinha B, Khera A, et al. Factors associated with the decline in under-five diarrhea mortality in India: a LiST analysis. *J Glob Health.* 9(2):020804. doi:10.7189/jogh.09.020804

- 134 Colbourn T, King C, Beard J, et al. Predictive value of pulse oximetry for mortality in infants and children presenting to primary care with clinical pneumonia in rural Malawi: A data linkage study. *PLoS Med.* 2020;17(10):e1003300. doi:10.1371/journal.pmed.1003300
- 135 Collins D, Jarrah Z, Gilmartin C, Saya U. The costs of integrated community case management (iCCM) programs: A multi-country analysis. *J Glob Health.* 2014;4(2):020407. doi:10.7189/jogh.04.020407
- 136 Collins KA, Ouedraogo A, Guelbeogo WM, et al. Investigating the impact of enhanced community case management and monthly screening and treatment on the transmissibility of malaria infections in Burkina Faso: study protocol for a cluster-randomised trial. *BMJ Open.* 2019;9(9):e030598. doi:10.1136/bmjopen-2019-030598
- 137 Costello A, Peterson S, Rasanathan K, Daelmans B, Bahl R. Where's the leadership? Future commitments of Unicef and WHO for global child health. *BMJ.* 2018;362:k3219. doi:10.1136/bmj.k3219
- 138 Counihan H, Baba E, Oresanya O, et al. One-arm safety intervention study on community case management of chest indrawing pneumonia in children in Nigeria – a study protocol. *Glob Health Action.* 13(1):1775368. doi:10.1080/16549716.2020.1775368
- 139 Counihan H, Harvey SA, Sekeseko-Chinyama M, et al. Community Health Workers Use Malaria Rapid Diagnostic Tests (RDTs) Safely and Accurately: Results of a Longitudinal Study in Zambia. *Am J Trop Med Hyg.* 2012;87(1):57-63. doi:10.4269/ajtmh.2012.11-0800
- 140 Daelmans B, Seck A, Nsona H, Wilson S, Young M. Integrated Community Case Management of Childhood Illness: What have We Learned? *Am J Trop Med Hyg.* 2016;94(3):571-573. doi:10.4269/ajtmh.94-3intro2
- 141 Daka DW, Wordofa MA, Woldie M, Persson LÅ, Berhanu D. Quality of clinical assessment and management of sick children by Health Extension Workers in four regions of Ethiopia: A cross-sectional survey. *PLoS One.* 2020;15(9):e0239361. doi:10.1371/journal.pone.0239361
- 142 Dalglish SL, George A, Shearer JC, Bennett S. Epistemic communities in global health and the development of child survival policy: a case study of iCCM. *Health Policy Plan.* 2015;30 Suppl 2:ii12-ii25. doi:10.1093/heapol/czv043
- 143 Dalglish SL, Rodríguez DC, Harouna A, Surkan PJ. Knowledge and power in policy-making for child survival in Niger. *Soc Sci Med.* 2017;177:150-157. doi:10.1016/j.socscimed.2017.01.056
- 144 Dalglish SL, Straubinger S, Kavle JA, et al. Who are the real community health workers in Tshopo Province, Democratic Republic of the Congo? *BMJ Glob Health.* 2019;4(4):e001529. doi:10.1136/bmjgh-2019-001529
- 145 Dalglish SL, Surkan PJ, Diarra A, Harouna A, Bennett S. Power and pro-poor policies: the case of iCCM in Niger. *Health Policy Plan.* 2015;30 Suppl 2:ii84-ii94. doi:10.1093/heapol/czv064
- 146 Dalglish SL, Vogel JJ, Begkoyian G, et al. Future directions for reducing inequity and maximising impact of child health strategies. *BMJ.* 2018;362:k2684. doi:10.1136/bmj.k2684
- 147 Dalglish SL. Methods for the strategic review of programmes for integrated management of childhood illness and community cases. *BMJ.* 2018;362:k2989. doi:10.1136/bmj.k2989
- 148 Damien BG, Agumon B, Abdoulaye Alfa D, et al. Low use of artemisinin-based combination therapy for febrile children under five and barriers to correct fever management in Benin: a decade after WHO recommendation. *BMC Public Health.* 2018;18:168. doi:10.1186/s12889-018-5077-6
- 149 Daniels K, Sanders D, Daviaud E, Doherty T. Valuing and Sustaining (or Not) the Ability of Volunteer Community Health Workers to Deliver Integrated Community Case Management in Northern Ghana: A Qualitative Study. *PLoS One.* 2015;10(6):e0126322. doi:10.1371/journal.pone.0126322
- 150 Das A, Friedman J, Kandpal E, et al. Strengthening malaria service delivery through supportive supervision and community mobilization in an endemic Indian setting: an evaluation of nested delivery models. *Malar J.* 2014;13:482. doi:10.1186/1475-2875-13-482
- 151 Das JK, Lassi ZS, Salam RA, Bhutta ZA. Effect of community based interventions on childhood diarrhea and pneumonia: uptake of treatment modalities and impact on mortality. *BMC Public Health.* 2013;13(Suppl 3):S29. doi:10.1186/1471-2458-13-S3-S29
- 152 Daviaud E, Besada D, Leon N, et al. Costs of implementing integrated community case management (iCCM) in six African countries: implications for sustainability. *J Glob Health.* 7(1):010403. doi:10.7189/jogh.07.010403
- 153 Davis LM, Zalisk K, Herrera S, Prosnitz D, Coelho H, Yourkavitch J. iCCM data quality: an approach to assessing iCCM reporting systems and data quality in 5 African countries. *J Glob Health.* 9(1):010805. doi:10.7189/jogh.09.010805
- 154 Davlantes E, Salomao C, Wate F, et al. Malaria case management commodity supply and use by community health workers in Mozambique, 2017. *Malar J.* 2019;18:47. doi:10.1186/s12936-019-2682-5

155 Dawson P, Pradhan Y, Houston R, Karki S, Poudel D, Hodgins S. From research to national expansion: 20 years' experience of community-based management of childhood pneumonia in Nepal. *Bull World Health Organ.* 2008;86(5):339-343. doi:10.2471/BLT.07.047688

156 de Sousa A, Tiedje KE, Recht J, Bjelic I, Hamer DH. Community case management of childhood illnesses: policy and implementation in Countdown to 2015 countries. *Bull World Health Organ.* 2012;90(3):183-190. doi:10.2471/BLT.11.093989

157 Debnath F, Bhatnagar T, Sundaramoorthy L, Ponnaiah M. Competency of peripheral health workers in detection & management of common syndromic conditions under surveillance, North 24 Parganas, West Bengal, India, 2016: a cross-sectional study. *Glob Health Epidemiol Genom.* 2017;2:e15. doi:10.1017/gheg.2017.13

158 Defar A, Alemu K, Tigabu Z, Persson LÅ, Okwaraji YB. Caregivers' and Health Extension Workers' Perceptions and Experiences of Outreach Management of Childhood Illnesses in Ethiopia: A Qualitative Study. *Int J Environ Res Public Health.* 2021;18(7):3816. doi:10.3390/ijerph18073816

159 Degefie Hailegebriel T, Mulligan B, Cousens S, et al. Effect on Neonatal Mortality of Newborn Infection Management at Health Posts When Referral Is Not Possible: A Cluster-Randomized Trial in Rural Ethiopia. *Glob Health Sci Pract.* 2017;5(2):202-216. doi:10.9745/GHSP-D-16-00312

160 Degefie T, Marsh D, Gebremariam A, Tefera W, Osborn G, Waltensperger K. Community case management improves use of treatment for childhood diarrhea, malaria and pneumonia in a remote district of Ethiopia. *ETHIOPIAN JOURNAL OF HEALTH DEVELOPMENT.* 2009;23(2):120-126.

161 Desta FA, Shifa GT, Dagoye DW, et al. Identifying gaps in the practices of rural health extension workers in Ethiopia: a task analysis study. *BMC Health Serv Res.* 2017;17:839. doi:10.1186/s12913-017-2804-0

162 Deutsch-Feldman M, Hamapumbu H, Lubinda J, et al. Efficiency of a Malaria Reactive Test-and-Treat Program in Southern Zambia: A Prospective, Observational Study. *Am J Trop Med Hyg.* 2018;98(5):1382-1388. doi:10.4269/ajtmh.17-0865

163 Dharmayat KI, Tran T, Hardy V, et al. Sustainability of 'mHealth' interventions in sub-Saharan Africa: a stakeholder analysis of an electronic community case management project in Malawi. *Malawi Med J.* 2019;31(3):177-183. doi:10.4314/mmj.v31i3.3

164 Diaz T, Aboubaker S, Young M. Current scientific evidence for integrated community case management (iCCM) in Africa: Findings from the iCCM Evidence Symposium. *J Glob Health.* 2014;4(2):020101. doi:10.7189/jogh.04.020101

165 Diaz T, George AS, Rao SR, et al. Healthcare seeking for diarrhoea, malaria and pneumonia among children in four poor rural districts in Sierra Leone in the context of free health care: results of a cross-sectional survey. *BMC Public Health.* 2013;13:157. doi:10.1186/1471-2458-13-157

166 Diaz T, Guenther T, Oliphant NP, Muñiz M. A proposed model to conduct process and outcome evaluations and implementation research of child health programs in Africa using integrated community case management as an example. *J Glob Health.* 2014;4(2):020409. doi:10.7189/jogh.04.020409

167 Diaz T, Rasanathan K, Meribole E, et al. Framework and strategy for integrated monitoring and evaluation of child health programmes for responsive programming, accountability, and impact. *BMJ.* 2018;362:k2785. doi:10.1136/bmj.k2785

168 Dick S, O'Connor Y, Thompson MJ, et al. Considerations for Improved Mobile Health Evaluation: Retrospective Qualitative Investigation. *JMIR Mhealth Uhealth.* 2020;8(1):e12424. doi:10.2196/12424

169 Diese M, Kalonji A, Izale B, et al. Community-based maternal, newborn, and child health surveillance: perceptions and attitudes of local stakeholders towards using mobile phone by village health volunteers in the Kenge Health Zone, Democratic Republic of Congo. *BMC Public Health.* 2018;18:316. doi:10.1186/s12889-018-5186-2

170 Ding W, Lu S, Xu Q, et al. Challenges of Sustaining Malaria Community Case Management in 81 Township Hospitals along the China-Myanmar Border Region - Yunnan Province, China, 2020. *China CDC Wkly.* 2021;3(17):355-359. doi:10.46234/ccdcw2021.097

171 Doherty T, Kerber K, Kinney M, Mason J. Approaches to Evaluate the Impact of Community-Based Delivery Strategies. *Am J Trop Med Hyg.* 2016;94(6):1433. doi:10.4269/ajtmh.16-0110a

172 Doherty T, Tran N, Sanders D, et al. Role of district health management teams in child health strategies. *BMJ.* 2018;362:k2823. doi:10.1136/bmj.k2823

173 Doherty T, Zembe W, Ngandu N, et al. Assessment of Malawi's success in child mortality reduction through the lens of the Catalytic Initiative Integrated Health Systems Strengthening programme: Retrospective evaluation. *J Glob Health.* 5(2):020412. doi:10.7189/jogh.05.020412

174 Downey J, McKenna AH, Mendin SF, et al. Measuring Knowledge of Community Health Workers at the Last Mile in Liberia: Feasibility and Results of Clinical Vignette Assessments. *Glob Health Sci Pract.* 2021;9(Suppl 1):S111-S121. doi:10.9745/GHSP-D-20-00380

175 Druetz T, Fregonese F, Bado A, et al. Abolishing Fees at Health Centers in the Context of Community Case Management of Malaria: What Effects on Treatment-Seeking Practices for Febrile Children in Rural Burkina Faso? *PLoS One*. 2015;10(10):e0141306. doi:10.1371/journal.pone.0141306

176 Druetz T, Kadio K, Haddad S, Kouanda S, Ridde V. Do community health workers perceive mechanisms associated with the success of community case management of malaria? A qualitative study from Burkina Faso. *Soc Sci Med*. 2015;124:232-240. doi:10.1016/j.socscimed.2014.11.053

177 Druetz T, Ridde V, Haddad S. The divergence between community case management of malaria and renewed calls for primary healthcare. *CRITICAL PUBLIC HEALTH*. 2015;25(2):165-177. doi:10.1080/09581596.2014.886761

178 Druetz T, Ridde V, Kouanda S, Ly A, Diabaté S, Haddad S. Utilization of community health workers for malaria treatment: results from a three-year panel study in the districts of Kaya and Zorgho, Burkina Faso. *Malar J*. 2015;14:71. doi:10.1186/s12936-015-0591-9

179 Druetz T. Integrated primary health care in low- and middle-income countries: a double challenge. *BMC Med Ethics*. 2018;19(Suppl 1):48. doi:10.1186/s12910-018-0288-z

180 Ebuehi OM, Adebajo S. Improving caregivers' home management of common childhood illnesses through community level interventions. *J Child Health Care*. 2010;14(3):225-238. doi:10.1177/1367493510364167

181 Ebuehi OM. Health care for under-fives in Ile-Ife, South-West Nigeria: Effect of the Integrated Management of Childhood Illnesses (IMCI) strategy on growth and development of under-fives. *Afr J Prim Health Care Fam Med*. 2009;1(1):029. doi:10.4102/phcfm.v1i1.29

182 Edward A, Ernst P, Taylor C, Becker S, Mazive E, Perry H. Examining the evidence of under-five mortality reduction in a community-based programme in Gaza, Mozambique. *Trans R Soc Trop Med Hyg*. 2007;101(8):814-822. doi:10.1016/j.trstmh.2007.02.025

183 English L, Miller JS, Mbusa R, et al. Erratum to: Monitoring iCCM referral systems: Bugoye Integrated Community Case Management Initiative (BIMI) in Uganda. *Malar J*. 2016;15:343. doi:10.1186/s12936-016-1375-6

184 English L, Miller JS, Mbusa R, et al. Monitoring iCCM referral systems: Bugoye Integrated Community Case Management Initiative (BIMI) in Uganda. *Malar J*. 2016;15:247. doi:10.1186/s12936-016-1300-z

185 Enhanced Management of Pneumonia in Community (EMPIC) Study Group. Community case management of chest indrawing pneumonia in children aged 2 to 59 months by community health workers: study protocol for a multi-country cluster randomized open label non-inferiority trial. *Int J Clin Trials*. 2020;7(2):131-141. doi:10.18203/2349-3259.ijct20201719

186 Escribano Ferrer B, Hansen KS, Gyapong M, et al. Cost-effectiveness analysis of the national implementation of integrated community case management and community-based health planning and services in Ghana for the treatment of malaria, diarrhoea and pneumonia. *Malar J*. 2017;16:277. doi:10.1186/s12936-017-1906-9

187 Escribano-Ferrer B, Gyapong M, Bruce J, et al. Effectiveness of two community-based strategies on disease knowledge and health behaviour regarding malaria, diarrhoea and pneumonia in Ghana. *BMC Public Health*. 2017;17:948. doi:10.1186/s12889-017-4964-6

188 Escribano-Ferrer B, Webster J, Gyapong M. Assessing the impact of health research on health policies: a study of the Dodowa Health Research Centre, Ghana. *BMC Health Serv Res*. 2017;17:435. doi:10.1186/s12913-017-2383-0

189 Fançony C, Soares Â, Lavinha J, Barros H, Brito M. Effectiveness of Nutrition and WASH/malaria educational community-based interventions in reducing anemia in children from Angola. *Sci Rep*. 2021;11:5603. doi:10.1038/s41598-021-85006-x

190 Feldman M, Lacey Krylova V, Farrow P, et al. Community health worker knowledge, attitudes and practices towards COVID-19: Learnings from an online cross-sectional survey using a digital health platform, UpSCALE, in Mozambique. *PLoS One*. 2021;16(2):e0244924. doi:10.1371/journal.pone.0244924

191 Feroz AS, Valliani K, Khwaja H, Karim S. Exploring digital health interventions to support community health workers in low-and-middle-income countries during the COVID-19 pandemic: a scoping review protocol. *BMJ Open*. 2021;11(9):e053871. doi:10.1136/bmjopen-2021-053871

192 Ferrer BE, Webster J, Bruce J, et al. Integrated community case management and community-based health planning and services: a cross sectional study on the effectiveness of the national implementation for the treatment of malaria, diarrhoea and pneumonia. *Malar J*. 2016;15:340. doi:10.1186/s12936-016-1380-9

193 Findley SE, Uwemedimo OT, Doctor HV, Green C, Adamu F, Afenyadu GY. Early results of an integrated maternal, newborn, and child health program, Northern Nigeria, 2009 to 2011. *BMC Public Health*. 2013;13:1034. doi:10.1186/1471-2458-13-1034

194 Ford N, Williams A, Renshaw M, Nkum J. Communication strategy for implementing community IMCI. *J Health Commun*. 2005;10(5):379-401. doi:10.1080/10810730591009817

195 Freeman PA, Schleiff M, Sacks E, Rassekh BM, Gupta S, Perry HB. Comprehensive review of the evidence regarding the effectiveness of community-based primary health care in improving maternal, neonatal and child health: 4. child health findings. *J Glob Health*. 7(1):010904. doi:10.7189/jogh.07.010904

196 Friberg IK, Walker N. Using the Lives Saved Tool as part of evaluations of community case management programs. *J Glob Health*. 2014;4(2):020412. doi:10.7189/jogh.04.020412

197 Funk T, Källander K, Abebe A, Alfvén T, Alvesson HM. 'I also take part in caring for the sick child': a qualitative study on fathers' roles and responsibilities in seeking care for children in Southwest Ethiopia. *BMJ Open*. 2020;10(8):e038932. doi:10.1136/bmjopen-2020-038932

198 Funk T, Källander K, Abebe A, Hailemariam A, Alvesson HM, Alfvén T. Management and Follow-up Practices of Children with Unclassified Fever in Rural Ethiopia: Experiences of Health Extension Workers and Caregivers. *Am J Trop Med Hyg*. 2018;99(5):1255-1261. doi:10.4269/ajtmh.17-0777

199 G/Selassie T, Fantahun M. In what ways can Community Integrated Management of Neonatal and Childhood Illnesses (CIMNCI) improve child health? *The Ethiopian Journal of Health Development*. 2011;25(2). Accessed December 13, 2021. <https://ejhd.org/index.php/ejhd/article/view/288>

200 Gallalee S, Ward AV, Aye MM, et al. Factors associated with the decline of malaria in Myanmar's Ayeyarwady Region between 2013 and 2017. *Sci Rep*. 2021;11:20470. doi:10.1038/s41598-021-99737-4

201 Garde A, Zhou G, Raihana S, et al. Respiratory rate and pulse oximetry derived information as predictors of hospital admission in young children in Bangladesh: a prospective observational study. *BMJ Open*. 2016;6(8):e011094. doi:10.1136/bmjopen-2016-011094

202 Garg S, Gurusung P, Dewangan M, Nanda P. Coverage of community case management for malaria through CHWs: a quantitative assessment using primary household surveys of high-burden areas in Chhattisgarh state of India. *Malar J*. 2020;19:213. doi:10.1186/s12936-020-03285-7

203 Gaye S, Kibler J, Ndiaye JL, et al. Proactive community case management in Senegal 2014–2016: a case study in maximizing the impact of community case management of malaria. *Malar J*. 2020;19:166. doi:10.1186/s12936-020-03238-0

204 Gebremedhin S, Astatkie A, Amin HM, Teshome A, Gebremariam A. Changes in care-seeking for common childhood illnesses in the context of Integrated Community Case Management (iCCM) program implementation in Benishangul Gumuz region of Ethiopia. *PLoS One*. 2020;15(11):e0242451. doi:10.1371/journal.pone.0242451

205 George A, Menotti EP, Rivera D, Marsh DR. Community case management in Nicaragua: lessons in fostering adoption and expanding implementation. *Health Policy Plan*. 2011;26(4):327-337. doi:10.1093/heapol/czq048

206 George A, Menotti EP, Rivera D, Montes I, Reyes CM, Marsh DR. Community case management of childhood illness in Nicaragua: transforming health systems in underserved rural areas. *J Health Care Poor Underserved*. 2009;20(4 Suppl):99-115. doi:10.1353/hpu.0.0205

207 George A, Rodríguez DC, Rasanathan K, Brandes N, Bennett S. iCCM policy analysis: strategic contributions to understanding its character, design and scale up in sub-Saharan Africa. *Health Policy Plan*. 2015;30 Suppl 2:ii3-ii11. doi:10.1093/heapol/czv096

208 George A, Young M, Nefdt R, et al. Community Health Workers Providing Government Community Case Management for Child Survival in Sub-Saharan Africa: Who Are They and What Are They Expected to Do? *Am J Trop Med Hyg*. 2012;87(5 Suppl):85-91. doi:10.4269/ajtmh.2012.11-0757

209 George AS, LeFevre AE, Schleiff M, Mancuso A, Sacks E, Sarriot E. Hubris, humility and humanity: expanding evidence approaches for improving and sustaining community health programmes. *BMJ Glob Health*. 2018;3(3):e000811. doi:10.1136/bmjgh-2018-000811

210 George CM, Vignola E, Ricca J, et al. Evaluation of the effectiveness of care groups in expanding population coverage of Key child survival interventions and reducing under-5 mortality: a comparative analysis using the lives saved tool (LIST). *BMC Public Health*. 2015;15:835. doi:10.1186/s12889-015-2187-2

211 Getachew T, Abebe SM, Yitayal M, Persson LÅ, Berhanu D. Association between a complex community intervention and quality of health extension workers' performance to correctly classify common childhood illnesses in four regions of Ethiopia. *PLoS One*. 2021;16(3):e0247474. doi:10.1371/journal.pone.0247474

212 Getachew T, Mekonnen S, Yitayal M, Persson LÅ, Berhanu D. Health Extension Workers' diagnostic accuracy for common childhood illnesses in four regions of Ethiopia: a cross-sectional study. *Acta Paediatr*. 2019;108(11):2100-2106. doi:10.1111/apa.14888

213 Ghimire M, Pradhan YV, Maskey MK. Community-based interventions for diarrhoeal diseases and acute respiratory infections in Nepal. *Bull World Health Organ*. 2010;88(3):216-221. doi:10.2471/BLT.09.065649

- 214 Gilroy KE, Callaghan-Koru JA, Cardemil CV, et al. Quality of sick child care delivered by Health Surveillance Assistants in Malawi. *Health Policy Plan.* 2013;28(6):573-585. doi:10.1093/heapol/czs095
- 215 Graham K, Sinyangwe C, Nicholas S, et al. Rational use of antibiotics by community health workers and caregivers for children with suspected pneumonia in Zambia: a cross-sectional mixed methods study. *BMC Public Health.* 2016;16(1):897. doi:10.1186/s12889-016-3541-8
- 216 Green C, Quigley P, Kureya T, et al. Use of rectal artesunate for severe malaria at the community level, Zambia. *Bull World Health Organ.* 2019;97(12):810-817. doi:10.2471/BLT.19.231506
- 217 Greenwood B, Bojang K, Tagbor H, Pagnoni F. Combining community case management and intermittent preventive treatment for malaria. *Trends Parasitol.* 2011;27(11):477-480. doi:10.1016/j.pt.2011.06.005
- 218 Guenther T, Láinez YB, Oliphant NP, et al. Routine monitoring systems for integrated community case management programs: Lessons from 18 countries in sub-Saharan Africa. *J Glob Health.* 2014;4(2):020301. doi:10.7189/jogh-04-020301
- 219 Guenther T, Sadruddin S, Chimuna T, et al. Beyond Distance: An Approach to Measure Effective Access to Case Management for Sick Children in Africa. *Am J Trop Med Hyg.* 2012;87(5 Suppl):77-84. doi:10.4269/ajtmh.2012.11-0747
- 220 Guenther T, Sadruddin S, Finnegan K, et al. Contribution of community health workers to improving access to timely and appropriate case management of childhood fever in Mozambique. *J Glob Health.* 7(1):010402. doi:10.7189/jogh.07.010402
- 221 Hailemariam S, Gebeyehu Y, Loha E, Johansson KA, Lindtjørn B. Inadequate management of pneumonia among children in South Ethiopia: findings from descriptive study. *BMC Health Serv Res.* 2019;19:426. doi:10.1186/s12913-019-4242-7
- 222 Hamainza B, Killeen GF, Kamuliwo M, Bennett A, Yukich JO. Comparison of a mobile phone-based malaria reporting system with source participant register data for capturing spatial and temporal trends in epidemiological indicators of malaria transmission collected by community health workers in rural Zambia. *Malar J.* 2014;13:489. doi:10.1186/1475-2875-13-489
- 223 Hamainza B, Moonga H, Sikaala CH, et al. Monitoring, characterization and control of chronic, symptomatic malaria infections in rural Zambia through monthly household visits by paid community health workers. *Malar J.* 2014;13:128. doi:10.1186/1475-2875-13-128
- 224 Hamer DH, Brooks ET, Semrau K, et al. Quality and safety of integrated community case management of malaria using rapid diagnostic tests and pneumonia by community health workers. *Pathog Glob Health.* 2012;106(1):32-39. doi:10.1179/1364859411Y.0000000042
- 225 Hamer DH, Marsh DR, Peterson S, Pagnoni F. Integrated Community Case Management: Next Steps in Addressing the Implementation Research Agenda. *Am J Trop Med Hyg.* 2012;87(5 Suppl):151-153. doi:10.4269/ajtmh.2012.12-0505
- 226 Hansen CL, McCormick BJJ, Azam SI, et al. Substantial and sustained reduction in under-5 mortality, diarrhea, and pneumonia in Oshikhandass, Pakistan: evidence from two longitudinal cohort studies 15 years apart. *BMC Public Health.* 2020;20:759. doi:10.1186/s12889-020-08847-7
- 227 Hardy V, Hsieh J, Chirambo B, et al. Assessing the feasibility of mobile phones for follow-up of acutely unwell children presenting to village clinics in rural northern Malawi. *Malawi Med J.* 2017;29(1):53-54.
- 228 Hardy V, O'Connor Y, Heavin C, et al. The added value of a mobile application of Community Case Management on referral, re-consultation and hospitalization rates of children aged under 5 years in two districts in Northern Malawi: study protocol for a pragmatic, stepped-wedge cluster-randomized controlled trial. *Trials.* 2017;18:475. doi:10.1186/s13063-017-2213-z
- 229 Hardy V, Thompson M, Muula AS. Evaluating mobile solutions of integrated Community Case Management (iCCM): Making the final connection. *Malawi Med J.* 2017;29(4):332-334. doi:10.4314/mmj.v29i4.11
- 230 Harkins T, Drasbek C, Arroyo J, McQuestion M. The health benefits of social mobilization: experiences with community-based Integrated Management of Childhood Illness in Chao, Peru and San Luis, Honduras. *Promotion & Education.* 2008;15(2):15-20. doi:10.1177/1025382308090340
- 231 Hasegawa A, Yasuoka J, Ly P, Nguon C, Jimba M. Integrating child health services into malaria control services of village malaria workers in remote Cambodia: service utilization and knowledge of malaria management of caregivers. *Malar J.* 2013;12:292. doi:10.1186/1475-2875-12-292
- 232 Hassen K, Aden BS, Belew D, Legesse H, Yetubie M, Pearson L. Integrated community case management of childhood illnesses: adaptations for the developing regions of Ethiopia. *Ethiop Med J.* 2014;52 Suppl 3:7.
- 233 Hazel E, Amouzou A, Park L, et al. Real-time assessments of the strength of program implementation for community case management of childhood illness: validation of a mobile phone-based method in Malawi. *Am J Trop Med Hyg.* 2015;92(3):660-665. doi:10.4269/ajtmh.14-0396
- 234 Hazel E, Bryce J. On Bathwater, Babies, and Designing Programs for Impact: Evaluations of the Integrated Community Case Management Strategy in Burkina Faso, Ethiopia, and Malawi. *Am J Trop Med Hyg.* 2016;94(3):568-570. doi:10.4269/ajtmh.94-3intro1

- 235 Hazel E, Chimbalanga E, Chimuna T, et al. Using Data to Improve Programs: Assessment of a Data Quality and Use Intervention Package for Integrated Community Case Management in Malawi. *Glob Health Sci Pract.* 2017;5(3):355-366. doi:10.9745/GHSP-D-17-00103
- 236 Hazel E, Requejo J, David J, Bryce J. Measuring coverage in MNCH: evaluation of community-based treatment of childhood illnesses through household surveys. *PLoS Med.* 2013;10(5):e1001384. doi:10.1371/journal.pmed.1001384
- 237 Healey J, Wiah SO, Horace JM, Majekodunmi DB, Duokie DS. Liberia's Community Health Assistant Program: Scale, Quality, and Resilience. *Glob Health Sci Pract.* 2021;9(Suppl 1):S18-S24. doi:10.9745/GHSP-D-20-00509
- 238 Heidkamp R, Hazel E, Nsona H, Mleme T, Jamali A, Bryce J. Measuring Implementation Strength for Integrated Community Case Management in Malawi: Results from a National Cell Phone Census. *Am J Trop Med Hyg.* 2015;93(4):861-868. doi:10.4269/ajtmh.14-0797
- 239 Heidkamp R. The National Evaluation Platform for Maternal, Newborn, and Child Health, and Nutrition: From idea to implementation. *J Glob Health.* 7(2):020305. doi:10.7189/jogh.07.020305
- 240 Helldén D, Källander K, Peterson S, Alfvén T. [Integrated Community Case Management - one piece of the puzzle to achieve the ambitious global goals for child health]. *Lakartidningen.* 2019;116:FHDT.
- 241 Higi AH, Debelew GT, Dadi LS. Perception and Experience of Health Extension Workers on Facilitators and Barriers to Maternal and Newborn Health Service Utilization in Ethiopia: A Qualitative Study. *Int J Environ Res Public Health.* 2021;18(19):10467. doi:10.3390/ijerph181910467
- 242 Hodgins S, Pullum T, Dougherty L. Understanding where parents take their sick children and why it matters: a multi-country analysis. *Glob Health Sci Pract.* 2013;1(3):328-356. doi:10.9745/GHSP-D-13-00023
- 243 Houston R, Acharya B, Poudel D, et al. Early initiation of community-based programmes in Nepal: a historic reflection. *J Nepal Health Res Counc.* 2012;10(21):82-87.
- 244 Huicho L, Dávila M, Campos M, Drasbek C, Bryce J, Victora CG. Scaling up integrated management of childhood illness to the national level: achievements and challenges in Peru. *Health Policy Plan.* 2005;20(1):14-24. doi:10.1093/heapol/czi002
- 245 Humphreys D, Kalyango JN, Alfvén T. The impact of equity factors on receipt of timely appropriate care for children with suspected malaria in eastern Uganda. *BMC Public Health.* 2021;21:1870. doi:10.1186/s12889-021-11908-0
- 246 Huque R, Ahmed F, King R, et al. Improving the quality of care of children in community clinics: an intervention and evaluation in Bangladesh. *Public Health Action.* 2016;6(2):77-82. doi:10.5588/pha.16.0004
- 247 Ide N, Hardy V, Chirambo G, et al. People Welcomed This Innovation with Two Hands: A Qualitative Report of an mHealth Intervention for Community Case Management in Malawi. *Ann Glob Health.* 85(1):61. doi:10.5334/aogh.919
- 248 Iloh GU, Ofoedu JN, Njoku PU, Amadi AN, Godswill-Uko EU. The Magnitude of Under-five Emergencies in a Resource-poor Environment of a Rural Hospital in Eastern Nigeria: Implication for Strengthening the House-hold and Community-integrated Management of Childhood Illnesses. *N Am J Med Sci.* 2012;4(8):344-349. doi:10.4103/1947-2714.99514
- 249 Jacobs M, Merson M. Introductory commentary: a strategic review of options for building on lessons learnt from IMCI and iCCM. *BMJ.* 2018;362:bmj.k3013. doi:10.1136/bmj.k3013
- 250 Jarolimova J, Baguma S, Patel P, et al. Completion of community health worker initiated patient referrals in integrated community case management in rural Uganda. *Malar J.* 2018;17:379. doi:10.1186/s12936-018-2525-9
- 251 Jegede AS, Oshiname FO, Sanou AK, et al. Assessing Acceptability of a Diagnostic and Malaria Treatment Package Delivered by Community Health Workers in Malaria-Endemic Settings of Burkina Faso, Nigeria, and Uganda. *Clin Infect Dis.* 2016;63(Suppl 5):S306-S311. doi:10.1093/cid/ciw630
- 252 Johnson AD, Thiero O, Whidden C, et al. Proactive community case management and child survival in periurban Mali. *BMJ Glob Health.* 2018;3(2):e000634. doi:10.1136/bmjgh-2017-000634
- 253 Juma PA, Owuor K, Bennett S. Integrated community case management for childhood illnesses: explaining policy resistance in Kenya. *Health Policy Plan.* 2015;30 Suppl 2:ii65-ii73. doi:10.1093/heapol/czv094
- 254 Kabakyenga J, Barigye C, Brenner J, et al. A demonstration of mobile phone deployment to support the treatment of acutely ill children under five in Bushenyi district, Uganda. *Afr Health Sci.* 2016;16(1):89-96. doi:10.4314/ahs.v16i1.12
- 255 Källander K, Alfvén T, Funk T, et al. Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in Ethiopia: A cluster-randomised non-inferiority trial. *PLoS Med.* 2018;15(4):e1002553. doi:10.1371/journal.pmed.1002553
- 256 Källander K, Alfvén T, Workineh AA, et al. Universal Versus Conditional Third Day Follow-Up Visit for Children With Nonsevere Unclassified Fever at the Community Level in Ethiopia: Protocol for a Cluster Randomized Noninferiority Trial. *JMIR Res Protoc.* 2018;7(4):e99. doi:10.2196/resprot.9780

257 Källander K, Counihan H, Cerveau T, Mbofana F. Barriers on the pathway to survival for children dying from treatable illnesses in Inhambane province, Mozambique. *J Glob Health*. 9(1):010809. doi:10.7189/jogh.09.010809

258 Källander K, Strachan D, Soremekun S, et al. Evaluating the effect of innovative motivation and supervision approaches on community health worker performance and retention in Uganda and Mozambique: study protocol for a randomised controlled trial. *Trials*. 2015;16:157. doi:10.1186/s13063-015-0657-6

259 Källander K, Tibenderana JK, Akpogheneta OJ, et al. Mobile Health (mHealth) Approaches and Lessons for Increased Performance and Retention of Community Health Workers in Low- and Middle-Income Countries: A Review. *J Med Internet Res*. 2013;15(1):e17. doi:10.2196/jmir.2130

260 Källander K, Ward C, Smith H, et al. Usability and acceptability of an automated respiratory rate counter to assess childhood pneumonia in Nepal. *Acta Paediatr*. 2020;109(6):1207-1220. doi:10.1111/apa.15108

261 Kalyango JN, Alfven T, Peterson S, Mugenyi K, Karamagi C, Rutebemberwa E. Integrated community case management of malaria and pneumonia increases prompt and appropriate treatment for pneumonia symptoms in children under five years in Eastern Uganda. *Malar J*. 2013;12:340. doi:10.1186/1475-2875-12-340

262 Kalyango JN, Lindstrand A, Rutebemberwa E, et al. Increased Use of Community Medicine Distributors and Rational Use of Drugs in Children Less than Five Years of Age in Uganda Caused by Integrated Community Case Management of Fever. *Am J Trop Med Hyg*. 2012;87(5 Suppl):36-45. doi:10.4269/ajtmh.2012.11-0733

263 Kalyango JN, Rutebemberwa E, Alfven T, Ssali S, Peterson S, Karamagi C. Performance of community health workers under integrated community case management of childhood illnesses in eastern Uganda. *Malar J*. 2012;11:282. doi:10.1186/1475-2875-11-282

264 Kalyango JN, Rutebemberwa E, Karamagi C, et al. High Adherence to Antimalarials and Antibiotics under Integrated Community Case Management of Illness in Children Less than Five Years in Eastern Uganda. *PLoS One*. 2013;8(3):e60481. doi:10.1371/journal.pone.0060481

265 Karim A, Cobos Munoz D, Mäusezahl D, de Savigny D. A systems approach to assessing complexity in health interventions: an effectiveness decay model for integrated community case management. *Glob Health Action*. 2020;13(1):1794106. doi:10.1080/16549716.2020.1794106

266 Karim AM, Tamire A, Medhanyie AA, Betemariam W. Changes in equity of maternal, newborn, and child health care practices in 115 districts of rural Ethiopia: implications for the health extension program. *BMC Pregnancy Childbirth*. 2015;15:238. doi:10.1186/s12884-015-0668-z

267 Karlyn A, Odindo S, Onyango R, et al. Testing mHealth solutions at the last mile: insights from a study of technology-assisted community health referrals in rural Kenya. *Mhealth*. 2020;6:43. doi:10.21037/mhealth-19-261

268 Kassam R, Collins JB, Liow E, Rasool N. Narrative review of current context of malaria and management strategies in Uganda (Part I). *Acta Trop*. 2015;152:252-268. doi:10.1016/j.actatropica.2015.07.028

269 Kasteng F, Settumba S, Källander K, Vassall A. Valuing the work of unpaid community health workers and exploring the incentives to volunteering in rural Africa. *Health Policy Plan*. 2016;31(2):205-216. doi:10.1093/heapol/czv042

270 Kavle J, Pacque M, Mbombeshayi E, et al. INTEGRATION OF PREVENTATIVE AND CURATIVE ASPECTS OF NUTRITION INTO INTEGRATED COMMUNITY CASE MANAGEMENT (ICCM) IN DEMOCRATIC REPUBLIC OF CONGO. *ANNALS OF NUTRITION AND METABOLISM*. 2017;71:1027-1028.

271 Kavle JA, Pacqué M, DalGLISH S, et al. Strengthening nutrition services within integrated community case management (iccm) of childhood illnesses in the Democratic Republic of Congo: Evidence to guide implementation. *Matern Child Nutr*. 2019;15(Suppl 1):e12725. doi:10.1111/mcn.12725

272 Kawakatsu Y, Tanaka J, Ogawa K, Ogendo K, Honda S. Community unit performance: factors associated with childhood diarrhea and appropriate treatment in Nyanza Province, Kenya. *BMC Public Health*. 2017;17:202. doi:10.1186/s12889-017-4107-0

273 Kayemba CN, Sengendo HN, Ssekitooleko J, et al. Introduction of Newborn Care within Integrated Community Case Management in Uganda. *Am J Trop Med Hyg*. 2012;87(5 Suppl):46-53. doi:10.4269/ajtmh.2012.12-0133

274 Kazembe LN, Muula AS, Appleton CC, Kleinschmidt I. Modelling the effect of malaria endemicity on spatial variations in childhood fever, diarrhoea and pneumonia in Malawi. *Int J Health Geogr*. 2007;6:33. doi:10.1186/1476-072X-6-33

275 Keats EC, Macharia W, Singh NS, et al. Accelerating Kenya's progress to 2030: understanding the determinants of under-five mortality from 1990 to 2015. *BMJ Glob Health*. 2018;3(3):e000655. doi:10.1136/bmjgh-2017-000655

276 Keitel K, D'Acromont V. Electronic clinical decision algorithms for the integrated primary care management of febrile children in low-resource settings: review of existing tools. *Clin Microbiol Infect*. 2018;24(8):845-855. doi:10.1016/j.cmi.2018.04.014

277	Keitel K, Kilowoko M, Kyungu E, Genton B, D’Acromont V. Performance of prediction rules and guidelines in detecting serious bacterial infections among Tanzanian febrile children. <i>BMC Infect Dis.</i> 2019;19:769. doi:10.1186/s12879-019-4371-y
278	Kelly JM, Osamba B, Garg RM, et al. Community Health Worker Performance in the Management of Multiple Childhood Illnesses: Siaya District, Kenya, 1997–2001. <i>Am J Public Health.</i> 2001;91(10):1617-1624.
279	Kema KM, Komwihangiro J, Kimaro S. Integrated community based child survival, reproductive health and water and sanitation program in Mkuranga district, Tanzania: a replicable model of good practices in community based health care. <i>Pan Afr Med J.</i> 2012;13(Suppl 1):11.
280	Kenny A, Gordon N, Downey J, et al. Design and implementation of a mobile health electronic data capture platform that functions in fully-disconnected settings: a pilot study in rural Liberia. <i>BMC Med Inform Decis Mak.</i> 2020;20:39. doi:10.1186/s12911-020-1059-6
281	Kimani-Murage EW, Pythagore H, Mwaniki E, et al. Integrated and simplified approaches to community management of acute malnutrition in rural Kenya: a cluster randomized trial protocol. <i>BMC Public Health.</i> 2019;19:1253. doi:10.1186/s12889-019-7497-3
282	King C, Banda M, Bar-Zeev N, et al. Care-seeking patterns amongst suspected paediatric pneumonia deaths in rural Malawi. <i>Gates Open Res.</i> 2021;4:178. doi:10.12688/gatesopenres.13208.2
283	King C, Boyd N, Walker I, et al. Opportunities and barriers in paediatric pulse oximetry for pneumonia in low-resource clinical settings: a qualitative evaluation from Malawi and Bangladesh. <i>BMJ Open.</i> 2018;8(1):e019177. doi:10.1136/bmjopen-2017-019177
284	King C, Colbourn T, Mankhambo L, et al. Non-treatment of children with community health worker-diagnosed fast-breathing pneumonia in rural Malawi: exploratory subanalysis of a prospective cohort study. <i>BMJ Open.</i> 2016;6(11):e011636. doi:10.1136/bmjopen-2016-011636
285	King C, McCollum ED, Mankhambo L, et al. Can We Predict Oral Antibiotic Treatment Failure in Children with Fast-Breathing Pneumonia Managed at the Community Level? A Prospective Cohort Study in Malawi. <i>PLoS One.</i> 2015;10(8):e0136839. doi:10.1371/journal.pone.0136839
286	King C, Nightingale R, Phiri T, et al. Non-adherence to oral antibiotics for community paediatric pneumonia treatment in Malawi – A qualitative investigation. <i>PLoS One.</i> 2018;13(10):e0206404. doi:10.1371/journal.pone.0206404
287	Kipp AM, Maimbolwa M, Brault MA, et al. Improving access to child health services at the community level in Zambia: a country case study on progress in child survival, 2000–2013. <i>Health Policy Plan.</i> 2017;32(5):603-612. doi:10.1093/heapol/czw141
288	Kitamura T, Fergusson P, Ravalomanda AN, et al. Perspectives of health care workers and village health volunteers on community-based Integrated Management of Childhood Illness in Madagascar. <i>Heliyon.</i> 2020;6(11):e05326. doi:10.1016/j.heliyon.2020.e05326
289	Kitutu F, Mayora C, Awor P, Birger F, Peterson S, Wamani H. Inclusion of private sector in district health systems; case study of private drug shops implementing modified Integrated Community Case Management (iCCM) strategy in Rural Uganda. <i>BMC Health Serv Res.</i> 2014;14(Suppl 2):P65. doi:10.1186/1472-6963-14-S2-P65
290	Kitutu FE, Kalyango JN, Mayora C, Selling KE, Peterson S, Wamani H. Integrated community case management by drug sellers influences appropriate treatment of paediatric febrile illness in South Western Uganda: a quasi-experimental study. <i>Malar J.</i> 2017;16:425. doi:10.1186/s12936-017-2072-9
291	Kitutu FE, Mayora C, Johansson EW, et al. Health system effects of implementing integrated community case management (iCCM) intervention in private retail drug shops in South Western Uganda: a qualitative study. <i>BMJ Glob Health.</i> 2017;2(Suppl 3):e000334. doi:10.1136/bmjgh-2017-000334
292	Kitutu FE, Wamani H, Selling KE, et al. Can malaria rapid diagnostic tests by drug sellers under field conditions classify children 5 years old or less with or without Plasmodium falciparum malaria? Comparison with nested PCR analysis. <i>Malar J.</i> 2018;17:365. doi:10.1186/s12936-018-2508-x
293	Koffi AK, Kalter HD, Kamwe MA, Black RE. Verbal/social autopsy analysis of causes and determinants of under-5 mortality in Tanzania from 2010 to 2016. <i>J Glob Health.</i> 10(2):020901. doi:10.7189/jogh.10.020901
294	Kok MC, Namakhoma I, Nyirenda L, et al. Health surveillance assistants as intermediates between the community and health sector in Malawi: exploring how relationships influence performance. <i>BMC Health Serv Res.</i> 2016;16:164. doi:10.1186/s12913-016-1402-x
295	Kok MC, Vallières F, Tulloch O, et al. Does supportive supervision enhance community health worker motivation? A mixed-methods study in four African countries. <i>Health Policy Plan.</i> 2018;33(9):988-998. doi:10.1093/heapol/czy082

- 296 Kozuki N, Ericson K, Marron B, Lainez YB, Miller NP. The resilience of integrated community case management in acute emergency: a case study from Unity State, South Sudan. *J Glob Health*. 8(2):020602. doi:10.7189/jogh.08.020602
- 297 Kozuki N, Van Boetzelae E, Tesfai C, Zhou A. Severe acute malnutrition treatment delivered by low-literate community health workers in South Sudan: A prospective cohort study. *J Glob Health*. 10(1):010421. doi:10.7189/jogh.10.010421
- 298 Kumar S, Roy R, Dutta S. Scaling-up public sector childhood diarrhea management program: Lessons from Indian states of Gujarat, Uttar Pradesh and Bihar. *J Glob Health*. 5(2):020414. doi:10.7189/jogh.05.020414
- 299 Kyaw SS, Drake T, Thi A, et al. Malaria community health workers in Myanmar: a cost analysis. *Malar J*. 2016;15:41. doi:10.1186/s12936-016-1102-3
- 300 Laínez YB, Wittcoff A, Mohamud AI, Amendola P, Perry HB, D'Harcourt E. Insights from community case management data in six sub-Saharan African countries. *Am J Trop Med Hyg*. 2012;87(5 Suppl):144-150. doi:10.4269/ajtmh.2012.12-0106
- 301 Lake A. Special CCM Supplement in the American Journal of Tropical Medicine and Hygiene. Preface. *Am J Trop Med Hyg*. 2012;87(5 Suppl):1. doi:10.4269/ajtmh.2012.12-0546
- 302 Laktabai J, Platt A, Menya D, et al. A mobile health technology platform for quality assurance and quality improvement of malaria diagnosis by community health workers. *PLoS One*. 2018;13(2):e0191968. doi:10.1371/journal.pone.0191968
- 303 Lal S, Ndyomugenyi R, Alexander ND, et al. Health Facility Utilisation Changes during the Introduction of Community Case Management of Malaria in South Western Uganda: An Interrupted Time Series Approach. *PLoS One*. 2015;10(9):e0137448. doi:10.1371/journal.pone.0137448
- 304 Lal S, Ndyomugenyi R, Magnussen P, et al. Referral Patterns of Community Health Workers Diagnosing and Treating Malaria: Cluster-Randomized Trials in Two Areas of High- and Low-Malaria Transmission in Southwestern Uganda. *Am J Trop Med Hyg*. 2016;95(6):1398-1408. doi:10.4269/ajtmh.16-0598
- 305 Lal S, Ndyomugenyi R, Paintain L, et al. Caregivers' compliance with referral advice: evidence from two studies introducing mRDTs into community case management of malaria in Uganda. *BMC Health Serv Res*. 2018;18:317. doi:10.1186/s12913-018-3124-8
- 306 Lal S, Ndyomugenyi R, Paintain L, et al. Community health workers adherence to referral guidelines: evidence from studies introducing RDTs in two malaria transmission settings in Uganda. *Malar J*. 2016;15:568. doi:10.1186/s12936-016-1609-7
- 307 Langston A, Weiss J, Landegger J, et al. Plausible role for CHW peer support groups in increasing care-seeking in an integrated community case management project in Rwanda: a mixed methods evaluation. *Glob Health Sci Pract*. 2014;2(3):342-354. doi:10.9745/GHSP-D-14-00067
- 308 Langston A, Wittcoff A, Ngoy P, et al. Testing a simplified tool and training package to improve integrated Community Case Management in Tanganyika Province, Democratic Republic of Congo: a quasi-experimental study. *J Glob Health*. 9(1):010810. doi:10.7189/jogh.09.010810
- 309 Larsen DA, Winters A, Cheelo S, et al. Shifting the burden or expanding access to care? Assessing malaria trends following scale-up of community health worker malaria case management and reactive case detection. *Malar J*. 2017;16(1):441. doi:10.1186/s12936-017-2088-1
- 310 Larson BA, Ngoma T, Silumbe K, et al. A framework for evaluating the costs of malaria elimination interventions: an application to reactive case detection in Southern Province of Zambia, 2014. *Malar J*. 2016;15(1):408. doi:10.1186/s12936-016-1457-5
- 311 Lauria ME, Fiori KP, Jones HE, et al. Assessing the Integrated Community-Based Health Systems Strengthening initiative in northern Togo: a pragmatic effectiveness-implementation study protocol. *Implement Sci*. 2019;14:92. doi:10.1186/s13012-019-0921-3
- 312 Legesse H. National scale-up of integrated community case management in rural Ethiopia: implementation and early lessons learned. *Ethiop Med J*. 2014;52 Suppl 3:15-26.
- 313 Lim S, Yasuoka J, Poudel KC, Ly P, Nguon C, Jimba M. Promoting community knowledge and action for malaria control in rural Cambodia: potential contributions of Village Malaria Workers. *BMC Res Notes*. 2012;5:405. doi:10.1186/1756-0500-5-405
- 314 Linn AM, Ndiaye Y, Hennessee I, et al. Reduction in symptomatic malaria prevalence through proactive community treatment in rural Senegal. *Trop Med Int Health*. 2015;20(11):1438-1446. doi:10.1111/tmi.12564
- 315 Linn NYY, Kathirvel S, Das M, et al. Are village health volunteers as good as basic health staffs in providing malaria care? A country wide analysis from Myanmar, 2015. *Malar J*. 2018;17:242. doi:10.1186/s12936-018-2384-4
- 316 Linn NYY, Tripathy JP, Maung TM, et al. How are the village health volunteers deliver malaria testing and treatment services and what are the challenges they are facing? A mixed methods study in Myanmar. *Trop Med Health*. 2018;46:28. doi:10.1186/s41182-018-0110-0

317 Littrell M, Moukam LV, Libite R, Youmba JC, Baugh G. Narrowing the treatment gap with equitable access: mid-term outcomes of a community case management program in Cameroon. *Health Policy Plan.* 2013;28(7):705-716. doi:10.1093/heapol/czs110

318 Lohfeld L, Kangombe-Ngwenya T, Winters AM, et al. A qualitative review of implementer perceptions of the national community-level malaria surveillance system in Southern Province, Zambia. *Malar J.* 2016;15:400. doi:10.1186/s12936-016-1455-7

319 López-Ejeda N, Charle Cuellar P, Vargas A, Guerrero S. Can community health workers manage uncomplicated severe acute malnutrition? A review of operational experiences in delivering severe acute malnutrition treatment through community health platforms. *Matern Child Nutr.* 2018;15(2):e12719. doi:10.1111/mcn.12719

320 López-Ejeda N, Charle-Cuellar P, G. B. Alé F, Álvarez JL, Vargas A, Guerrero S. Bringing severe acute malnutrition treatment close to households through community health workers can lead to early admissions and improved discharge outcomes. *PLoS One.* 2020;15(2):e0227939. doi:10.1371/journal.pone.0227939

321 Lubell Y, Mills AJ, Whitty CJM, Staedke SG. An Economic Evaluation of Home Management of Malaria in Uganda: An Interactive Markov Model. *PLoS One.* 2010;5(8):e12439. doi:10.1371/journal.pone.0012439

322 Lubogo P, Lukyamuzi JE, Kyambadde D, Komakech AA, Kitutu FE, Mulogo EM. Cost-effectiveness analysis of integrated community case management delivery models utilizing drug sellers and community health workers for treatment of under-five febrile cases of malaria, pneumonia, diarrhoea in rural Uganda. *Malar J.* 2021;20:407. doi:10.1186/s12936-021-03944-3

323 Luckow PW, Kenny A, White E, et al. Implementation research on community health workers' provision of maternal and child health services in rural Liberia. *Bull World Health Organ.* 2017;95(2):113-120. doi:10.2471/BLT.16.175513

324 Lungu EA, Darker C, Biesma R. Determinants of healthcare seeking for childhood illnesses among caregivers of under-five children in urban slums in Malawi: a population-based cross-sectional study. *BMC Pediatr.* 2020;20:20. doi:10.1186/s12887-020-1913-9

325 Ma C, Gunaratnam LC, Ericson A, et al. Handheld Point-of-Care Lactate Measurement at Admission Predicts Mortality in Ugandan Children Hospitalized with Pneumonia: A Prospective Cohort Study. *Am J Trop Med Hyg.* 2019;100(1):37-42. doi:10.4269/ajtmh.18-0344

326 Ma Y, Sudfeld CR, Kim H, et al. Evaluating the impact of community health volunteer home visits on child diarrhea and fever in the Volta Region, Ghana: A cluster-randomized controlled trial. *PLoS Med.* 2019;16(6):e1002830. doi:10.1371/journal.pmed.1002830

327 Machuki JA, Aduda DSO, Omondi AB, Onono MA. Patient-level cost of home- and facility-based child pneumonia treatment in Suba Sub County, Kenya. *PLoS One.* 2019;14(11):e0225194. doi:10.1371/journal.pone.0225194

328 Malama A, Zulu JM, Nzala S, Kombe MM, Silumbwe A. Health research knowledge translation into policy in Zambia: policy-maker and researcher perspectives. *Health Res Policy Syst.* 2021;19:42. doi:10.1186/s12961-020-00650-5

329 Maleka EN, Currie P, Schneider H. Research collaboration on community health worker programmes in low-income countries: an analysis of authorship teams and networks. *Glob Health Action.* 2019;12(1):1606570. doi:10.1080/16549716.2019.1606570

330 Mamo D, Hazel E, Lemma I, Guenther T, Bekele A, Demeke B. Assessment of the monitoring and evaluation system for integrated community case management (ICCM) in Ethiopia: a comparison against global benchmark indicators. *Ethiop Med J.* 2014;52 Suppl 3:119-128.

331 Mangham-Jefferies L, Mathewos B, Russell J, Bekele A. How do health extension workers in Ethiopia allocate their time? *Hum Resour Health.* 2014;12:61. doi:10.1186/1478-4491-12-61

332 Manzi A, Hirschhorn LR, Sherr K, Chirwa C, Baynes C, Awoonor-Williams JK. Mentorship and coaching to support strengthening healthcare systems: lessons learned across the five Population Health Implementation and Training partnership projects in sub-Saharan Africa. *BMC Health Serv Res.* 2017;17(Suppl 3):831. doi:10.1186/s12913-017-2656-7

333 Marita E, Oule J, Mungai M, Thiam S, Ilako F. Capacity and readiness of civil society organisations to implement community case management of malaria in Kenya. *Pan Afr Med J.* 2016;25(Suppl 2):6. doi:10.11604/pamj.supp.2016.25.2.9305

334 Marita EO, Gichuki R, Watulo E, Thiam S, Karanja S. Determinants of quality in home-based management of malaria by community health volunteers in rural Kenya. *J Infect Dev Ctries.* 2021;15(7):897-903. doi:10.3855/jidc.13565

335 Marsh A, Munos M, Baya B, Sanon D, Gilroy K, Bryce J. Using LiST to model potential reduction in under-five mortality in Burkina Faso. *BMC Public Health.* 2013;13(Suppl 3):S26. doi:10.1186/1471-2458-13-S3-S26

336 Marsh DR, Gilroy KE, Van de Weerd R, Wansi E, Qazi S. Community case management of pneumonia: at a tipping point? *Bull World Health Organ.* 2008;86(5):381-389. doi:10.2471/blt.07.048462

- 337 Marsh DR, Hamer DH, Pagnoni F, Peterson S. Introduction to a Special Supplement: Evidence for the Implementation, Effects, and Impact of the Integrated Community Case Management Strategy to Treat Childhood Infection. *Am J Trop Med Hyg.* 2012;87(5 Suppl):2-5. doi:10.4269/ajtmh.2012.12-0504
- 338 Marsh DR, Nefdt R, Hazel E. Introduction to a special supplement: delivering integrated community case management to treat childhood illness at scale in Ethiopia. *Ethiop Med J.* 2014;52 Suppl 3:1-6.
- 339 Marsh DR, Tesfaye H, Degefe T, et al. Performance of Ethiopia's health system in delivering integrated community-based case management. *Ethiop Med J.* 2014;52 Suppl 3:27-35.
- 340 Martin S, Leitão J, Muhandi D, Nuwa A, Magul D, Counihan H. Community dialogues for child health: results from a qualitative process evaluation in three countries. *J Health Popul Nutr.* 2017;36:29. doi:10.1186/s41043-017-0106-0
- 341 Maru S, Nirola I, Thapa A, et al. An integrated community health worker intervention in rural Nepal: a type 2 hybrid effectiveness-implementation study protocol. *Implement Sci.* 2018;13(1):53. doi:10.1186/s13012-018-0741-x
- 342 Mastellos N, Tran T, Dharmayat K, et al. Training community healthcare workers on the use of information and communication technologies: a randomised controlled trial of traditional versus blended learning in Malawi, Africa. *BMC Med Educ.* 2018;18:61. doi:10.1186/s12909-018-1175-5
- 343 Mathewos B, Musema Y, Bekele A, et al. Community-Based Newborn Care in Ethiopia: Implementation Strength and Lessons Learned. *Ethiopian Medical Journal.* 2019;(3). Accessed October 25, 2021. <https://www.emjema.org/index.php/EMJ/article/view/1403>
- 344 Matovu F, Nanyiti A, Rutebemberwa E. Household health care-seeking costs: experiences from a randomized, controlled trial of community-based malaria and pneumonia treatment among under-fives in eastern Uganda. *Malar J.* 2014;13:222. doi:10.1186/1475-2875-13-222
- 345 Matsumoto-Takahashi ELA, Tongol-Rivera P, Villacorte EA, Angluben RU, Jimba M, Kano S. Bottom-up approach to strengthen community-based malaria control strategy from community health workers' perceptions of their past, present, and future: a qualitative study in Palawan, Philippines. *Trop Med Health.* 2018;46:24. doi:10.1186/s41182-018-0105-x
- 346 Mayora C, Kitutu FE, Kandala NB, Ekirapa-Kiracho E, Peterson SS, Wamani H. Private retail drug shops: what they are, how they operate, and implications for health care delivery in rural Uganda. *BMC Health Serv Res.* 2018;18:532. doi:10.1186/s12913-018-3343-z
- 347 Mbonye AK, Awor P, Kayendeke M, Hansen KS, Magnussen P, Clarke SE. Management of Childhood Infections in Poorly Planned Urban Settlements in Kampala and Wakiso Districts of Uganda. *Am J Trop Med Hyg.* 2020;103(4):1681-1690. doi:10.4269/ajtmh.20-0115
- 348 Mbonye AK, Buregyeya E, Rutebemberwa E, et al. Treatment of Sick Children Seeking Care in the Private Health Sector in Uganda: A Cluster Randomized Trial. *Am J Trop Med Hyg.* 2020;102(3):658-666. doi:10.4269/ajtmh.19-0367
- 349 McCollum ED, King C, Deula R, et al. Pulse oximetry for children with pneumonia treated as outpatients in rural Malawi. *Bull World Health Organ.* 2016;94(12):893-902. doi:10.2471/BLT.16.173401
- 350 McCord GC, Liu A, Singh P. Deployment of community health workers across rural sub-Saharan Africa: financial considerations and operational assumptions. *Bull World Health Organ.* 2013;91(4):244-253B. doi:10.2471/BLT.12.109660
- 351 McGorman L, Marsh DR, Guenther T, et al. A Health Systems Approach to Integrated Community Case Management of Childhood Illness: Methods and Tools. *Am J Trop Med Hyg.* 2012;87(5 Suppl):69-76. doi:10.4269/ajtmh.2012.11-0758
- 352 McLean ARD, Indrasuta C, Khant ZS, et al. Mass drug administration for the acceleration of malaria elimination in a region of Myanmar with artemisinin-resistant falciparum malaria: a cluster-randomised trial. *Lancet Infect Dis.* Published online June 17, 2021:S1473-3099(20)30997-X. doi:10.1016/S1473-3099(20)30997-X
- 353 McLean ARD, Wai HP, Thu AM, et al. Malaria elimination in remote communities requires integration of malaria control activities into general health care: an observational study and interrupted time series analysis in Myanmar. *BMC Med.* 2018;16:183. doi:10.1186/s12916-018-1172-x
- 354 Memon ZA, Muhammad S, Soofi S, et al. Effect and feasibility of district level scale up of maternal, newborn and child health interventions in Pakistan: a quasi-experimental study. *BMJ Open.* 2020;10(7):e036293. doi:10.1136/bmjopen-2019-036293
- 355 Mengistu B, Karim AM, Eniyew A, et al. Effect of performance review and clinical mentoring meetings (PRCMM) on recording of community case management by health extension workers in Ethiopia. *Ethiop Med J.* 2014;52 Suppl 3:73-81.
- 356 Mengistu B, Paulos M, Agonafir N, et al. Barriers to the uptake of community-based curative child health services in Ethiopia. *BMC Public Health.* 2021;21:1551. doi:10.1186/s12889-021-11558-2
- 357 Mercader HFG, Kyomuhangi T, Buchner DL, Kabakyenga J, Brenner JL. Drugs for some but not all: inequity within community health worker teams during introduction of integrated community case management. *BMC Health Serv Res.* 2014;14(Suppl 1):S1. doi:10.1186/1472-6963-14-S1-S1

358 Metuge A, Omam LA, Jarman E, Njomo EO. Humanitarian led community-based surveillance: case study in Ekondo-titi, Cameroon. *Confl Health*. 2021;15:17. doi:10.1186/s13031-021-00354-9

359 Miller JS, English L, Matte M, et al. Quality of care in integrated community case management services in Bugoye, Uganda: a retrospective observational study. *Malar J*. 2018;17:99. doi:10.1186/s12936-018-2241-5

360 Miller JS, Mbusa RK, Baguma S, et al. A cross-sectional study comparing case scenarios and record review to measure quality of Integrated Community Case Management care in western Uganda. *Trans R Soc Trop Med Hyg*. 2021;115(6):627-633. doi:10.1093/trstmh/traa097

361 Miller JS, Mbusa RK, Baguma S, et al. Assessing Village Health Workers' Ability to Perform and Interpret Rapid Diagnostic Tests for Malaria 4 Years after Initial Training: A Cross-Sectional Study. *Am J Trop Med Hyg*. 2021;104(1):294-297. doi:10.4269/ajtmh.20-0747

362 Miller JS, Patel P, Mian-McCarthy S, et al. Usage of and satisfaction with Integrated Community Case Management care in western Uganda: a cross-sectional survey. *Malar J*. 2021;20:65. doi:10.1186/s12936-021-03601-9

363 Miller N, Degefie T, Hazel E, Legesse H, Balcha T, Amouzou A. Coverage and equitability of interventions to prevent child mortality in rural Jimma and West Hararghe Zones, Oromia Region, Ethiopia. *Ethiopian medical journal*. 2014;52.

364 Miller NP, Amouzou A, Hazel E, et al. Assessing the Quality of Sick Child Care Provided by Community Health Workers. *PLoS One*. 2015;10(11):e0142010. doi:10.1371/journal.pone.0142010

365 Miller NP, Amouzou A, Hazel E, et al. Assessment of the impact of quality improvement interventions on the quality of sick child care provided by Health Extension Workers in Ethiopia. *J Glob Health*. 6(2):020404. doi:10.7189/jogh.06.020404

366 Miller NP, Amouzou A, Tafesse M, et al. Integrated Community Case Management of Childhood Illness in Ethiopia: Implementation Strength and Quality of Care. *Am J Trop Med Hyg*. 2014;91(2):424-434. doi:10.4269/ajtmh.13-0751

367 Miller NP, Milsom P, Johnson G, et al. Community health workers during the Ebola outbreak in Guinea, Liberia, and Sierra Leone. *J Glob Health*. 8(2):020601. doi:10.7189/jogh-08-020601

368 Miller NP, Zunong N, Al-Sorouri TAA, Alqadasi YM, Ashraf S, Siameja C. Implementing integrated community case management during conflict in Yemen. *J Glob Health*. 10(2):020601. doi:10.7189/jogh.10.020601

369 Minn PW, Shewade HD, Kyaw NTT, et al. Quality of Malaria Treatment Provided under 'Better Health Together' Project in Ethnic Communities of Myanmar: How Are We Performing? *Trop Med Infect Dis*. 2019;4(4):140. doi:10.3390/tropicalmed4040140

370 Mir F, Ali Nathwani A, Chanar S, et al. Impact of pulse oximetry on hospital referral acceptance in children under 5 with severe pneumonia in rural Pakistan (district Jamshoro): protocol for a cluster randomised trial. *BMJ Open*. 2021;11(9):e046158. doi:10.1136/bmjopen-2020-046158

371 Mischlinger J, Dudek V, Ramharter M. Predictive Performance of Rapid Diagnostic Tests for Falciparum Malaria and Its Modeled Impact on Integrated Community Case Management of Malaria in Sub-Saharan African Febrile Children. *Clin Infect Dis*. 2021;73(5):e1158-e1167. doi:10.1093/cid/ciaa1942

372 Mischlinger J, Dudek V, Ramharter M. Predictive performance of rapid diagnostic tests for malaria and its impact on integrated community case management of malaria in Africa. *TROPICAL MEDICINE & INT'L HEALTH*. 2021;26:82-82.

373 Mitsunaga T, Hedt-Gauthier B, Ngizwenayo E, et al. Utilizing community health worker data for program management and evaluation: Systems for data quality assessments and baseline results from Rwanda. *SOCIAL SCIENCE & MEDICINE*. 2013;85:87-92. doi:10.1016/j.socscimed.2013.02.033

374 Mohanraj R, Kumar S, Jayakumar S, et al. Where do mothers take their children for pneumonia care? Findings from three Indian states. *PLoS One*. 2019;14(4):e0214331. doi:10.1371/journal.pone.0214331

375 Morrow M, Sarriot E, Nelson AR, et al. Applying the Community Health Worker Coverage and Capacity Tool for Time-Use Modeling for Program Planning in Rwanda and Zanzibar. *Glob Health Sci Pract*. 2021;9(Suppl 1):S65-S78. doi:10.9745/GHSP-D-20-00324

376 Mothabbir G, Rana S, Baqui AH, et al. Management of fast breathing pneumonia in young infants aged 7 to 59 days by community level health workers: protocol for a multi-centre cluster randomized controlled trial. *Int J Clin Trials*. 2020;7(2):83-93. doi:10.18203/2349-3259.ijct20201715

377 Mubi M, Janson A, Warsame M, et al. Malaria Rapid Testing by Community Health Workers Is Effective and Safe for Targeting Malaria Treatment: Randomised Cross-Over Trial in Tanzania. *PLoS One*. 2011;6(7):e19753. doi:10.1371/journal.pone.0019753

378 Mubiru D, Byabasheija R, Bwanika JB, et al. Evaluation of Integrated Community Case Management in Eight Districts of Central Uganda. *PLoS One*. 2015;10(8):e0134767. doi:10.1371/journal.pone.0134767

- 379 Mugeni C, Levine AC, Munyaneza RM, et al. Nationwide implementation of integrated community case management of childhood illness in Rwanda. *Glob Health Sci Pract.* 2014;2(3):328-341. doi:10.9745/GHSP-D-14-00080
- 380 Muhumuza G, Mutesi C, Mutamba F, Ampuriire P, Nangai C. Acceptability and Utilization of Community Health Workers after the Adoption of the Integrated Community Case Management Policy in Kabarole District in Uganda. *Health Syst Policy Res.* 2015;2(1):13.
- 381 Mukanga D, Babirye R, Peterson S, et al. Can lay community health workers be trained to use diagnostics to distinguish and treat malaria and pneumonia in children? Lessons from rural Uganda. *TROPICAL MEDICINE & INTERNATIONAL HEALTH.* 2011;16(10):1234-1242. doi:10.1111/j.1365-3156.2011.02831.x
- 382 Mukanga D, Tibenderana JK, Kiguli J, et al. Community acceptability of use of rapid diagnostic tests for malaria by community health workers in Uganda. *Malar J.* 2010;9:203. doi:10.1186/1475-2875-9-203
- 383 Mukanga D, Tibenderana JK, Peterson S, et al. Access, acceptability and utilization of community health workers using diagnostics for case management of fever in Ugandan children: a cross-sectional study. *Malar J.* 2012;11:121. doi:10.1186/1475-2875-11-121
- 384 Mukanga D, Tiono AB, Anyorigiya T, et al. Integrated Community Case Management of Fever in Children under Five Using Rapid Diagnostic Tests and Respiratory Rate Counting: A Multi-Country Cluster Randomized Trial. *Am J Trop Med Hyg.* 2012;87(5 Suppl):21-29. doi:10.4269/ajtmh.2012.11-0816
- 385 Mullany LC, van Boetzelaeer EW, Gutman JR, et al. Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in the Democratic Republic of the Congo: A cluster-randomized, community-based non-inferiority trial. *PLoS Med.* 2018;15(4):e1002552. doi:10.1371/journal.pmed.1002552
- 386 Mumuni MZ, Soghaier MA, Baba S, Zankawah K, et al. Knowledge and Skills of Mothers/Care Givers of Children Under Five Years in Communities with Home Based Management of Malaria in Tamale, Northern Region, Ghana, 2013. *AIMS Public Health.* 2016;3(4):923-932. doi:10.3934/publichealth.2016.4.923
- 387 Munos M, Guiella G, Robertson T, et al. Independent Evaluation of the Rapid Scale-Up Program to Reduce Under-Five Mortality in Burkina Faso. *Am J Trop Med Hyg.* 2016;94(3):584-595. doi:10.4269/ajtmh.15-0585
- 388 Muro F, Meta J, Renju J, et al. "It is good to take her early to the doctor" – mothers' understanding of childhood pneumonia symptoms and health care seeking in Kilimanjaro region, Tanzania. *BMC Int Health Hum Rights.* 2017;17:27. doi:10.1186/s12914-017-0135-1
- 389 Mushi AK, Massaga JJ, Mandara CI, et al. Acceptability of malaria rapid diagnostic tests administered by village health workers in Pangani District, North eastern Tanzania. *Malar J.* 2016;15(1):439. doi:10.1186/s12936-016-1495-z
- 390 Musoke D, Kitutu FE, Mugisha L, et al. A One Health Approach to Strengthening Antimicrobial Stewardship in Wakiso District, Uganda. *Antibiotics (Basel).* 2020;9(11):764. doi:10.3390/antibiotics9110764
- 391 Musoke D, Namata C, Lubega GB, et al. Access, use and disposal of antimicrobials among humans and animals in Wakiso district, Uganda: a qualitative study. *J Pharm Policy Pract.* 2021;14:69. doi:10.1186/s40545-021-00361-4
- 392 Musoke D, Ndejjo R, Atusingwize E, et al. Panacea or pitfall? The introduction of community health extension workers in Uganda. *BMJ Glob Health.* 2020;5(8):e002445. doi:10.1136/bmjgh-2020-002445
- 393 Musoke D, Ndejjo R, Atusingwize E, Mukama T, Ssemugabo C, Gibson L. Performance of community health workers and associated factors in a rural community in Wakiso district, Uganda. *Afr Health Sci.* 2019;19(3):2784-2797. doi:10.4314/ahs.v19i3.55
- 394 Musoke D, Ssemugabo C, Ndejjo R, Atusingwize E, Mukama T, Gibson L. Strengthening the community health worker programme for health improvement through enhancing training, supervision and motivation in Wakiso district, Uganda. *BMC Res Notes.* 2019;12:812. doi:10.1186/s13104-019-4851-6
- 395 Musoke D, Ssemugabo C, Ndejjo R, Ekirapa-Kiracho E, George AS. Reflecting strategic and conforming gendered experiences of community health workers using photovoice in rural Wakiso district, Uganda. *Hum Resour Health.* 2018;16:41. doi:10.1186/s12960-018-0306-8
- 396 Musoke D, Ssemugabo C, Ndejjo R, Molyneux S, Ekirapa-Kiracho E. Ethical practice in my work: community health workers' perspectives using photovoice in Wakiso district, Uganda. *BMC Med Ethics.* 2020;21:68. doi:10.1186/s12910-020-00505-2
- 397 Mutsigiri-Murewanhema F, Mafaune PT, Shambira G, et al. Factors associated with severe malaria among children below ten years in Mutasa and Nyanga districts, Zimbabwe, 2014-2015. *Pan Afr Med J.* 2017;27:23. doi:10.11604/pamj.2017.27.23.10957
- 398 Mvumbi PM, Musau J, Faye O, Situakibanza H, Okitolonda E. Adherence to the referral advice after introduction of rectal artesunate for pre-referral treatment of severe malaria at the community level: a noninferiority trial in the Democratic Republic of the Congo. *Malar J.* 2019;18:438. doi:10.1186/s12936-019-3074-6

399	Mwandama D, Mwale C, Bauleni A, et al. Clinical outcomes among febrile children aged 2 to 59 months with negative malaria rapid diagnostic test results in Mchinji District, Malawi. <i>Malawi Med J.</i> 2016;28(4):150-153.
400	Nagel CL, Kirby MA, Zambrano LD, et al. Study design of a cluster-randomized controlled trial to evaluate a large-scale distribution of cook stoves and water filters in Western Province, Rwanda. <i>Contemp Clin Trials Commun.</i> 2016;4:124-135. doi:10.1016/j.conctc.2016.07.003
401	Najjemba R, Kiapi L, Demissie SD, et al. Integrated community case management: quality of care and adherence to medication in Beneshangul-Gumuz Region, Ethiopia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:83-90.
402	Nanyonjo A, Bagorogoza B, Kasteng F, et al. Estimating the cost of referral and willingness to pay for referral to higher-level health facilities: a case series study from an integrated community case management programme in Uganda. <i>BMC Health Serv Res.</i> 2015;15:347. doi:10.1186/s12913-015-1019-5
403	Nanyonjo A, Counihan H, Siduda SG, Belay K, Sebikaari G, Tibenderana J. Institutionalization of integrated community case management into national health systems in low- and middle-income countries: a scoping review of the literature. <i>Glob Health Action.</i> 2019;12(1):1678283. doi:10.1080/16549716.2019.1678283
404	Nanyonjo A, Kertho E, Tibenderana J, Källander K. District Health Teams' Readiness to Institutionalize Integrated Community Case Management in the Uganda Local Health Systems: A Repeated Qualitative Study. <i>Glob Health Sci Pract.</i> 2020;8(2):190-204. doi:10.9745/GHSP-D-19-00318
405	Nanyonjo A, Makumbi F, Etou P, Tomson G, Källander K. Perceived Quality of Care for Common Childhood Illnesses: Facility versus Community Based Providers in Uganda. <i>PLoS One.</i> 2013;8(11):e79943. doi:10.1371/journal.pone.0079943
406	Nanyonjo A, Nakirunda M, Makumbi F, Tomson G, Källander K. Community Acceptability and Adoption of Integrated Community Case Management in Uganda. <i>Am J Trop Med Hyg.</i> 2012;87(5 Suppl):97-104. doi:10.4269/ajtmh.2012.11-0763
407	Nanyonjo A, Ssekitooleko J, Counihan H, Makumbi F, Tomson G, Källander K. Impact of an integrated community case management programme on uptake of appropriate diarrhoea and pneumonia treatments in Uganda: A propensity score matching and equity analysis study. <i>Int J Equity Health.</i> 2015;14:74. doi:10.1186/s12939-015-0202-y
408	Napier HG, Baird M, Wong E, et al. Evaluating Vertical Malaria Community Health Worker Programs as Malaria Declines: Learning From Program Evaluations in Honduras and Lao PDR. <i>Glob Health Sci Pract.</i> 2021;9(Suppl 1):S98-S110. doi:10.9745/GHSP-D-20-00379
409	Ndiaye JLA, Ndiaye Y, Ba MS, et al. Seasonal malaria chemoprevention combined with community case management of malaria in children under 10 years of age, over 5 months, in south-east Senegal: A cluster-randomised trial. <i>PLoS Med.</i> 2019;16(3):e1002762. doi:10.1371/journal.pmed.1002762
410	Ndiaye Y, Ndiaye JLA, Cisse B, et al. Community case management in malaria: review and perspectives after four years of operational experience in Saraya district, south-east Senegal. <i>Malar J.</i> 2013;12:240. doi:10.1186/1475-2875-12-240
411	Ndima SD, Sidat M, Give C, Ormel H, Kok MC, Taegtmeyer M. Supervision of community health workers in Mozambique: a qualitative study of factors influencing motivation and programme implementation. <i>Hum Resour Health.</i> 2015;13:63. doi:10.1186/s12960-015-0063-x
412	Ndong IC, Okyere D, Enos JY, et al. Challenges and perceptions of implementing mass testing, treatment and tracking in malaria control: a qualitative study in Pakro sub-district of Ghana. <i>BMC Public Health.</i> 2019;19:695. doi:10.1186/s12889-019-7037-1
413	Ndyomugenyi R, Magnussen P, Lal S, Hansen K, Clarke SE. Appropriate targeting of artemisinin-based combination therapy by community health workers using malaria rapid diagnostic tests: findings from randomized trials in two contrasting areas of high and low malaria transmission in south-western Uganda. <i>Trop Med Int Health.</i> 2016;21(9):1157-1170. doi:10.1111/tmi.12748
414	Nefdt R, Marsh DR, Hazel E. Conclusions: delivering integrated community case management (ICCM) to treat childhood illness at scale in Ethiopia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:163-167.
415	Nefdt R, Ribaira E, Diallo K. Costing commodity and human resource needs for integrated community case management in three differing community health strategies of Ethiopia, Kenya and Zambia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:137-149.
416	Ngilangwa DP, Mgomella GS. Factors associated with retention of community health workers in maternal, newborn and child health programme in Simiyu Region, Tanzania. <i>Afr J Prim Health Care Fam Med.</i> 2018;10(1):1506. doi:10.4102/phcfm.v10i1.1506
417	Niessen LW, ten Hove A, Hilderink H, Weber M, Mulholland K, Ezzati M. Comparative impact assessment of child pneumonia interventions. <i>Bull World Health Organ.</i> 2009;87(6):472-480. doi:10.2471/blt.08.050872
418	Nigatu A, Homa G, Getachew D, et al. Can training health extension workers in the integrated pharmaceutical logistics system (IPLS) be effective, affordable, and opportunistic? <i>Ethiop Med J.</i> 2014;52 Suppl 3:11.

- 419 Nightingale R, Colbourn T, Mukanga D, et al. Non-adherence to community oral-antibiotic treatment in children with fast-breathing pneumonia in Malawi— secondary analysis of a prospective cohort study. *Pneumonia (Nathan)*. 2016;8:21. doi:10.1186/s41479-016-0024-8
- 420 Nigussie ZY, Zemicheal NF, Tiruneh GT, et al. Using mHealth to Improve Timeliness and Quality of Maternal and Newborn Health in the Primary Health Care System in Ethiopia. *Glob Health Sci Pract*. 2021;9(3):668-681. doi:10.9745/GHSP-D-20-00685
- 421 Niyibitegeka F, Riewpaiboon A, Sangroongruangsri S. Cost-Effectiveness Analysis of Community Case Management of Childhood Diarrhea in Burundi. *Value Health Reg Issues*. 2021;25:157-164. doi:10.1016/j.vhri.2021.03.005
- 422 Nkonki L LL, Chola L L, Tugendhaft A A, Hofman K K. Modelling the cost of community interventions to reduce child mortality in South Africa using the Lives Saved Tool (LiST). *BMJ Open*. 2017;7(8):e011425. doi:10.1136/bmjopen-2016-011425
- 423 Nsabagasani X, Jesca-Nsungwa-Sabiiti, Källander K, Peterson S, Pariyo G, Tomson G. Home-based management of fever in rural Uganda: community perceptions and provider opinions. *Malar J*. 2007;6:11. doi:10.1186/1475-2875-6-11
- 424 Nsabagasani X, Ogwal-Okeng J, Hansen EH, Mbonye A, Muyinda H, Ssenooba F. 'Better medicines for children' within the Integrated Management of Childhood Illness framework: a qualitative inquiry in Uganda. *J Pharm Policy Pract*. 2016;9:22. doi:10.1186/s40545-016-0071-9
- 425 Nsabagasani X, Ogwal-Okeng J, Mbonye A, et al. The "child size medicines" concept: policy provisions in Uganda. *J Pharm Policy Pract*. 2015;8(1):2. doi:10.1186/s40545-015-0025-7
- 426 Nsibandé D, Loveday M, Daniels K, Sanders D, Doherty T, Zembe W. Approaches and strategies used in the training and supervision of Health Extension Workers (HEWs) delivering integrated community case management (iCCM) of childhood illness in Ethiopia: a qualitative rapid appraisal. *Afr Health Sci*. 2018;18(1):188-197. doi:10.4314/ahs.v18i1.24
- 427 Nsona H, Mtimuni A, Daelmans B, et al. Scaling Up Integrated Community Case Management of Childhood Illness: Update from Malawi. *Am J Trop Med Hyg*. 2012;87(5 Suppl):54-60. doi:10.4269/ajtmh.2012.11-0759
- 428 Ntamabyaliro NY, Burri C, Lula YN, et al. Knowledge of Antimalarials and Health Seeking Behaviour of Households in Case of Suspected Malaria in Democratic Republic of the Congo. *Trop Med Infect Dis*. 2021;6(3):157. doi:10.3390/tropicalmed6030157
- 429 Ntopi S, Chirwa E, Maluwa A. Relationship between role stressors, job tasks and job satisfaction among health surveillance assistants in Malawi: a cross-sectional study. *BMJ Open*. 2020;10(11):e037000. doi:10.1136/bmjopen-2020-037000
- 430 Nyangara FM, Hai T, Zalisk K, et al. Assessment of data quality and reporting systems for underserved populations: the case of integrated community case management programs in Nigeria. *Health Policy Plan*. 2018;33(4):465-473. doi:10.1093/heapol/czy003
- 431 Nyunt MH, Aye KM, Kyaw KT, et al. Challenges encountered by local health volunteers in early diagnosis and prompt treatment of malaria in Myanmar artemisinin resistance containment zones. *Malar J*. 2016;15:308. doi:10.1186/s12936-016-1368-5
- 432 O'Connor Y, Ryan D, Hardy V, et al. Stakeholders perspectives on paper-based and electronic clinical decision support systems in Malawi Africa. *JOURNAL OF DECISION SYSTEMS*. 2016;25:410-420. doi:10.1080/12460125.2016.1187400
- 433 O'Donovan J, Kabali K, Taylor C, et al. The use of low-cost Android tablets to train community health workers in Mukono, Uganda, in the recognition, treatment and prevention of pneumonia in children under five: a pilot randomised controlled trial. *Hum Resour Health*. 2018;16:49. doi:10.1186/s12960-018-0315-7
- 434 Odaga J, Henriksson DK, Nkolo C, et al. Empowering districts to target priorities for improving child health service in Uganda using change management and rapid assessment methods. *Glob Health Action*. 2016;9:10.3402/gha.v9.30983. doi:10.3402/gha.v9.30983
- 435 Ogundele OA, Ogundele T. Analysis of the Effect of Health Education Activities on Selected Child Health Determinants in Two Communities of Ile Ife, Nigeria. *Ethiop J Health Sci*. 2018;28(2):217-226. doi:10.4314/ejhs.v28i2.13
- 436 Ohnmar, Tun-Min, San-Shwe, Than-Win, Chongsuvivatwong V. Effects of malaria volunteer training on coverage and timeliness of diagnosis: a cluster randomized controlled trial in Myanmar. *Malar J*. 2012;11:309. doi:10.1186/1475-2875-11-309
- 437 Okafor CE, Ekwunife OI, Nduaguba SO. Promoting the integrated community case management of pneumonia in children under 5 years in Nigeria through the proprietary and patent medicine vendors: a cost-effectiveness analysis. *Cost Eff Resour Alloc*. 2021;19:12. doi:10.1186/s12962-021-00265-9
- 438 Okebe J, Ribera JM, Balen J, et al. Reactive community-based self-administered treatment against residual malaria transmission: study protocol for a randomized controlled trial. *Trials*. 2018;19:126. doi:10.1186/s13063-018-2506-x

439 Okwaraji YB, Hill Z, Defar A, et al. Implementation of the ‘Optimising the Health Extension Program’ Intervention in Ethiopia: A Process Evaluation Using Mixed Methods. *Int J Environ Res Public Health*. 2020;17(16):5803. doi:10.3390/ijerph17165803

440 Oliphant NP, Muñiz M, Guenther T, et al. Multi-country analysis of routine data from integrated community case management (iCCM) programs in sub-Saharan Africa. *J Glob Health*. 2014;4(2):020408. doi:10.7189/jogh.04.020408

441 Oliphant NP, Ray N, Bensaid K, et al. Optimising geographical accessibility to primary health care: a geospatial analysis of community health posts and community health workers in Niger. *BMJ Glob Health*. 2021;6(6):e005238. doi:10.1136/bmjgh-2021-005238

442 Olsen M, Norheim OF, Memirie ST. Reducing regional health inequality: a sub-national distributional cost-effectiveness analysis of community-based treatment of childhood pneumonia in Ethiopia. *Int J Equity Health*. 2021;20:9. doi:10.1186/s12939-020-01328-8

443 Olson CK, Blum LS, Patel KN, et al. Community case management of childhood diarrhea in a setting with declining use of oral rehydration therapy: findings from cross-sectional studies among primary household caregivers, Kenya, 2007. *Am J Trop Med Hyg*. 2011;85(6):1134-1140. doi:10.4269/ajtmh.2011.11-0178

444 Onono M, Abdi M, Mutai K, et al. Community case management of lower chest indrawing pneumonia with oral amoxicillin in children in Kenya. *Acta Paediatr*. 2018;107 Suppl 471:44-52. doi:10.1111/apa.14405

445 Onono M, Abdi M, Opondo I, et al. Using the RE-AIM framework to evaluate the implementation of integrated community case management in Kenya. *Acta Paediatr*. 2018;107 Suppl 471:53-62. doi:10.1111/apa.14662

446 Onyango D, Kikui G, Amukoye E, Omolo J. Risk factors of severe pneumonia among children aged 2-59 months in western Kenya: a case control study. *Pan Afr Med J*. 2012;13:45.

447 Oo WH, Thi A, Htike W, et al. Evaluation of the effectiveness and cost effectiveness of a Community-delivered Integrated Malaria Elimination (CIME) model in Myanmar: protocol for an open stepped-wedge cluster-randomised controlled trial. *BMJ Open*. 2021;11(8):e050400. doi:10.1136/bmjopen-2021-050400

448 Oresanya O, Counihan H, Nndaliman I, et al. Effect of community-based intervention on improving access to treatment for sick under-five children in hard-to-reach communities in Niger State, Nigeria. *J Glob Health*. 9(1):010803. doi:10.7189/jogh.09.010803

449 Orji BC, Rao N, Thompson E, Brieger WR, ‘Dipo Otolorin E. Community health workers provide integrated community case management using malaria rapid diagnostic test kits. *Res Social Adm Pharm*. 2017;13(4):875-879. doi:10.1016/j.sapharm.2016.09.006

450 Othero DM, Orago ASS, Groenewegen T, Kaseje DO, Otengah PA. Home management of diarrhea among underfives in a rural community in Kenya: household perceptions and practices. *East Afr J Public Health*. 2008;5(3):142-146. doi:10.4314/eajph.v5i3.38992

451 Owek CJ, Oluoch E, Wachira J, Estambale B, Afrane YA. Community perceptions and attitudes on malaria case management and the role of community health workers. *Malar J*. 2017;16(1):272. doi:10.1186/s12936-017-1916-7

452 Oyeyemi AS, Oladepo O, Adeyemi AO, Titiloye MA, Burnett SM, Apera I. The potential role of patent and proprietary medicine vendors’ associations in improving the quality of services in Nigeria’s drug shops. *BMC Health Serv Res*. 2020;20:567. doi:10.1186/s12913-020-05379-z

453 Palazuelos D, Ellis K, DaEun Im D, et al. 5-SPICE: the application of an original framework for community health worker program design, quality improvement and research agenda setting. *Glob Health Action*. 2013;6:10.3402/gha.v6i0.19658. doi:10.3402/gha.v6i0.19658

454 Pasquale H, Jarvese M, Julla A, et al. Malaria control in South Sudan, 2006–2013: strategies, progress and challenges. *Malar J*. 2013;12:374. doi:10.1186/1475-2875-12-374

455 Patel S, Zambruni JP, Palazuelos D, et al. Rethinking the scale up of Integrated Management of Childhood Illness. *BMJ*. 2018;362:k2993. doi:10.1136/bmj.k2993

456 Paz-Soldan VA, Morrison AC, Sopheab H, et al. Potential Use of Community-Based Rapid Diagnostic Tests for Febrile Illnesses: Formative Research in Peru and Cambodia. *PLoS Negl Trop Dis*. 2019;13(10):e0007773. doi:10.1371/journal.pntd.0007773

457 Pearson L, Degefe T, Hiluf M, et al. From integrated community case management to community-based newborn care. *Ethiop Med J*. 2014;52 Suppl 3:9.

458 Pearson L, Hazel E, Tam Y. Modeling potential reduction of child mortality after national scale-up of community-based treatment of childhood illnesses in Ethiopia. *Ethiop Med J*. 2014;52 Suppl 3:129-136.

459 Perez F, Ba H, Dastagire SG, Altmann M. The role of community health workers in improving child health programmes in Mali. *BMC Int Health Hum Rights*. 2009;9:28. doi:10.1186/1472-698X-9-28

460 Perin J, Kim JS, Hazel E, Park L, Heidkamp R, Zeger S. Hierarchical Statistical Models to Represent and Visualize Survey Evidence for Program Evaluation: iCCM in Malawi. *PLoS One*. 2016;11(12):e0168778. doi:10.1371/journal.pone.0168778

461 Perry H, Morrow M, Borger S, et al. Care Groups I: An Innovative Community-Based Strategy for Improving Maternal, Neonatal, and Child Health in Resource-Constrained Settings. *Glob Health Sci Pract*. 2015;3(3):358-369. doi:10.9745/GHSP-D-15-00051

462 Phiri TB, Kaunda-Khangamwa BN, Bauleni A, et al. Feasibility, acceptability and impact of integrating malaria rapid diagnostic tests and pre-referral rectal artesunate into the integrated community case management programme. A pilot study in Mchinji district, Malawi. *Malar J*. 2016;15:177. doi:10.1186/s12936-016-1237-2

463 Pitt C, Roberts B, Checchi F. Treating childhood pneumonia in hard-to-reach areas: A model-based comparison of mobile clinics and community-based care. *BMC Health Serv Res*. 2012;12:9. doi:10.1186/1472-6963-12-9

464 Pratt A, Dale M, Olivi E, Miller J. Spatial distribution and deployment of community-based distributors implementing integrated community case management (iCCM): Geographic information system (GIS) mapping study in three South Sudan states. *J Glob Health*. 2014;4(2):020402. doi:10.7189/jogh.04.020402

465 Priyanka, Acharya AS. Is community case management of severe pneumonia with oral amoxicillin feasible in India? *Natl Med J India*. 2012;25(6):352-353.

466 Prosnitz D, Herrera S, Coelho H, Moonzwe Davis L, Zalisk K, Yourkavitch J. Evidence of Impact: iCCM as a strategy to save lives of children under five. *J Glob Health*. 9(1):010801. doi:10.7189/jogh.09.010801

467 Prost A, Sanders D, Costello A, et al. Strengthening the capabilities of families and communities to improve child health in low and middle income countries. *BMJ*. 2018;362:bmj.k2649. doi:10.1136/bmj.k2649

468 Prudhomme O'Meara W, Menya D, Laktabai J, et al. Improving rational use of ACTs through diagnosis-dependent subsidies: Evidence from a cluster-randomized controlled trial in western Kenya. *PLoS Med*. 2018;15(7):e1002607. doi:10.1371/journal.pmed.1002607

469 Puett C, Alderman H, Sadler K, Coates J. "Sometimes they fail to keep their faith in us": community health worker perceptions of structural barriers to quality of care and community utilisation of services in Bangladesh. *Matern Child Nutr*. 2015;11(4):1011-1022. doi:10.1111/mcn.12072

470 Puett C, Coates J, Alderman H, Sadler K. Quality of care for severe acute malnutrition delivered by community health workers in southern Bangladesh. *Matern Child Nutr*. 2012;9(1):130-142. doi:10.1111/j.1740-8709.2012.00409.x

471 Puett C, Coates J, Alderman H, Sadruddin S, Sadler K. Does greater workload lead to reduced quality of preventive and curative care among community health workers in Bangladesh? *Food Nutr Bull*. 2012;33(4):273-287. doi:10.1177/156482651203300408

472 Rabarijaona LP, Randrianarivelojosa M, Raharimalala LA, et al. Longitudinal survey of malaria morbidity over 10 years in Saharevo (Madagascar): further lessons for strengthening malaria control *Malar J*. 2009;8:190. doi:10.1186/1475-2875-8-190

473 Rabbani F, Mukhi AAA, Perveen S, et al. Improving community case management of diarrhoea and pneumonia in district Badin, Pakistan through a cluster randomised study--the NIGRAAN trial protocol. *Implement Sci*. 2014;9:186. doi:10.1186/s13012-014-0186-9

474 Rabbani F, Perveen S, Aftab W, Zahidie A, Sangrasi K, Qazi SA. Health workers' perspectives, knowledge and skills regarding community case management of childhood diarrhoea and pneumonia: a qualitative inquiry for an implementation research project "Nigraan" in District Badin, Sindh, Pakistan. *BMC Health Serv Res*. 2016;16(1):462. doi:10.1186/s12913-016-1699-5

475 Rabbani F, Shipton L, Aftab W, Sangrasi K, Perveen S, Zahidie A. Inspiring health worker motivation with supportive supervision: a survey of lady health supervisor motivating factors in rural Pakistan. *BMC Health Serv Res*. 2016;16:397. doi:10.1186/s12913-016-1641-x

476 Rahimi A, Kassam R, Dang Z, Sekiwunga R. Challenges with accessing health care for young children presumed to have malaria in the rural district of Butaleja, Uganda: a qualitative study. *Pharm Pract (Granada)*. 2019;17(4):1622. doi:10.18549/PharmPract.2019.4.1622

477 Raihana S, Dunsmuir D, Huda T, et al. Development and Internal Validation of a Predictive Model Including Pulse Oximetry for Hospitalization of Under-Five Children in Bangladesh. *PLoS One*. 2015;10(11):e0143213. doi:10.1371/journal.pone.0143213

478 Ramsey K, Hingora A, Kante M, et al. The Tanzania Connect Project: a cluster-randomized trial of the child survival impact of adding paid community health workers to an existing facility-focused health system. *BMC Health Serv Res*. 2013;13(Suppl 2):S6. doi:10.1186/1472-6963-13-S2-S6

479 Ranasinghe S, Ansumana R, Lamin JM, et al. Attitudes toward home-based malaria testing in rural and urban Sierra Leone. *Malar J*. 2015;14:80. doi:10.1186/s12936-015-0582-x

480 Rao V, Schellenberg D, Ghani A. Overcoming health systems barriers to successful malaria treatment. *TRENDS IN PARASITOLOGY*. 2013;29(4):164-180. doi:10.1016/j.pt.2013.01.005

481 Rasanathan K, Bakshi S, Rodriguez DC, et al. Where to from here? Policy and financing of integrated community case management (iCCM) of childhood illness in sub-Saharan Africa. *J Glob Health*. 2014;4(2):020304. doi:10.7189/jogh.04.020304

482 Rasanathan K, Muñiz M, Bakshi S, et al. Community case management of childhood illness in sub-Saharan Africa – findings from a cross-sectional survey on policy and implementation. *J Glob Health*. 2014;4(2):020401. doi:10.7189/jogh.04.020401

483 Rasanathan K. Policy analysis--important for improving iCCM implementation; essential for success of global health efforts. *Health Policy Plan*. 2015;30 Suppl 2:ii1-ii2. doi:10.1093/heapol/czv097

484 Ratnayake R, Ratto J, Hardy C, et al. The Effects of an Integrated Community Case Management Strategy on the Appropriate Treatment of Children and Child Mortality in Kono District, Sierra Leone: A Program Evaluation. *Am J Trop Med Hyg*. 2017;97(3):964-973. doi:10.4269/ajtmh.17-0040

485 Ratsimbaoa A, Ravony H, Vonimpaisomihanta JA, et al. Management of uncomplicated malaria in febrile under five-year-old children by community health workers in Madagascar: reliability of malaria rapid diagnostic tests. *Malar J*. 2012;11:85. doi:10.1186/1475-2875-11-85

486 Raven J, Akweongo P, Baba A, et al. Using a human resource management approach to support community health workers: experiences from five African countries. *Hum Resour Health*. 2015;13:45. doi:10.1186/s12960-015-0034-2

487 Raven J, Wurie H, Idriss A, et al. How should community health workers in fragile contexts be supported: qualitative evidence from Sierra Leone, Liberia and Democratic Republic of Congo. *Hum Resour Health*. 2020;18:58. doi:10.1186/s12960-020-00494-8

488 Razakamanana M, Audibert M, Andrianantoandro V, Harimanana A. IMPACT AND EFFICIENCY OF THE INTEGRATION OF DIAGNOSIS AND TREATMENT OF PNEUMONIA IN THE COMMUNITY MANAGEMENT OF MALARIA IN MADAGASCAR. *REVUE ECONOMIQUE*. 2020;71(1):5-30.

489 Ricca J, Prosnitz D, Perry H, et al. Comparing estimates of child mortality reduction modelled in LiST with pregnancy history survey data for a community-based NGO project in Mozambique. *BMC Public Health*. 2011;11(Suppl 3):S35. doi:10.1186/1471-2458-11-S3-S35

490 Rivera D, Shah R, Guenther T, et al. Integrated community case management (iCCM) of childhood infection saves lives in hard-to-reach communities in Nicaragua. *Rev Panam Salud Publica*. 2017;41:e66. doi:10.26633/RPSP.2017.66

491 Robertson T, Kasungami D, Guenther T, Hazel E. Monitoring iCCM: a feasibility study of the indicator guide for monitoring and evaluating integrated community case management. *Health Policy Plan*. 2016;31(6):759-766. doi:10.1093/heapol/czv129

492 Robinson E, Crispino V, Ouabo A, et al. Mortality and health survey, Walikale, Democratic Republic of the Congo, 2017: an example of the use of survey data for humanitarian program planning. *Confl Health*. 2019;13:56. doi:10.1186/s13031-019-0232-y

493 Rockers PC, Fink G, Zanolini A, et al. Impact of a community-based package of interventions on child development in Zambia: a cluster-randomised controlled trial. *BMJ Glob Health*. 2016;1(3):e000104. doi:10.1136/bmjgh-2016-000104

494 Roder-DeWan S, Gupta N, Kagabo DM, et al. Four delays of child mortality in Rwanda: a mixed methods analysis of verbal social autopsies. *BMJ Open*. 2019;9(5):e027435. doi:10.1136/bmjopen-2018-027435

495 Rodríguez DC, Banda H, Namakhoma I. Integrated community case management in Malawi: an analysis of innovation and institutional characteristics for policy adoption. *Health Policy Plan*. 2015;30 Suppl 2:ii74-ii83. doi:10.1093/heapol/czv063

496 Rodríguez DC, Shearer J, Mariano AR, Juma PA, Dalglish SL, Bennett S. Evidence-informed policymaking in practice: country-level examples of use of evidence for iCCM policy. *Health Policy Plan*. 2015;30(Suppl 2):ii36-ii45. doi:10.1093/heapol/czv033

497 Rogers E, Ali M, Fazal S, et al. Quality of care of treatment for uncomplicated severe acute malnutrition provided by lady health workers in Pakistan. *PUBLIC HEALTH NUTRITION*. 2018;21(2):385-390. doi:10.1017/S1368980017002610

498 Rogers E, Martínez K, Morán JLA, et al. Cost-effectiveness of the treatment of uncomplicated severe acute malnutrition by community health workers compared to treatment provided at an outpatient facility in rural Mali. *Hum Resour Health*. 2018;16:12. doi:10.1186/s12960-018-0273-0

499 Ruckstuhl L, Lengeler C, Moyon JM, Garro H, Allan R. Malaria case management by community health workers in the Central African Republic from 2009–2014: overcoming challenges of access and instability due to conflict. *Malar J*. 2017;16:388. doi:10.1186/s12936-017-2005-7

500 Ruizendaal E, Schallig HDFH, Scott S, et al. Evaluation of Malaria Screening during Pregnancy with Rapid Diagnostic Tests Performed by Community Health Workers in Burkina Faso. *Am J Trop Med Hyg*. 2017;97(4):1190-1197. doi:10.4269/ajtmh.17-0138

- 501 Rutebemberwa E, Kadobera D, Katureebe S, Kalyango JN, Mworozzi E, Pariyo G. Use of Community Health Workers for Management of Malaria and Pneumonia in Urban and Rural Areas in Eastern Uganda. *Am J Trop Med Hyg.* 2012;87(5 Suppl):30-35. doi:10.4269/ajtmh.2012.11-0732
- 502 Rutebemberwa E, Mpeka B, Pariyo G, et al. High prevalence of antibiotic resistance in nasopharyngeal bacterial isolates from healthy children in rural Uganda: A cross-sectional study. *Ups J Med Sci.* 2015;120(4):249-256. doi:10.3109/03009734.2015.1072606
- 503 Rutta ASM, Francis F, Mmbando BP, et al. Using community-owned resource persons to provide early diagnosis and treatment and estimate malaria burden at community level in north-eastern Tanzania. *Malar J.* 2012;11:152. doi:10.1186/1475-2875-11-152
- 504 Rwabukwisi FC, Bawah AA, Gimbel S, Phillips JF, Mutale W, Drobcak P. Health system strengthening: a qualitative evaluation of implementation experience and lessons learned across five African countries. *BMC Health Serv Res.* 2017;17(Suppl 3):826. doi:10.1186/s12913-017-2662-9
- 505 Sabot K, Blanchet K, Berhanu D, Spicer N, Schellenberg J. Professional advice for primary healthcare workers in Ethiopia: a social network analysis. *BMC Health Serv Res.* 2020;20:551. doi:10.1186/s12913-020-05367-3
- 506 Sadruddin S, Khan I ul H, Bari A, Khan A, Ahmad I, Qazi SA. Effect of community mobilization on appropriate care seeking for pneumonia in Haripur, Pakistan. *J Glob Health.* 5(1):010405. doi:10.7189/jogh.05.010405
- 507 Sadruddin S, Khan I ul H, Fox MP, et al. Comparison of 3 Days Amoxicillin Versus 5 Days Co-Trimoxazole for Treatment of Fast-breathing Pneumonia by Community Health Workers in Children Aged 2–59 Months in Pakistan: A Cluster-randomized Trial. *Clin Infect Dis.* 2019;69(3):397-404. doi:10.1093/cid/ciy918
- 508 Sadruddin S, Pagnoni F, Baugh G. Lessons from the integrated community case management (iCCM) Rapid Access Expansion Program. *J Glob Health.* 9(2):020101. doi:10.7189/jogh.09.020101
- 509 Sadruddin S, Shehzad S, Bari A, et al. Household Costs for Treatment of Severe Pneumonia in Pakistan. *Am J Trop Med Hyg.* 2012;87(5 Suppl):137-143. doi:10.4269/ajtmh.2012.12-0242
- 510 Salam RA, Das JK, Bhutta ZA. Integrating nutrition into health systems: What the evidence advocates. *Matern Child Nutr.* 2019;15(Suppl 1):e12738. doi:10.1111/mcn.12738
- 511 Samuel S, Arba A. Utilization of Integrated Community Case Management Service and Associated Factors Among Mothers/Caregivers Who Have Sick Eligible Children in Southern Ethiopia. *Risk Manag Healthc Policy.* 2021;14:431-438. doi:10.2147/RMHP.S278231
- 512 Saran I, Winn L, Kipkoech Kirui J, Menya D, Prudhomme O'Meara W. The relative importance of material and non-material incentives for community health workers: Evidence from a discrete choice experiment in Western Kenya. *Soc Sci Med.* 2020;246:112726. doi:10.1016/j.socscimed.2019.112726
- 513 Sarriot E, Morrow M, Langston A, Weiss J, Landegger J, Tsuma L. A causal loop analysis of the sustainability of integrated community case management in Rwanda. *Soc Sci Med.* 2015;131:147-155. doi:10.1016/j.socscimed.2015.03.014
- 514 Savy M, Briaux J, Seye M, Douli MP, Perrotin G, Martin-Prevel Y. Tailoring Process and Impact Evaluation of a "Cash-Plus" Program: The Value of Using a Participatory Program Impact Pathway Analysis. *Curr Dev Nutr.* 2020;4(7):nzaa099. doi:10.1093/cdn/nzaa099
- 515 Schneider H, Okello D, Lehmann U. The global pendulum swing towards community health workers in low- and middle-income countries: a scoping review of trends, geographical distribution and programmatic orientations, 2005 to 2014. *Hum Resour Health.* 2016;14:65. doi:10.1186/s12960-016-0163-2
- 516 Schurer JM, Fowler K, Rafferty E, et al. Equity for health delivery: Opportunity costs and benefits among Community Health Workers in Rwanda. *PLoS One.* 2020;15(9):e0236255. doi:10.1371/journal.pone.0236255
- 517 Schwarz D, Kim JH, Ratcliffe H, et al. The status of Ghanaian community health workers' supervision and service delivery: descriptive analyses from the 2017 Performance Monitoring and Accountability 2020 survey. *Gates Open Res.* 2019;3:1468. doi:10.12688/gatesopenres.12979.3
- 518 Seidenberg PD, Hamer DH, Iyer H, et al. Impact of Integrated Community Case Management on Health-Seeking Behavior in Rural Zambia. *Am J Trop Med Hyg.* 2012;87(5 Suppl):105-110. doi:10.4269/ajtmh.2012.11-0799
- 519 Semu Y, Tekle E, Bekele A, et al. Making Community Based Newborn Care Sustainable in Ethiopia. *Ethiopian Medical Journal.* 2019;(3). Accessed October 25, 2021. <https://www.emjema.org/index.php/EMJ/article/view/1404>
- 520 Setiawan A, Dawson A. Strengthening the primary care workforce to deliver community case management for child health in rural Indonesia. *Aust Health Rev.* 2018;42(5):536-541. doi:10.1071/AH17092
- 521 Shah R, Miller NP, Mothabbir G. Approaches to support continued iCCM implementation during a flooding emergency in rural Bangladesh. *J Glob Health.* 9(2):021001. doi:10.7189/jogh.09.021001

522 Sharkey AB, Martin S, Cerveau T, Wetzler E, Berzal R. Demand generation and social mobilisation for integrated community case management (iCCM) and child health: Lessons learned from successful programmes in Niger and Mozambique. *J Glob Health*. 2014;4(2):020410. doi:10.7189/jogh.04.020410

523 Shaw B, Amouzou A, Miller NP, Bryce J, Surkan PJ. A qualitative exploration of care-seeking pathways for sick children in the rural Oromia region of Ethiopia. *BMC Health Serv Res*. 2017;17:184. doi:10.1186/s12913-017-2123-5

524 Shaw B, Amouzou A, Miller NP, et al. Determinants of Utilization of Health Extension Workers in the Context of Scale-Up of Integrated Community Case Management of Childhood Illnesses in Ethiopia. *Am J Trop Med Hyg*. 2015;93(3):636-647. doi:10.4269/ajtmh.14-0660

525 Shaw B, Amouzou A, Miller NP, Tafesse M, Bryce J, Surkan PJ. Access to integrated community case management of childhood illnesses services in rural Ethiopia: a qualitative study of the perspectives and experiences of caregivers. *Health Policy Plan*. 2016;31(5):656-666. doi:10.1093/heapol/czv115

526 Shaw BI, Asadhi E, Owuor K, et al. Perceived Quality of Care of Community Health Worker and Facility-Based Health Worker Management of Pneumonia in Children Under 5 Years in Western Kenya: A Cross-Sectional Multidimensional Study. *Am J Trop Med Hyg*. 2016;94(5):1170-1176. doi:10.4269/ajtmh.15-0784

527 Shearer JC, Abelson J, Kouyaté B, Lavis JN, Walt G. Why do policies change? Institutions, interests, ideas and networks in three cases of policy reform. *Health Policy Plan*. 2016;31(9):1200-1211. doi:10.1093/heapol/czw052

528 Shearer JC, Dion M, Lavis JN. Exchanging and using research evidence in health policy networks: a statistical network analysis. *Implement Sci*. 2014;9:126. doi:10.1186/s13012-014-0126-8

529 Shearer JC. Policy entrepreneurs and structural influence in integrated community case management policymaking in Burkina Faso. *Health Policy Plan*. 2015;30(Suppl 2):ii46-ii53. doi:10.1093/heapol/czv044

530 Shieshia M, Noel M, Andersson S, et al. Strengthening community health supply chain performance through an integrated approach: Using mHealth technology and multilevel teams in Malawi. *J Glob Health*. 2014;4(2):020406. doi:10.7189/jogh.04.020406

531 Shiroya-Wandabwa M, Kabue M, Kasungami D, et al. Coaching Community Health Volunteers in Integrated Community Case Management Improves the Care of Sick Children Under-5: Experience from Bondo, Kenya. *Int J Integr Care*. 18(4):5. doi:10.5334/ijic.3971

532 Siekmans K, Sohani S, Boima T, Koffa F, Basil L, Laaziz S. Community-based health care is an essential component of a resilient health system: evidence from Ebola outbreak in Liberia. *BMC Public Health*. 2017;17:84. doi:10.1186/s12889-016-4012-y

533 Siekmans K, Sohani S, Kisia J, et al. Community case management of malaria: a pro-poor intervention in rural Kenya. *Int Health*. 2013;5(3):196-204. doi:10.1093/inthealth/ih017

534 Sileshi L. Integrated management of childhood illness: a review of the Ethiopian experience and prospects for child health. *Ethiopian Medical Journal*. Published online 2002. Accessed December 13, 2021. <https://read.qxmd.com/read/12240581/integrated-management-of-childhood-illness-a-review-of-the-ethiopian-experience-and-prospects-for-child-health>

535 Simba DO, Kakoko D, Nyamhanga T, Mrango Z, Mujinja P. Improving prompt access to malaria diagnostics and treatment in rural remote areas using financial benefit for community health workers in Kilosa district, Tanzania. *Res Rep Trop Med*. 2018;9:137-146. doi:10.2147/RRTM.S172944

536 Simen-Kapeu A, Lewycka S, Ibe O, et al. Strengthening the community health program in Liberia: Lessons learned from a health system approach to inform program design and better prepare for future shocks. *J Glob Health*. 11:07002. doi:10.7189/jogh.11.07002

537 Simões EAF. Community case management of severe pneumonia. *Lancet*. 2012;379(9827):1703; author reply 1703-1704. doi:10.1016/S0140-6736(12)60717-X

538 Singlovic J, Ajayi IO, Nsungwa-Sabiiti J, et al. Compliance With Malaria Rapid Diagnostic Testing by Community Health Workers in 3 Malaria-Endemic Countries of Sub-Saharan Africa: An Observational Study. *Clin Infect Dis*. 2016;63(Suppl 5):S276-S282. doi:10.1093/cid/ciw626

539 Sinyangwe C, Graham K, Nicholas S, et al. Assessing the Quality of Care for Pneumonia in Integrated Community Case Management: A Cross-Sectional Mixed Methods Study. *PLoS One*. 2016;11(3):e0152204. doi:10.1371/journal.pone.0152204

540 Siribié M, Ajayi IO, Nsungwa-Sabiiti J, et al. Training Community Health Workers to Manage Uncomplicated and Severe Malaria: Experience From 3 Rural Malaria-Endemic Areas in Sub-Saharan Africa. *Clin Infect Dis*. 2016;63(Suppl 5):S264-S269. doi:10.1093/cid/ciw624

541 Siribié M, Diarra A, Tiono AB, Soulama I, Sirima SB. [Effect of a large scale community-based distribution of artemether-lumefantrine on its therapeutic efficacy among children living in a rural area of Burkina Faso]. *Bull Soc Pathol Exot.* 2015;108(2):120-123. doi:10.1007/s13149-015-0420-y

542 Siribié M, Diarra A, Tiono AB, Soulama I, Sirima SB. [Efficacy of artemether-lumefantrine in the treatment of uncomplicated malaria in children living in a rural area of Burkina Faso in 2009]. *Bull Soc Pathol Exot.* 2012;105(3):202-207. doi:10.1007/s13149-012-0209-6

543 SIRIBIE M, Tchouatieu AM, Soulama I, et al. Protocol for a quasi-experimental study to assess the feasibility, acceptability and costs of multiple first-lines artemisinin-based combination therapies for uncomplicated malaria in the Kaya health district, Burkina Faso. *BMJ Open.* 2021;11(2):e040220. doi:10.1136/bmjopen-2020-040220

544 Sivhaga K, Hlabano B, Odhiambo PO. Using partnership approach to reduce mortality and morbidity among children under five in Limpopo province, South Africa. *Pan Afr Med J.* 2012;13(Suppl 1):14.

545 Smith S, Deveridge A, Berman J, et al. Task-shifting and prioritization: a situational analysis examining the role and experiences of community health workers in Malawi. *Hum Resour Health.* 2014;12:24. doi:10.1186/1478-4491-12-24

546 Soofi S, Ahmed S, Fox MP, et al. Effectiveness of community case management of severe pneumonia with oral amoxicillin in children aged 2-59 months in Matiari district, rural Pakistan: a cluster-randomised controlled trial. *Lancet.* 2012;379(9817):729-737. doi:10.1016/S0140-6736(11)61714-5

547 Soremekun S, Kasteng F, Lingam R, et al. Variation in the quality and out-of-pocket cost of treatment for childhood malaria, diarrhoea, and pneumonia: Community and facility based care in rural Uganda. *PLoS One.* 2018;13(11):e0200543. doi:10.1371/journal.pone.0200543

548 Spence H, Baker K, Wharton-Smith A, et al. Childhood pneumonia diagnostics: community health workers' and national stakeholders' differing perspectives of new and existing aids. *Glob Health Action.* 2017;10(1):1290340. doi:10.1080/16549716.2017.1290340

549 Sreeramareddy CT, Shankar RP, Sreekumaran BV, Subba SH, Joshi HS, Ramachandran U. Care seeking behaviour for childhood illness--a questionnaire survey in western Nepal. *BMC Int Health Hum Rights.* 2006;6:7. doi:10.1186/1472-698X-6-7

550 Stellenberg E, Van Zyl M, Eygelaar J. Knowledge of community care workers about key family practices in a rural community in South Africa. *Afr J Prim Health Care Fam Med.* 2015;7(1):892. doi:10.4102/phcfm.v7i1.892

551 Story WT, Pritchard S, Hejna E, Olivas E, Sarriot E. The role of integrated community case management projects in strengthening health systems: case study analysis in Ethiopia, Malawi and Mozambique. *Health Policy Plan.* 2021;36(6):900-912. doi:10.1093/heapol/czaa177

552 Strachan C, Wharton-Smith A, Sinyangwe C, et al. Integrated community case management of malaria, pneumonia and diarrhoea across three African countries: A qualitative study exploring lessons learnt and implications for further scale up. *J Glob Health.* 2014;4(2):020404. doi:10.7189/jogh.04.020404

553 Strachan CE, Nuwa A, Muhangi D, Okui AP, Helinski MEH, Tibenderana JK. Community understanding of the concept of pre-referral treatment and how this impacts on referral related decision-making following the provision of rectal artesunate: a qualitative study in western Uganda. *BMC Health Serv Res.* 2018;18:470. doi:10.1186/s12913-018-3209-4

554 Strachan DL, Källander K, Nakirunda M, Ndima S, Muiambo A, Hill Z. Using theory and formative research to design interventions to improve community health worker motivation, retention and performance in Mozambique and Uganda. *Hum Resour Health.* 2015;13:25. doi:10.1186/s12960-015-0020-8

555 Strachan DL, Källander K, ten Asbroek AHA, et al. Interventions to Improve Motivation and Retention of Community Health Workers Delivering Integrated Community Case Management (iCCM): Stakeholder Perceptions and Priorities. *Am J Trop Med Hyg.* 2012;87(5 Suppl):111-119. doi:10.4269/ajtmh.2012.12-0030

556 Swana EK, Makan GY, Mukeng CK, et al. Feasibility and implementation of community-based malaria case management with integrated vector control in the Democratic Republic of Congo. *Malar J.* 2016;15:413. doi:10.1186/s12936-016-1475-3

557 Tadesse L, Sylla M, Pearson L, Tam Y, Tariku A, Avan B. Modeling the Potential Reduction of Newborn Mortality with National Scaling up of Community-based Newborn Care in Ethiopia. *Ethiopian Medical Journal.* 2019;(3). Accessed October 25, 2021. <https://www.emjema.org/index.php/EMJ/article/view/1402>

558 Tadesse Y, Eniyew A, Mengistu B, Eniyew A, Marsh DR. Utilization of integrated community case management services in three regions in Ethiopia after two years of implementation. *Ethiop Med J.* 2014;52 Suppl 3:47-55.

559 Tagbor H, Antwi GD, Acheampong PR, Bart Plange C, Chandramohan D, Cairns M. Seasonal malaria chemoprevention in an area of extended seasonal transmission in Ashanti, Ghana: an individually randomised clinical trial. *Trop Med Int Health.* 2016;21(2):224-235. doi:10.1111/tmi.12642

560	Tamiru D, Berhanu M, Dagne T, et al. Quality of integrated community case management services at public health posts, Southwest Ethiopia. <i>J Pediatr Nurs.</i> 2021;57:32-37. doi:10.1016/j.pedn.2020.11.003
561	Taneja S, Dalpath S, Bhandari N, et al. Operationalising integrated community case management of childhood illnesses by community health workers in rural Haryana. <i>Acta Paediatr.</i> 2018;107 Suppl 471:80-88. doi:10.1111/apa.14428
562	Tani K, Exavery A, Baynes CD, et al. Unit cost analysis of training and deploying paid community health workers in three rural districts of Tanzania. <i>BMC Health Serv Res.</i> 2016;16:237. doi:10.1186/s12913-016-1476-5
563	Tariku A, Okwaraji YB, Worku A, Bikis GA, Åke Persson L, Berhane Y. Prevention and treatment of suspected pneumonia in Ethiopian children less than five years from household to primary care. <i>Acta Paediatr.</i> 2021;110(2):602-610. doi:10.1111/apa.15380
564	Taylor C, Griffiths F, Lilford R. Affordability of comprehensive community health worker programmes in rural sub-Saharan Africa. <i>BMJ Glob Health.</i> 2017;2(3):e000391. doi:10.1136/bmjgh-2017-000391
565	Taylor CA, Lilford RJ, Wroe E, Griffiths F, Ngechu R. The predictive validity of the Living Goods selection tools for community health workers in Kenya: cohort study. <i>BMC Health Serv Res.</i> 2018;18:803. doi:10.1186/s12913-018-3620-x
566	Tefera W, Tesfaye H, Bekele A, Kayessa E, Waltensperger KZ, Marsh DR. Factors influencing the low utilization of curative child health services in Shebedino District, Sidama Zone, Ethiopia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:109-117.
567	Teferi E, Alemu H, Bulto T, Ali I, Teno D. A descriptive study of the changes in coverage of preventive and promotive interventions before and after the introduction of integrated community case management (ICCM) in Ethiopia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:151-155.
568	Teferi E, Teno D, Ali I, Alemu H, Bulto T. Quality and use of IMNCI services at health center under-five clinics after introduction of integrated community-based case management (ICCM) in three regions of Ethiopia. <i>Ethiop Med J.</i> 2014;52 Suppl 3:91-98.
569	Thiha Y, Zin T, Win KM, Soe MT, Aung PL. Performance of Malaria Volunteers regarding Malaria Control Activities in Southeastern Myanmar: A Study in the Areas under Coverage of an Ethnic Health Organization. <i>J Trop Med.</i> 2021;2021:6642260. doi:10.1155/2021/6642260
570	Thompson ME, Harutyunyan TL. Impact of a community-based integrated management of childhood illnesses (IMCI) programme in Gegharkunik, Armenia. <i>Health Policy Plan.</i> 2009;24(2):101-107. doi:10.1093/heapol/czn048
571	Thomson A, Khogali M, de Smet M, et al. Low referral completion of rapid diagnostic test-negative patients in community-based treatment of malaria in Sierra Leone. <i>Malar J.</i> 2011;10:94. doi:10.1186/1475-2875-10-94
572	Thondoo M, Strachan DL, Nakirunda M, et al. Potential Roles of Mhealth for Community Health Workers: Formative Research With End Users in Uganda and Mozambique. <i>JMIR Mhealth Uhealth.</i> 2015;3(3):e76. doi:10.2196/mhealth.4208
573	Tiffany A, Moundekeno FP, Traoré A, et al. Encouraging impact following 2.5 years of reinforced malaria control interventions in a hyperendemic region of the Republic of Guinea. <i>Malar J.</i> 2016;15:298. doi:10.1186/s12936-016-1353-z
574	Tine RCK, Ndiaye P, Ndour CT, et al. Acceptability by community health workers in Senegal of combining community case management of malaria and seasonal malaria chemoprevention. <i>Malar J.</i> 2013;12:467. doi:10.1186/1475-2875-12-467
575	Tiono AB, Diarra A, Sanon S, et al. Erratum to: Low Specificity of a Malaria Rapid Diagnostic Test During an Integrated Community Case Management Trial. <i>Infect Dis Ther.</i> 2013;2(2):227. doi:10.1007/s40121-013-0017-3
576	Tiono AB, Diarra A, Sanon S, et al. Low Specificity of a Malaria Rapid Diagnostic Test During an Integrated Community Case Management Trial. <i>Infect Dis Ther.</i> 2013;2(1):27-36. doi:10.1007/s40121-013-0006-6
577	Treleaven E, Liu J, Prach LM, Isiguzo C. Management of paediatric illnesses by patent and proprietary medicine vendors in Nigeria. <i>Malar J.</i> 2015;14:232. doi:10.1186/s12936-015-0747-7
578	Tuhebwe D, Tumushabe E, Leontsini E, Wanyenze RK. Pneumonia among children under five in Uganda: symptom recognition and actions taken by caretakers. <i>Afr Health Sci.</i> 2014;14(4):993-1000. doi:10.4314/ahs.v14i4.31
579	Tumusiime DK, Agaba G, Kyomuhangi T, Finch J, Kabakyenga J, MacLeod S. Introduction of mobile phones for use by volunteer community health workers in support of integrated community case management in Bushenyi District, Uganda: development and implementation process. <i>BMC Health Serv Res.</i> 2014;14(Suppl 1):S2. doi:10.1186/1472-6963-14-S1-S2
580	van Boetzelaer E, Ho LS, Gutman JR, et al. Universal versus conditional three-day follow up visit for children with uncomplicated fever at the community level: design of a cluster-randomized, community-based, non-inferiority trial in Tanganyika, Democratic Republic of Congo. <i>BMC Pediatr.</i> 2017;17:36. doi:10.1186/s12887-017-0792-1
581	Van Boetzelaer E, Zhou A, Tesfai C, Kozuki N. Performance of low-literate community health workers treating severe acute malnutrition in South Sudan. <i>Matern Child Nutr.</i> 2019;15(Suppl 1):e12716. doi:10.1111/mcn.12716

582 Waiswa P, Namazzi G, Kerber K, Peterson S. Designing for action: adapting and implementing a community-based newborn care package to affect national change in Uganda. *Glob Health Action*. 2015;8:10.3402/gha.v8.24250. doi:10.3402/gha.v8.24250

583 Waiswa P. Institutionalization of Projects Into Districts in Low- and Middle-Income Countries Needs Stewardship, Autonomy, and Resources. *Glob Health Sci Pract*. 2020;8(2):144-146. doi:10.9745/GHSP-D-20-00170

584 Walker CLF, Taneja S, LeFevre A, Black RE, Mazumder S. Appropriate Management of Acute Diarrhea in Children Among Public and Private Providers in Gujarat, India: A Cross-Sectional Survey. *Glob Health Sci Pract*. 2015;3(2):230-241. doi:10.9745/GHSP-D-14-00209

585 Wanduru P, Tetui M, Tuhebwe D, et al. The performance of community health workers in the management of multiple childhood infectious diseases in Lira, northern Uganda – a mixed methods cross-sectional study. *Glob Health Action*. 2016;9:10.3402/gha.v9.33194. doi:10.3402/gha.v9.33194

586 Wang W, MacDonald VM, Paudel M, Banke KK. National Scale-up of Zinc Promotion in Nepal: Results from a Post-project Population-based Survey. *J Health Popul Nutr*. 2011;29(3):207-217.

587 Ward C, Baker K, Marks S, et al. Determining the Agreement Between an Automated Respiratory Rate Counter and a Reference Standard for Detecting Symptoms of Pneumonia in Children: Protocol for a Cross-Sectional Study in Ethiopia. *JMIR Res Protoc*. 2020;9(4):e16531. doi:10.2196/16531

588 Ward C, Baker K, Smith H, et al. Usability and acceptability of an automated respiratory rate counter to assess children for symptoms of pneumonia: A cross-sectional study in Ethiopia. *Acta Paediatr*. 2020;109(6):1196-1206. doi:10.1111/apa.15074

589 Warsame M, Gyapong M, Mpeka B, et al. Pre-referral Rectal Artesunate Treatment by Community-Based Treatment Providers in Ghana, Guinea-Bissau, Tanzania, and Uganda (Study 18): A Cluster-Randomized Trial. *Clin Infect Dis*. 2016;63(Suppl 5):S312-S321. doi:10.1093/cid/ciw631

590 Warsame M, Kimbute O, Machinda Z, et al. Recognition, Perceptions and Treatment Practices for Severe Malaria in Rural Tanzania: Implications for Accessing Rectal Artesunate as a Pre-Referral. *PLoS One*. 2007;2(1):e149. doi:10.1371/journal.pone.0000149

591 Waters D, Theodoratou E, Campbell H, Rudan I, Chopra M. Optimizing community case management strategies to achieve equitable reduction of childhood pneumonia mortality: An application of Equitable Impact Sensitive Tool (EQUIST) in five low- and middle-income countries. *J Glob Health*. 2012;2(2):020402. doi:10.7189/jogh.02.020402

592 Wazny K, Sadruddin S, Zipursky A, et al. Setting global research priorities for integrated community case management (iCCM): Results from a CHNRI (Child Health and Nutrition Research Initiative) exercise. *J Glob Health*. 2014;4(2):020413. doi:10.7189/jogh.04.020413

593 Weiss J, Makonnen R, Sula D. Shifting management of a community volunteer system for improved child health outcomes: results from an operations research study in Burundi. *BMC Health Serv Res*. 2015;15(Suppl 1)doi:10.1186/1472-6963-15-S1-S2

594 Whidden C, Kayentao K, Liu JX, et al. Improving Community Health Worker performance by using a personalised feedback dashboard for supervision: a randomised controlled trial. *J Glob Health*. 8(2):020418. doi:10.7189/jogh.08.020418

595 Whidden C, Treleaven E, Liu J, et al. Proactive community case management and child survival: protocol for a cluster randomised controlled trial. *BMJ Open*. 2019;9(8):e027487. doi:10.1136/bmjopen-2018-027487

596 White EE, Downey J, Sathananthan V, et al. A Community Health Worker Intervention to Increase Childhood Disease Treatment Coverage in Rural Liberia: A Controlled Before-and-After Evaluation. *Am J Public Health*. 2018;108(9):1252-1259. doi:10.2105/AJPH.2018.304555

597 Win Han Oo, Hoban E, Gold L, et al. Community demand for comprehensive primary health care from malaria volunteers in South-East Myanmar: a qualitative study. *Malar J*. 2021;20:19. doi:10.1186/s12936-020-03555-4

598 Win Han Oo, Hoban E, Gold L, et al. Optimizing Myanmar's community-delivered malaria volunteer model: a qualitative study of stakeholders' perspectives. *Malar J*. 2021;20:79. doi:10.1186/s12936-021-03612-6

599 Winch PJ, Leban K, Casazza L, Walker L, Percy K. An implementation framework for household and community integrated management of childhood illness. *Health Policy Plan*. 2002;17(4):345-353. doi:10.1093/heapol/17.4.345

600 Winn LK, Lesser A, Menya D, et al. Motivation and satisfaction among community health workers administering rapid diagnostic tests for malaria in Western Kenya. *J Glob Health*. 8(1):010401. doi:10.7189/jogh.08.010401

601 Winskill P, Hogan AB, Thwing J, Mwandigha L, Walker PGT, Lambert B. Health inequities and clustering of fever, acute respiratory infection, diarrhoea and wasting in children under five in low- and middle-income countries: a Demographic and Health Surveys analysis. *BMC Med*. 2021;19:144. doi:10.1186/s12916-021-02018-0

602 Winskill P, Mousa A, Oresanya O, Counihan H, Okell LC, Walker PG. Does integrated community case management (iCCM) target health inequities and treatment delays? Evidence from an analysis of Demographic and Health Surveys data from 21 countries in the period 2010 to 2018. *J Glob Health*. 11:04013. doi:10.7189/jogh.11.04013

603 Wirth JP, Matji J, Woodruff BA, et al. Scale up of nutrition and health programs in Ethiopia and their overlap with reductions in child stunting. *Matern Child Nutr*. 2016;13(2):e12318. doi:10.1111/mcn.12318

604 Wogi A, Teno D, Bulto T, Deressa W, Alemu H, Nigussie M. Effect of integrated community case management of common childhood illnesses on the quality of malaria case management provided by health extension workers at health posts. *Ethiop Med J*. 2014;52 Suppl 3:99-108.

605 Yansaneh AI, George AS, Sharkey A, et al. Determinants of Utilization and Community Experiences with Community Health Volunteers for Treatment of Childhood Illnesses in Rural Sierra Leone. *J Community Health*. 2016;41(2):376-386. doi:10.1007/s10900-015-0107-0

606 Yansaneh AI, Moulton LH, George AS, et al. Influence of community health volunteers on care seeking and treatment coverage for common childhood illnesses in the context of free health care in rural Sierra Leone. *Trop Med Int Health*. 2014;19(12):1466-1476. doi:10.1111/tmi.12383

607 Yasuoka J, Jimba M, Levins R. Application of loop analysis for evaluation of malaria control interventions. *Malar J*. 2014;13:140. doi:10.1186/1475-2875-13-140

608 Yeboah-Antwi K, Pilingana P, Macleod WB, et al. Community case management of fever due to malaria and pneumonia in children under five in Zambia: a cluster randomized controlled trial. *PLoS Med*. 2010;7(9):e1000340. doi:10.1371/journal.pmed.1000340

609 Yeboah-Antwi K, Snetro-Plewman G, Waltensperger KZ, et al. Measuring teamwork and taskwork of community-based "teams" delivering life-saving health interventions in rural Zambia: a qualitative study. *BMC Med Res Methodol*. 2013;13:84. doi:10.1186/1471-2288-13-84

610 Yohannes S, Habtu Y, Abreham B, Ayele M. Utilization of Integrated Community Case Management and Its Factors in Southern Ethiopia: Facility Based-Cross-Sectional Study. *ADVANCES IN PUBLIC HEALTH*. 2021;2021. doi:10.1155/2021/8835804

611 Young M, Sharkey A, Aboubaker S, Kasungami D, Swedberg E, Ross K. The way forward for integrated community case management programmes: A summary of lessons learned to date and future priorities. *J Glob Health*. 2014;4(2):020303. doi:10.7189/jogh.04.020303

612 Young M, Wolfheim C, Marsh DR, Hammamy D. World Health Organization/United Nations Children's Fund Joint Statement on Integrated Community Case Management: An Equity-Focused Strategy to Improve Access to Essential Treatment Services for Children. *Am J Trop Med Hyg*. 2012;87(5 Suppl):6-10. doi:10.4269/ajtmh.2012.12-0221

613 Yourkavitch J, Davis LM, Hobson R, et al. Integrated community case management: planning for sustainability in five African countries. *J Glob Health*. 9(1):010802. doi:10.7189/jogh.09.010802

614 Yourkavitch J, Prosnitz D, Herrera S. Data quality assessments stimulate improvements to health management information systems: evidence from five African countries. *J Glob Health*. 9(1):010806. doi:10.7189/jogh.09.010806

615 Yourkavitch J, Zalisk K, Prosnitz D, Luhanga M, Nsona H. How do we know? An assessment of integrated community case management data quality in four districts of Malawi. *Health Policy Plan*. 2016;31(9):1162-1171. doi:10.1093/heapol/czw047

616 Yukich JO, Scott C, Silumbe K, et al. Cost-Effectiveness of Focal Mass Drug Administration and Mass Drug Administration with Dihydroartemisinin-Piperaquine for Malaria Prevention in Southern Province, Zambia: Results of a Community-Randomized Controlled Trial. *Am J Trop Med Hyg*. 2020;103(2 Suppl):46-53. doi:10.4269/ajtmh.19-0661

617 Zaidi S, Kazi AM, Riaz A, et al. Operability, Usefulness, and Task-Technology Fit of an mHealth App for Delivering Primary Health Care Services by Community Health Workers in Underserved Areas of Pakistan and Afghanistan: Qualitative Study. *J Med Internet Res*. 2020;22(9):e18414. doi:10.2196/18414

618 Zakus D, Moussa M, Ezechiel M, et al. Clinical evaluation of the use of an mhealth intervention on quality of care provided by Community Health Workers in southwest Niger. *J Glob Health*. 9(1):010812. doi:10.7189/jogh.09.010812

619 Zalisk K, Guenther T, Prosnitz D, Nsona H, Chimbanga E, Sadruddin S. Achievements and challenges of implementation in a mature iCCM programme: Malawi case study. *J Glob Health*. 9(1):010807. doi:10.7189/jogh.09.010807

620 Zembe-Mkabile WZ, Jackson D, Sanders D, et al. The 'community' in community case management of childhood illnesses in Malawi. *Glob Health Action*. 2016;9:10.3402/gha.v9.29177. doi:10.3402/gha.v9.29177

621 Zhang S, Incardona B, Qazi SA, Stenberg K, Campbell H, Nair H. Cost-effectiveness analysis of revised WHO guidelines for management of childhood pneumonia in 74 Countdown countries. *Journal of Global Health*. 2017;7(1):010409. doi:10.7189/jogh.07.010409

-
- 622 Zhang S, Sammon PM, King I, et al. Cost of management of severe pneumonia in young children: systematic analysis. *J Glob Health*. 6(1):010408. doi:10.7189/jogh.06.010408
-
- 623 Zipursky A, Wazny K, Black R, et al. Global action plan for childhood diarrhoea: Developing research priorities. *J Glob Health*. 2013;3(1):010406. doi:10.7189/jogh.03.010406
-
- 624 Zulu JM, Hurtig AK, Kinsman J, Michelo C. Innovation in health service delivery: integrating community health assistants into the health system at district level in Zambia. *BMC Health Serv Res*. 2015;15:38. doi:10.1186/s12913-015-0696-4
-
- 625 Zulu JM, Kinsman J, Michelo C, Hurtig AK. Hope and despair: community health assistants' experiences of working in a rural district in Zambia. *Human Resources for Health*. 2014;12(1):30. doi:10.1186/1478-4491-12-30
-