Dependency ratios in healthy ageing

Diego Wachs ¹, Andres Roman-Urrestarazu ², Carol Brayne ²,
Jorge Onrubia-Fernández ³

To cite: Wachs D, Roman-Urrestarazu A, Brayne C, *et al.* Dependency ratios in healthy ageing. *BMJ Global Health* 2020;**5**:e002117. doi:10.1136/bmjgh-2019-002117

Handling editor Seye Abimbola

► Additional material is published online only. To view please visit the journal online (<http://dx.doi.org/10.1136/bmjgh-2019-002117>).

DW and AR-U contributed equally.

Received 14 November 2019
Revised 21 February 2020
Accepted 15 March 2020

© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Economics, Universidad Complutense de Madrid, Madrid, Spain

²Cambridge Institute of Public Health, University of Cambridge, Cambridge, UK

³Complutense Institute for International Studies (ICEI), Complutense University of Madrid, Madrid, Comunidad de Madrid, Spain

Correspondence to

Dr Diego Wachs;
wachs.diego@gmail.com

ABSTRACT

Although people are living longer, there is no discernible pattern about the quality of life in an increasing lifespan. This restricts our capacity to predict and prepare for the consequences of population ageing. Accordingly, we propose a population ageing indicator that combines demographic and disability prevalence data through a characteristics approach and explore different scenarios to account for uncertainty in life quality projections. Our results, available for 186 countries, show that countries that rank older under conventional chronological ageing measures may rank younger under our qualitative measure. Additionally, we find substantial differences in our projections depending on different health assumptions, demonstrating the risk of using ageing indicators that make implicit assumptions about health characteristics.

INTRODUCTION

Over the last two centuries, humans have experienced an unprecedented increase in life expectancy which combined with decreasing fertility rates have triggered an increase in the population's median age and the share of individuals above typical 'old-age' thresholds, a phenomenon known as population ageing.^{1,2} For instance, between 1950 and 2015, the median age of the world's population increased from 23 to almost 30 years.² However, this trend has not slowed down, and is one of the most significant features of current global demography, with every country projected to experience an increase in the share of people aged 60 and over in the coming decades.³

One of the most common population ageing indicators is dependency ratios (DRs), which compares different population groups dividing those considered 'dependent' over those considered 'productive'. For example, the most popular version of the DR, the old-age DR (OADR) divides those over the age of 64 by those between the ages of 20 and 64.² DRs have been broadly used to show how population ageing affects societies in many ways including, productivity,^{3,4} disability and dependence,^{5,6} social security sustainability⁷ and innovation.^{8,9} The reasoning is that old and young individuals have different

Key questions

What is already known?

- Various studies have proposed qualitative indicators of population ageing accounting for healthy ageing scenarios.
- These indicators showcase less worrisome ageing projections than chronological measures.

What are the new findings?

- We compare future health assumptions of said indicators using a common methodology over different scenarios and find they lead to substantial differences in projections.
- Our results are evidence of the risk in using ageing indicators that make implicit assumptions about health characteristics.

What do the new findings imply?

- We demonstrate that understanding the degree of uncertainty in healthy ageing is imperative in designing appropriate public healthcare and social security systems and future productivity.

characteristics. For example, if older individuals have lower saving rates, population ageing could decrease the average saving rate of the economy, affecting investment and productivity.³

Chronological DRs are those based only on one characteristic of the individual, their age. An individual is assigned to one group or another based only on their age, implicitly assuming that other characteristics of an individual are fixed by age. However, ageing is a multi-dimensional concept associated with physical, social and behavioural characteristics of individuals that are only partly associated with chronological ageing.^{8,10} Hence, chronological DRs alone might be modest proxies of population ageing.² For example, they assume that health remains constant with age, even if life expectancy is increasing. This would lead to an increase in the share of life with poor health, an scenario known as the *expansion of morbidity*.^{11,12}

In contrast, some studies argue that gains in life expectancy would translate into gains in other health characteristics.¹³ Thus,

chronological DRs could overestimate the pace of population ageing, at least in terms of physical conditions of the population. Accordingly, they proposed DRs based on life expectancy, where individuals are considered old when they reach an age at which life expectancy falls below a certain threshold.^{2 13} These dynamics are analogous to the *compression of morbidity* scenario, which assumes that mortality at the older ages would reach a limit beyond there could be no further decline; however, we would see compression of morbidity into a smaller number of years at the end of life.^{11 14}

The problem with the indicators described above is that we cannot confirm their assumptions on longer life expectancy and changes in quality of life.¹⁰ Longitudinal studies show inconsistent results, with some suggesting falling levels of severe disability and cognitive impairment in older adults, others indicating rising rates of chronic diseases and comorbidity but steady rates of disability, and yet others suggest increasing levels of disability. Furthermore, these patterns may also vary geographically.^{6 10 15–19} Understating the degree of this uncertainty and how it affects ageing projections is imperative in designing appropriate public healthcare and social security systems, as well as measuring how ageing will affect future productivity.^{1 6 20 21}

To produce projections and cope with the uncertainty regarding changes in mortality and health characteristics, we propose a new ageing indicator that is quantified under alternative scenarios based on different assumptions of the population's health characteristics. We include a constant prevalence by age scenario, a scenario that links disability to life expectancy, a scenario that projects disability using average growth rates from historical data, and a catch-up between countries scenario (complete description in the methods section).

Similar indicators have been proposed in other studies. Harwood *et al* generated projections of dependency based on disability using demographic projections by age groups and maintaining disability prevalence rates constant by age.⁵ Sanderson and Scherbov also proposed a measure based on disability prevalence, but generated projections linking prevalence rates to life expectancy.²² Skirbekk *et al* calculated DRs based cognitive functioning of senior citizens and showed that the ageing ranking for countries changes when their indicator is compared to the OADR.²⁰ Chang *et al* used morbidity data to identify and measure the burden of age-related diseases. Then, the authors compared countries and historical data by estimating the average age at which countries' populations have an equivalent age-related health burden.²³ Balachandran and James estimated a multi-dimensional measure of population ageing based on life expectancy, health and human capital to compare a set of European and Asian countries. Our work expands previous literature in three ways. First, we expand the sample of countries included in projections to almost all UN members (186 from 193 members). Second, we proposed and compare multiple scenarios for the trajectories of health

projections. Third, we base our calculations on the characteristics approach to ease the decomposition and comparability of our indicator.

METHODS

The characteristics approach

We propose a DR, the *disability dependency ratio* (DDR), that measures population ageing based on health characteristics of the population. The indicator is developed following the characteristics approach developed by Sanderson and Scherbov which provides a method to build DR based on qualitative and demographic characteristics of populations. Developing a characteristics approach, means that each age group of the population is weighted by multiplying the number of individuals in the group by a matrix of qualitative indicators. Following this methodology facilitates the interpretation, comparability and decomposition of ageing indicators. For each country, we apply the characteristics approach by multiplying 5-year population groups by the group's average disability prevalence rate. Thus, our indicator is affected by both, the age structure and the disability prevalence of the population.²⁴ A limitation of this approach is the unidimensional and purely biomedical definition of healthy ageing.^{25 26} However, under a multidimensional operationalisation, data constraints would severely narrow our sample. The detailed protocol describing our application of this approach can be found in the online supplementary appendix for reproducibility.

Data

We use the United Nation's Population Prospects database for the demographic characteristic of our indicator (the total population in each age group). The qualitative characteristic is obtained using morbidity data from the Global Burden of Disease (GBD) database which provides estimations of disability prevalence by age group, sex and cause, for the 1990–2017 period and 195 countries.²⁷ After multiplying each age-group by its prevalence rate, we follow Sanderson and Schervob²² and calculate the DDR as the number of adults (20+ years of age) with disabilities over the number of adults without disabilities for all 195 countries with available data in the GBD database.

Cross-sectional comparison and projections

With the data available, we can compare how the ranking of countries changes according to different ageing indicators for the 1990–2017 period. Then, we generate projections of the DDR under different assumptions. For each country, we use the United Nation's Population Prospects database to project the demographic components of our indicators (the total population in each age group) and different scenarios for the disability prevalence of the population, including: (1) DDR constant prevalence: we keep the prevalence rate constant for each age group at its last historical value available, as in Harwood *et al*⁵; (2) DDR past trends: we project prevalence rate for each age group by setting the average annual percentual change

in the prevalence rate equal to the observed average percentual change in historical data, as in Lafortune and Balestat²⁸; (3) DDR life expectancy: we estimate the relationship between disability prevalence and life expectancy using a panel regression for each age-group and then forecast the prevalence rates using life expectancy projections from the UN, as in Sanderson and Scherbov²²; and (4) DDR catch-up: the disability prevalence rate of each age group ‘catches-up’ between 2015 and 2100 at a constant rate, with the rate of the country with the lowest prevalence in 2015.

From the 195 countries with data available at the GBD database, the projections are available for 184 countries. Nine are dropped due to data availability at the United Nation’s Population Prospects database (Taiwan, Bermuda, Puerto Rico, Dominica, Northern Mariana Islands, Andorra, American Samoa, Marshall Islands and Greenland) and two are dropped because they are not included in the World Bank’s country income groups (Fed. States of Micronesia and State of Palestine).

Patient and public involvement statement

Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

RESULTS

Cross sectional comparison of DRs

Figure 1 shows how the Old-age and the Disability DRs differ across countries. The left panel shows the OADR in the horizontal axis and the DDR on the vertical axis for all countries with available data in the GBD database. The best-fit curve is flatter than the 45° line partly because countries on the bottom left of this distribution have a higher standardised disability prevalence than countries on the top right. However, even though

there is cross-sectional evidence of the compression of morbidity²⁹ the longitudinal evidence for this relationship is unclear; thus, countries on the bottom-left region of the distributions will not necessarily follow the exact path of countries on the top-right. In other words, as countries keep ageing and moving right over the horizontal axis, we do not know how close to the best fit line they will stay.

In fact, there are important differences between those countries, some of which can be observed in the size and colour of the bubbles of figure 1. The colour separates countries according to World Bank income groups while the size represents the number of years it took (or will take) for them to transition from a lower to a higher proportion of elders in the population. The image shows a clear pattern. In general, the countries on the top-right are richer and had longer periods of time to age. This means that the necessary adaptation that countries on the bottom left will need to go through, will have to be carried out much more quickly than was often the case in the past.¹⁰

Some oil producer countries escape the income ageing pattern. The bright red bubbles on the bottom left region are six rich oil producers with young populations including Bahrain, Brunei, Equatorial Guinea, Kuwait, Oman, Qatar, Saudi Arabia, Turkmenistan and United Arab Emirates. Typically, net-oil exporters are excluded from growth studies, including those focused on demographic factors.^{30 31} Most likely, due to a unique channel through which sustained natural resource wind-falls create outliers in the ‘typical’ developmental process of a country, including the fertility-growth relationship. However, understanding this channel exceeds the purpose of this paper.

The right pane of figure 1 has a comparison of the same indicators for countries grouped in geographical

Figure 1 OADRs by country and region, 2015. Source: UN Population Prospects, Global Burden of Disease Databases and World Development Indicators. Note: OADR defined as those 65+ over those between 20 and 64. DDR defined as explained in the Methodology section. The size of the bubbles indicates the (actual or projected) number of years that took for the 60+ population to grow from 15% to 20% of the total population. The colour separates countries according to the World Bank income groups. OADR, old-age dependency ratio; DDR, disability dependency ratio; std DDR, standardised DDR using the world population. SSA, Sub Saharan Africa; MENA, Middle East and North Africa; SA, South Asia; EA&P, East Asia and Pacific; LAC, Latin America and the Caribbean; ECA, Europe and Central Asia; OECD, Organization for Economic Cooperation and Development; .

Figure 2 OADRs by region, 2015–2065. Source: UN population prospects, global burden of disease databases and world development indicators. OADR is plotted on the right axes and defined as those aged 65+ over those between 20 and 64. DDR defined as explained in our methodology section. Series for the World include 186 countries for which there is data from all sources. The composition of the all regions is available in our online supplementary appendix. DDR, disability dependency ratio; DDR_CP, constant prevalence scenario; DDR_CU, DDR catch-up scenario; DDR_LE, DDR life expectancy; DDR_PT, DDR past-trends; OADR, old-age dependency ratio.

regions. Consistent with Skirbekk *et al*, the chart reveals how the ‘ageing’ ranking changes depending on the indicator.²⁰ Regions are ordered from left to right according to their OADR (the grey marker) in 2015. In contrast, the red marker shows their DDR in 2015. The first thing that emerges from the chart is how chronologically younger countries become older under the DDR, while chronologically older countries become younger. Furthermore, the relationship is inverted for some regions. Latin America and East Asia and Pacific are now younger than Sub-Saharan Africa, Middle East and North Africa, or South Asia.

As time goes by and all regions keep chronologically ageing, the final ranking will be determined by the evolution of disability. For the regions on the left, if disability prevalence decreases fast enough, they may end with a DDR similar to that of regions on the right. However, if their share of senior citizens keeps increasing but disability prevalence does not decline, they will end up with even higher dependency than regions on the right. This is depicted by the blue markers in the right pane of figure 1 which represent the DDR standardised using the world population.

As there is great uncertainty about the expected dynamics of disability and chronological ageing across-countries, the next section explores how ageing may unfold under different scenarios.

Projections

Figure 2 shows the projections of our DDR under the four scenarios described in the methodology section and the OADR (right axis) for the world and different income

groups. The projections start in 2015, and all series are re-based to the same year to obtain comparable indexes (2015=100). The range of the OADR is greater than the range of the rest, hence it is plotted on the secondary axes. This issue shows how the pace of ageing greatly differs under different definitions. Furthermore, the OADR projections show an increase in dependency for most of the projection period and for all countries, while that is not the case for DDR, depending on the scenario.

The area in light blue within the DDR scenarios depicts the range of expected ageing under our different projections. The variation for the world is modest but not trivial. The growth in dependency would be almost three times faster under the constant prevalence scenario (top bound of the ageing range) than under the catch-up scenario (lower bound).

The world’s top bound is consistent across regions and delineated by the constant prevalence scenario in all cases except for high-income countries where the constant prevalence and the past-trends line almost perfectly match through the whole projection. This implies that on average (and weighted by population size) disability prevalence has not changed in the historical period for high-income countries, according to GBD data.

The world’s lower bound is almost equally matched by the other three scenarios; however, the pattern is not consistent across regions. The past-trends scenario for the world is driven down by low income countries, where, in contrast with high-income countries, disability

prevalence rates have been decreasing on average at a fast pace. This pattern can be appreciated in the chart for low-income countries, where the population is actually 'getting younger' under the past-trends scenario. Nonetheless, it is unlikely that disability prevalence rates will continue decreasing at the same pace for the whole projection period, as rates would reach zero per cent for some age groups. The prospects are also good for low-income countries under the catch-up scenario where the population is also getting younger for the whole projection.

Lower-middle-income countries show a pattern similar to that of low-income countries, although the past-trends and catch-up scenarios are inverted. Upper-middle-income countries show the most worrisome projections, with population ageing under all scenarios.

We include one panel that shows the projections for the G20 which in 2018 accounts to more than 85% of the world's gross domestic product.³² In comparison with high-income-countries, the G20 excludes many small (by gross domestic product standards), young, oil producers but includes big medium income countries like India, China or Brazil.

DISCUSSION

The changes that constitute and influence ageing are complex and involve many characteristics of individuals that are loosely correlated with chronological ageing. However, the most common ageing indicators are based solely on the population's age, assuming that other characteristics such as health stay constant by age group. In contrast, some studies proposed ageing indicators where gains in health expectancy are translated into gains on other health characteristics. Nevertheless, there is no discernible pattern about the quality of life in an increasing lifespan.

Our work contributes to the development of quantitative and qualitative ageing indicators by combining health and demographic characteristics into one ageing measure. We follow the characteristics approach that allows to easily decompose our indicator into demographic and health components. Additionally, we propose several scenarios based on different explicit assumptions for the projection of health characteristics.

As in Skirbekk *et al.*²⁰ our results show that a multidimensional approach to ageing can significantly change the characterisation of countries around the world. Countries that rank older under conventional measures (like the OADR) may rank younger under qualitative measures. This result helps reconciling the growth-ageing contradiction.³³ Additionally, like Sanderson and Scherbov²² we find that, if improvements in health continue, ageing might be less worrisome than what other non-qualitative ageing indicators like the OADR project. Nevertheless, given the lack of sustained evidence from longitudinal studies on life quality improvements at old age, caution should be taken with too optimistic projections as the

ones from the DRs based on life expectancy. The variation in our projections resulting from different health assumptions is substantial which evinces the risk of making implicit assumption for health characteristics.

In comparison with other studies, extending the sample of countries allows us to generate projections for different income groups. For low-income countries we find that, even though, they will undergo a faster chronological demographic transition, if they maintain past (or even less successful) gains in health, their qualitative ageing indicator will not increase for several decades. In contrast, high-income countries show considerable ageing under the constant prevalence or past-trends scenario and upper-middle-income countries are projected to age in all scenarios.

An important issue with our projections is the absence of variation resulting from inequality within countries. Our results are based on average aggregated projections; however, health inequality within countries could add variation that we are unable to explore. Another limitation of this approach is the unidimensional and purely biomedical operationalisation of healthy ageing in our indicator, which contrasts with multidimensional theories discussed in the literature.^{25 26} Restricting research to only biomedical studies may bound the advancement of successful ageing conceptualisation, research and public policy. This is in part, due to the unrealistic prospect of elderly individuals ageing in perfect physical condition. Other relevant individual characteristics, including psychosocial components, could be incorporated to obtain a more comprehensive measure.¹¹ However, the data requirements of such an approach would significantly narrow our sample of countries. Additionally, disability is one of the most common concepts used in the literature to operationalise healthy ageing.^{25 34}

It would be interesting to explore how our results could be used to address research on ageing and productivity as in Lozano *et al.*³⁵ and Aiyar *et al.*⁹ These papers develop a methodology to assess how labour productivity is affected due to health deterioration as a consequence of population ageing. Our indicator could be used to assess worst-case and best-case scenarios.

Our results can also be used to compare and assess eligibility reforms in pension systems. Many pension systems have implemented increases in retirement age based on projected raises in life expectancy.³⁶ Our indicator could be used to compare those with reforms based on projected raises in disability-free life expectancy.

Contributors DW conceived the study, developed the methods, collected the data and completed all analyses. AR-U closely supervised every step providing crucial input and should be considered a first author together with DW. CB and JO provided feedback to the methods, and edited and reviewed the manuscript. All authors interpreted results and reviewed and contributed to the final draft.

Funding This work is the result of a 2018 Ignacio H. Larramendi Research Grant of Fundación MAPFRE. AR-U work received funding from the Gillings Fellowship in Global Public Health and Autism Research, Grant Award YOG054. JO acknowledges the financial support of Spanish Ministry of Science, Innovation and Universities (formerly, Ministry of Economy and Competitiveness), Project ECO2016-76506-C4-3-R.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data are available in a public, open access repository. All data relevant to the study are included in the article or uploaded as supplementary information.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Diego Wachs <http://orcid.org/0000-0002-0692-8104>

Andres Roman-Urrestarazu <https://orcid.org/0000-0002-2405-9432>

Carol Brayne <https://orcid.org/0000-0001-5307-663X>

Jorge Onrubia-Fernández <https://orcid.org/0000-0001-8394-7387>

REFERENCES

- Sanderson WC, Scherbov S. Are we overly dependent on conventional dependency ratios? *Popul Dev Rev* 2015;41:687–708.
- United Nations. World population ageing [highlights]; 2017.
- Bloom DE, Sousa-poza A. *Ageing and Productivity : Introduction*, 2013.
- Bloom DE, Freeman RB. Population growth, labor supply, and employment in developing countries. *Natl Bur Econ Res Work Pap Ser* 1986;1837.
- Harwood RH, Sayer AA, Hirschfeld M. Current and future worldwide prevalence of dependency, its relationship to total population, and dependency ratios. *Bull World Health Organ* 2004;82:251–8.
- Comas-Herrera A, Knapp M, Wittenberg R, et al. MODEM: a comprehensive approach to modelling outcome and costs impacts of interventions for dementia. protocol paper. *BMC Health Serv Res* 2017;17:1–8.
- Fine M. Intergenerational perspectives on ageing, economics and globalisation. *Australas J Ageing* 2014;33:220–5.
- Bussolo M, Koettl J, Sinnott E. *Golden aging: prospects for healthy, active and Prosperous aging in Europe and Central Asia*, 2015.
- Aiyar S, Ebeke C, Shao X. The impact of workforce aging on European productivity. *IMF Work Pap* 2016;29.
- World Health Organization. *World report on ageing and health*. Elsevier, 2015.
- Crimmins EM. Trends in the health of the elderly. *Annu Rev Public Health* 2004;25:79–98.
- Gruenberg EM. The failures of success. *Milbank Mem Fund Q Health Soc* 1977;55:3–24.
- Sanderson W, Scherbov S. Rethinking age and aging. *Popul Bull* 2008;63:1–16.
- Fries JF. Aging, natural death, and the compression of morbidity. *N Engl J Med* 1980;303:130–5.
- Liao Y, McGee DL, Cao G, et al. Recent changes in the health status of the older U.S. population: findings from the 1984 and 1994 supplement on aging. *J Am Geriatr Soc* 2001;49:443–9.
- Schoeni RF, Freedman VA, Martin LG. Trends in old-age disability 2008;86:47–89.
- Seeman TE, Merkin SS, Crimmins EM, et al. Disability trends among older Americans: National health and nutrition examination surveys, 1988–1994 and 1999–2004. *Am J Public Health* 2010;100:100–7.
- Hung WW, Ross JS, Boockvar KS, et al. Recent trends in chronic disease, impairment and disability among older adults in the United States. *BMC Geriatr* 2011;11:47.
- Matthews FE, Stephan BCM, Robinson L, et al. A two decade dementia incidence comparison from the cognitive function and ageing studies I and II. *Nat Commun* 2016;7:11398.
- Skirbekk V, Loichinger E, Weber D. Variation in cognitive functioning as a refined approach to comparing aging across countries. *Proc Natl Acad Sci U S A* 2012;109:770–4.
- Sinclair D, Moore K, Franklin B. *Linking state pension age to longevity tackling the Fairness challenge*, 2014.
- Sanderson WC, Scherbov S. Remeasuring aging. *Science* 2010;329:1287–8.
- Chang AY, Skirbekk VF, Tyrovolas S, et al. Measuring population ageing: an analysis of the global burden of disease study 2017. *Lancet Public Health* 2019;4:e159–67.
- Siegel JS, Davidson M. *Demographic and socioeconomic aspects of aging in the United States*, 1984.
- Cosco TD, Prina AM, Perales J, et al. Operational definitions of successful aging: a systematic review. *Int Psychogeriatr* 2014;26:373–81.
- Balachandran A, James KS. A multi-dimensional measure of population ageing accounting for quantum and quality in life years: an application of selected countries in Europe and Asia. *SSM Popul Health* 2019;7:100330.
- GBD 2017 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the global burden of disease study 2017. *Lancet* 2018;392:1789–858.
- LaFortune G, Balestat G, The Disability Study Expert Group Members. *Trends in severe disability among elderly people: assessing the evidence in 12 oecd countries & the future implications*. Paris OECD Publishing, 2007.
- Mathers CD, Iburg KM, Salomon JA, et al. Global patterns of healthy life expectancy in the year 2002. *BMC Public Health* 2004;4:66.
- Feyrer J. Demographics and productivity. *Rev Econ Stat* 2007;89:100–9.
- Bloom DE, Chatterji S, Kowal P, et al. Macroeconomic implications of population ageing and selected policy responses. *Lancet* 2015;385:649–57.
- IMF. IMF data Mapper, 2019. Available: <https://www.imf.org/external/datamapper/NGDPD@WEO/OEMDC/ADVEC/WEOWORLD> [Accessed 19 Mar 2019].
- Acemoglu D, Restrepo P. Secular Stagnation? the effect of aging on economic growth in the age of automation. *Ssm* 2017;107:174–9.
- Lu W, Pikhart H, Sacker A. OUP accepted manuscript. *Zool. J. Linn. Soc* 2019;00:1–17.
- Lozano Ret al. The global economic burden of noncommunicable diseases. *Lancet* 2013;2:44.
- Alonso-García J, Boado-Penas MdelC, Devolder P, del C. Adequacy, Fairness and sustainability of pay-as-you-go-pension-systems: defined benefit versus defined contribution. *The European Journal of Finance* 2018;24:1100–22.